



Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Feb 10, 2019 – 09:33 AM EST

PDB ID : 6MCB
EMDB ID: : EMD-9066
Title : CryoEM structure of AcrIIA2 in complex with CRISPR-Cas9
Authors : Jiang, F.; Liu, J.J.; Doudna, J.A.
Deposited on : 2018-08-31
Resolution : 3.40 Å(reported)
Based on PDB ID : 4ZT0

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.


MolProbity : 4.02b-467
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20031633

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	136327	1886
Ramachandran outliers	132723	1663
Sidechain outliers	132532	1531
RNA backbone	3747	458

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	B	116	
2	A	1368	
3	C	123	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14187 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called Single guide RNA (116-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	B	116	2494	1112	455	809	118	0	0

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	1364	10747	6836	1858	2030	23	0	0


- Molecule 3 is a protein called Anti-CRISPR protein AcrIIA2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	123	946	596	146	199	5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Single guide RNA (116-MER)




- Molecule 2: CRISPR-associated endonuclease Cas9



- Molecule 3: Anti-CRISPR protein AcrIIA2





4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	263270	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	43.2	Depositor
Minimum defocus (nm)	Not provided	Depositor
Maximum defocus (nm)	Not provided	Depositor
Magnification	Not provided	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
1	B	0.87	0/2758	1.23	27/4297 (0.6%)
2	A	0.48	0/10941	0.63	2/14785 (0.0%)
3	C	0.45	0/959	0.74	1/1306 (0.1%)
All	All	0.57	0/14658	0.80	30/20388 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	0	2
3	C	0	4
All	All	0	6

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	20	C	C6-N1-C2	-7.56	117.28	120.30
1	B	88	C	C2-N1-C1'	6.89	126.38	118.80
3	C	57	LEU	CA-CB-CG	6.54	130.34	115.30
1	B	20	C	C5-C6-N1	6.52	124.26	121.00
1	B	23	U	C6-N1-C2	-6.38	117.17	121.00
1	B	88	C	N1-C2-O2	6.35	122.71	118.90
1	B	36	U	N3-C2-O2	-6.27	117.81	122.20
1	B	39	U	C2-N1-C1'	-6.05	110.44	117.70
1	B	20	C	N1-C2-O2	6.01	122.51	118.90
1	B	36	U	N1-C2-O2	5.98	126.99	122.80
1	B	58	C	N3-C2-O2	-5.93	117.75	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	C	N3-C2-O2	-5.92	117.76	121.90
1	B	48	A	O5'-P-OP1	-5.86	100.43	105.70
1	B	58	C	N1-C2-O2	5.66	122.30	118.90
1	B	86	A	P-O3'-C3'	5.64	126.47	119.70
1	B	41	U	C5-C4-O4	-5.58	122.55	125.90
1	B	20	C	N3-C2-O2	-5.54	118.03	121.90
1	B	23	U	N1-C2-N3	5.47	118.19	114.90
2	A	1312	LEU	CA-CB-CG	5.46	127.87	115.30
1	B	43	A	C4-N9-C1'	5.39	136.00	126.30
1	B	43	A	C2-N3-C4	5.39	113.29	110.60
1	B	77	U	N3-C2-O2	-5.37	118.44	122.20
1	B	20	C	C2-N1-C1'	5.36	124.69	118.80
1	B	35	C	C6-N1-C2	-5.32	118.17	120.30
1	B	114	C	N3-C2-O2	-5.20	118.26	121.90
2	A	666	LEU	CA-CB-CG	5.17	127.19	115.30
1	B	60	A	P-O3'-C3'	5.16	125.89	119.70
1	B	66	A	C8-N9-C4	-5.08	103.77	105.80
1	B	41	U	N3-C4-O4	5.02	122.92	119.40
1	B	35	C	P-O3'-C3'	5.02	125.72	119.70

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	1326	TYR	Peptide
2	A	198	GLU	Peptide
3	C	28	THR	Peptide
3	C	30	ASP	Peptide
3	C	31	PHE	Peptide
3	C	82	VAL	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2494	0	1248	27	0
2	A	10747	0	10515	121	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	946	0	881	14	0
All	All	14187	0	12644	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:A:N7	1:B:47:A:N6	2.39	0.71
2:A:301:LEU:HD21	2:A:406:ASP:HB2	1.74	0.68
2:A:1048:THR:HG23	2:A:1076:LYS:HE3	1.75	0.68
2:A:388:GLU:HA	2:A:391:VAL:HG12	1.79	0.64
3:C:51:ALA:O	3:C:114:GLN:NE2	2.32	0.62
2:A:849:ASP:HB3	2:A:854:ASN:HD22	1.65	0.62
1:B:67:A:N3	2:A:1122:ARG:NH2	2.48	0.61
2:A:30:LYS:HD3	2:A:47:LEU:HD11	1.84	0.59
2:A:451:TYR:O	2:A:464:TRP:NE1	2.31	0.59
2:A:353:ASP:OD2	2:A:356:LYS:N	2.36	0.59
2:A:118:ILE:HG12	2:A:156:LEU:HD11	1.83	0.59
2:A:864:ARG:NH2	2:A:869:ASN:O	2.35	0.59
2:A:1120:ILE:HD11	2:A:1137:PRO:HB3	1.85	0.58
2:A:492:ILE:HG12	2:A:625:LEU:HD13	1.85	0.58
3:C:42:VAL:HG22	3:C:91:ILE:HG22	1.86	0.58
2:A:804:THR:HG23	2:A:805:GLN:HG3	1.86	0.57
2:A:237:LEU:O	2:A:241:LEU:HB2	2.04	0.57
2:A:1295:ASN:OD1	2:A:1298:ARG:NH2	2.38	0.57
2:A:465:MET:HE1	2:A:482:VAL:HG22	1.87	0.57
1:B:68:U:O4	2:A:75:ARG:NH2	2.36	0.57
1:B:16:G:OP1	2:A:74:ARG:NH2	2.39	0.56
2:A:277:ASN:O	2:A:281:GLN:NE2	2.38	0.56
2:A:600:ILE:HG21	2:A:651:LEU:HD23	1.87	0.56
2:A:817:GLN:HA	2:A:886:LEU:HD11	1.88	0.56
1:B:9:A:OP1	2:A:926:GLN:NE2	2.36	0.56
2:A:971:GLN:HE21	2:A:1255:LYS:HE2	1.71	0.56
2:A:1000:LYS:HB2	2:A:1073:VAL:HG21	1.88	0.55
2:A:100:ARG:NH1	2:A:117:PRO:O	2.39	0.55
2:A:827:GLU:O	2:A:859:ARG:NH2	2.36	0.55
2:A:782:LYS:NZ	2:A:786:GLU:OE1	2.33	0.55
2:A:94:ASP:OD2	2:A:100:ARG:NH2	2.41	0.54
3:C:46:LYS:HB2	3:C:117:ILE:HD11	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1266:LEU:HD22	2:A:1309:ILE:HD12	1.90	0.54
2:A:556:ASN:OD1	2:A:563:GLN:NE2	2.40	0.54
2:A:90:MET:HE1	2:A:152:ARG:HB3	1.91	0.53
2:A:552:LEU:HD13	2:A:559:VAL:HG11	1.90	0.53
2:A:235:ASN:O	2:A:255:ASN:ND2	2.38	0.52
2:A:1210:ARG:HD2	2:A:1212:ARG:HE	1.74	0.52
2:A:404:THR:OG1	2:A:406:ASP:OD1	2.27	0.52
1:B:6:A:OP2	1:B:8:A:N6	2.42	0.52
2:A:209:LYS:O	2:A:213:SER:HB3	2.10	0.51
2:A:560:THR:HA	2:A:586:ARG:HA	1.92	0.51
1:B:82:U:H2'	1:B:83:A:H8	1.75	0.51
2:A:781:MET:HB2	2:A:803:ASN:HD21	1.75	0.51
2:A:893:THR:HG22	2:A:895:ARG:H	1.77	0.50
2:A:1249:PRO:HA	2:A:1252:ASN:HB2	1.94	0.50
2:A:165:ARG:NH1	2:A:444:LEU:O	2.45	0.50
2:A:54:ASP:OD1	2:A:54:ASP:N	2.45	0.49
2:A:1280:VAL:HG23	2:A:1281:ILE:HD12	1.95	0.49
3:C:90:ASN:N	3:C:90:ASN:OD1	2.43	0.49
2:A:870:VAL:HG13	2:A:903:ALA:HB2	1.94	0.49
1:B:51:A:H2'	1:B:52:G:H8	1.77	0.49
3:C:44:ILE:HG22	3:C:89:ILE:HA	1.95	0.49
2:A:78:ARG:NH1	2:A:162:ILE:O	2.46	0.49
2:A:46:ASN:O	2:A:1093:ASN:ND2	2.46	0.49
1:B:109:C:H2'	1:B:110:G:H8	1.78	0.49
1:B:85:C:OP1	2:A:742:LYS:NZ	2.46	0.48
2:A:1279:ARG:HE	2:A:1280:VAL:HG13	1.78	0.48
2:A:516:GLU:HA	2:A:519:THR:HG22	1.95	0.48
2:A:276:ASP:HA	2:A:279:LEU:HB2	1.96	0.48
1:B:106:A:N6	2:A:1089:MET:SD	2.86	0.48
1:B:18:C:OP1	2:A:78:ARG:NH2	2.46	0.48
2:A:531:THR:HA	2:A:578:VAL:HG22	1.95	0.48
2:A:400:ARG:NH2	2:A:406:ASP:OD2	2.37	0.48
2:A:249:THR:HG22	2:A:265:GLN:HB2	1.97	0.47
2:A:32:PHE:HE2	2:A:1355:LEU:HD22	1.79	0.47
2:A:853:ASP:HA	2:A:896:LYS:HD3	1.97	0.47
2:A:327:GLU:HA	2:A:330:GLN:HG2	1.96	0.46
2:A:569:PHE:HA	2:A:573:GLU:HB2	1.97	0.46
3:C:45:THR:OG1	3:C:48:GLU:O	2.32	0.46
2:A:272:ASP:OD1	2:A:272:ASP:N	2.47	0.46
2:A:279:LEU:HA	2:A:282:ILE:HG12	1.98	0.46
2:A:540:LEU:O	2:A:690:ASN:ND2	2.42	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:904:GLU:OE1	2:A:905:ARG:NH1	2.49	0.46
2:A:1212:ARG:HH22	2:A:1281:ILE:HA	1.81	0.45
2:A:436:ASN:O	2:A:440:ILE:HG12	2.17	0.45
2:A:772:LYS:O	2:A:776:ASN:ND2	2.49	0.45
2:A:97:PHE:CZ	2:A:152:ARG:HB2	2.51	0.45
1:B:47:A:O2'	1:B:48:A:N7	2.48	0.45
2:A:279:LEU:HD12	2:A:284:ASP:HA	1.97	0.45
2:A:181:VAL:HG11	2:A:300:ILE:HD13	1.97	0.45
1:B:14:G:N7	2:A:63:ARG:NH1	2.64	0.45
2:A:103:GLU:OE2	2:A:113:HIS:ND1	2.41	0.45
2:A:139:ARG:HH22	2:A:415:HIS:CE1	2.33	0.45
2:A:388:GLU:O	2:A:392:LYS:NZ	2.42	0.45
2:A:777:SER:O	2:A:803:ASN:ND2	2.49	0.45
2:A:167:HIS:HB2	2:A:169:LEU:HG	1.99	0.45
1:B:6:A:O2'	2:A:919:ARG:NH2	2.49	0.45
2:A:369:GLN:HE22	2:A:400:ARG:NH1	2.15	0.45
2:A:647:VAL:O	2:A:651:LEU:N	2.46	0.45
2:A:743:VAL:O	2:A:747:LEU:HB2	2.17	0.45
2:A:1140:ALA:HB2	2:A:1168:ILE:HG12	1.99	0.45
1:B:59:A:P	2:A:340:ARG:HH22	2.40	0.44
2:A:979:ASN:ND2	2:A:1226:LEU:O	2.49	0.44
3:C:3:LEU:HB2	3:C:7:GLN:HG3	2.00	0.44
1:B:23:U:H5''	2:A:1112:PRO:HG3	1.99	0.44
2:A:188:LEU:HD21	2:A:241:LEU:HD12	1.99	0.44
2:A:79:ILE:HD13	2:A:79:ILE:HA	1.86	0.44
2:A:1163:LEU:HD11	2:A:1198:LEU:HD12	2.00	0.44
2:A:264:LEU:HD11	2:A:278:LEU:HD13	1.99	0.44
2:A:43:ILE:HG22	2:A:45:LYS:HG3	1.98	0.44
2:A:759:ILE:HB	2:A:955:VAL:HG22	2.00	0.44
3:C:106:GLU:HG2	3:C:110:LYS:HE3	1.98	0.44
2:A:1220:LEU:HD21	2:A:1342:VAL:HG21	2.00	0.44
2:A:779:GLU:HA	2:A:782:LYS:HB3	1.99	0.44
2:A:89:GLU:HG3	2:A:151:LEU:HD21	2.00	0.44
3:C:65:ASP:N	3:C:65:ASP:OD1	2.50	0.44
1:B:31:U:H2'	1:B:32:A:H8	1.83	0.43
1:B:33:U:H2'	1:B:34:G:H8	1.84	0.43
1:B:82:U:H2'	1:B:83:A:C8	2.52	0.43
2:A:1204:PHE:HE2	2:A:1214:LEU:HB2	1.83	0.43
2:A:1267:ASP:OD1	2:A:1294:TYR:OH	2.31	0.43
2:A:873:GLU:HA	2:A:876:VAL:HG22	2.00	0.43
1:B:108:U:O2	2:A:981:TYR:OH	2.37	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:460:SER:OG	2:A:461:ARG:N	2.52	0.43
2:A:392:LYS:HG3	2:A:398:LEU:HB3	2.00	0.43
1:B:62:U:H5'	2:A:363:ILE:HG23	2.00	0.43
2:A:208:ALA:O	2:A:212:LEU:HB2	2.18	0.42
2:A:1338:SER:HB2	3:C:60:ASP:H	1.84	0.42
2:A:727:LEU:HB2	2:A:734:LYS:HE2	2.01	0.42
2:A:79:ILE:HD11	2:A:163:LYS:HG3	2.00	0.42
2:A:1018:VAL:HA	2:A:1021:MET:HG2	2.02	0.42
3:C:18:ILE:HG22	3:C:24:PHE:HZ	1.84	0.42
2:A:369:GLN:HE22	2:A:400:ARG:HH11	1.67	0.42
1:B:39:U:H2'	1:B:40:U:C2	2.55	0.42
2:A:416:LEU:HD22	2:A:445:THR:HG21	2.00	0.42
2:A:1107:LYS:HD3	3:C:38:ASP:HB2	2.02	0.42
2:A:424:ARG:HB3	2:A:437:ARG:HH22	1.84	0.42
2:A:672:ASP:OD2	2:A:674:GLN:NE2	2.53	0.41
1:B:101:C:H2'	1:B:102:A:C8	2.55	0.41
1:B:7:U:H3'	1:B:8:A:C8	2.55	0.41
2:A:256:PHE:HB2	2:A:258:LEU:HD12	2.01	0.41
2:A:910:GLU:HG2	2:A:1022:ILE:HD11	2.01	0.41
3:C:35:VAL:HG12	3:C:91:ILE:HD11	2.02	0.41
2:A:1283:ALA:HB1	2:A:1286:ASN:HB2	2.03	0.41
2:A:866:LYS:O	2:A:1054:ASN:ND2	2.54	0.41
2:A:189:VAL:HG22	2:A:201:ILE:HD11	2.02	0.41
2:A:420:HIS:ND1	2:A:441:GLU:OE2	2.41	0.41
1:B:20:C:P	2:A:403:ARG:HH21	2.44	0.41
2:A:1098:THR:OG1	2:A:1098:THR:O	2.29	0.40
2:A:1111:LEU:HA	2:A:1112:PRO:HD3	1.89	0.40
2:A:1242:TYR:OH	2:A:1260:GLU:OE2	2.39	0.40
1:B:31:U:H2'	1:B:32:A:C8	2.56	0.40
3:C:55:CYS:SG	3:C:56:SER:N	2.95	0.40
2:A:1111:LEU:HA	2:A:1111:LEU:HD23	1.88	0.40
2:A:677:LYS:NZ	2:A:685:SER:O	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	1362/1368 (100%)	1268 (93%)	94 (7%)	0	100	100
3	C	121/123 (98%)	106 (88%)	13 (11%)	2 (2%)	10	44
All	All	1483/1491 (100%)	1374 (93%)	107 (7%)	2 (0%)	56	85

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	31	PHE
3	C	29	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	1126/1227 (92%)	1115 (99%)	11 (1%)	78	89
3	C	102/114 (90%)	101 (99%)	1 (1%)	78	89
All	All	1228/1341 (92%)	1216 (99%)	12 (1%)	80	89

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	74	ARG
2	A	152	ARG
2	A	174	LEU
2	A	241	LEU
2	A	266	LEU
2	A	437	ARG
2	A	522	ASN
2	A	629	ARG
2	A	664	ARG
2	A	767	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	895	ARG
3	C	20	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	77	ASN
2	A	193	ASN
2	A	224	ASN
2	A	240	ASN
2	A	412	HIS
2	A	504	ASN
2	A	522	ASN
2	A	767	ASN
2	A	803	ASN
2	A	971	GLN
2	A	1272	GLN
2	A	1286	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	115/116 (99%)	40 (34%)	6 (5%)

All (40) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	3	C
1	B	4	G
1	B	5	C
1	B	6	A
1	B	7	U
1	B	8	A
1	B	9	A
1	B	10	A
1	B	12	A
1	B	20	C
1	B	28	A
1	B	29	G
1	B	30	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	36	U
1	B	37	G
1	B	41	U
1	B	42	G
1	B	43	A
1	B	44	A
1	B	45	A
1	B	46	A
1	B	47	A
1	B	48	A
1	B	49	A
1	B	50	C
1	B	60	A
1	B	61	G
1	B	69	A
1	B	75	A
1	B	77	U
1	B	81	U
1	B	85	C
1	B	87	A
1	B	99	G
1	B	100	G
1	B	102	A
1	B	105	G
1	B	107	G
1	B	109	C
1	B	116	U

All (6) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	1	GTP
1	B	27	G
1	B	35	C
1	B	47	A
1	B	60	A
1	B	86	A

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.