



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2018 – 01:18 pm GMT

PDB ID : 1NCR
Title : The structure of Rhinovirus 16 when complexed with pleconaril, an antiviral compound
Authors : Zhang, Y.; Simpson, A.A.; Bator, C.M.; Chakravarty, S.; Pevear, D.C.; Skochko, G.A.; Tull, T.M.; Diana, G.; Rossmann, M.G.
Deposited on : 2002-12-05
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	2755 (2.70-2.70)
Ramachandran outliers	120005	2715 (2.70-2.70)
Sidechain outliers	119972	2715 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	285	
2	B	261	
3	C	238	
4	D	68	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6717 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called coat protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	285	2288	1442	397	438	11	0	0	0

- Molecule 2 is a protein called coat protein VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	252	1978	1252	343	373	10	0	0	0

- Molecule 3 is a protein called coat protein VP3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	238	1846	1186	298	347	15	0	0	0


- Molecule 4 is a protein called coat protein VP4.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	29	224	138	41	45	0	0	0

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
5	A	1	1	1	0	0

- Molecule 6 is 3-{3,5-DIMETHYL-4-[3-(3-METHYL-ISOXAZOL-5-YL)-PROPOXY]-PHE NYL}-5-TRIFLUOROMETHYL-[1,2,4]OXADIAZOLE (three-letter code: W11) (formula: C₁₈H₁₈F₃N₃O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
6	A	1	27	18	3	3	3	0	0

- Molecule 7 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
7	D	1	15	14	1	0	0

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	113	Total 113	O 113	0	0
8	B	121	Total 121	O 121	0	0
8	C	100	Total 100	O 100	0	0
8	D	4	Total 4	O 4	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: coat protein VP1




- Molecule 2: coat protein VP2



- Molecule 3: coat protein VP3



- Molecule 4: coat protein VP4



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	359.49Å 343.66Å 332.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.70	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.70)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.243 , 0.247	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6717	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MYR, W11

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/2350	0.61	0/3204
2	B	0.33	0/2030	0.64	0/2770
3	C	0.37	0/1898	0.65	0/2596
4	D	0.46	0/226	0.62	0/301
All	All	0.34	0/6504	0.63	0/8871

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2288	0	2201	37	0
2	B	1978	0	1919	35	0
3	C	1846	0	1825	27	0
4	D	224	0	211	9	0
5	A	1	0	0	0	0
6	A	27	0	18	1	0
7	D	15	0	27	4	0
8	A	113	0	0	4	0
8	B	121	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	100	0	0	1	0
8	D	4	0	0	0	0
All	All	6717	0	6201	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:7001:W11:N1A	6:A:7001:W11:O1A	1.56	1.18
2:B:121:THR:HB	2:B:227:CYS:HB2	1.62	0.82
2:B:173:ASN:HD21	2:B:179:LEU:HA	1.52	0.73
1:A:124:MET:HB2	1:A:177:PRO:HG2	1.69	0.73
2:B:121:THR:CB	2:B:227:CYS:HB2	2.22	0.69
2:B:260:VAL:O	2:B:261:GLN:HB2	1.93	0.68
1:A:24:HIS:HB3	1:A:25:PRO:HD2	1.75	0.67
1:A:134:HIS:ND1	1:A:134:HIS:N	2.43	0.66
4:D:5:SER:HB2	4:D:26:TYR:HB3	1.79	0.64
1:A:13:GLU:HA	1:A:61:THR:HG21	1.80	0.62
1:A:38:GLU:HA	2:B:189:PHE:HB2	1.82	0.61
1:A:170:TRP:CD1	1:A:177:PRO:HD3	2.37	0.60
2:B:12:ARG:HH11	2:B:12:ARG:HG3	1.67	0.59
1:A:263:ASN:HA	2:B:133:ALA:HB1	1.84	0.58
2:B:211:ASP:OD2	2:B:216:HIS:HD2	1.87	0.58
2:B:30:ASN:ND2	2:B:31:ALA:H	2.00	0.58
2:B:193:ARG:HD3	8:B:379:HOH:O	2.03	0.57
3:C:115:PHE:CE1	3:C:189:ILE:HD11	2.38	0.57
3:C:120:CYS:HB2	3:C:208:GLU:O	2.05	0.57
1:A:250:PRO:HB2	2:B:177:THR:HB	1.89	0.55
1:A:25:PRO:HD3	1:A:52:GLU:OE1	2.06	0.55
4:D:1:GLY:N	7:D:4000:MYR:H32	2.21	0.55
2:B:255:ARG:HH11	2:B:255:ARG:HG3	1.73	0.54
2:B:38:TRP:CH2	2:B:201:ILE:HD13	2.43	0.53
4:D:1:GLY:HA3	7:D:4000:MYR:O2	2.09	0.53
3:C:19:MET:HE3	3:C:19:MET:HA	1.89	0.53
1:A:46:GLN:HB3	1:A:47:PRO:HD2	1.91	0.53
1:A:202:TYR:CZ	1:A:203:LYS:HE3	2.45	0.52
3:C:44:ILE:O	3:C:48:GLN:HG3	2.09	0.52
2:B:215:ARG:NH1	8:B:362:HOH:O	2.42	0.52
3:C:176:ARG:HD3	3:C:184:SER:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:PRO:HD3	3:C:40:VAL:CG2	2.40	0.51
4:D:4:VAL:HG22	4:D:27:PHE:CD1	2.45	0.51
1:A:41:HIS:HB2	8:A:7004:HOH:O	2.08	0.51
1:A:174:GLN:HG3	8:A:7083:HOH:O	2.10	0.51
2:B:173:ASN:ND2	2:B:179:LEU:HA	2.23	0.50
3:C:20:GLN:HG2	4:D:38:SER:HA	1.93	0.50
1:A:184:LEU:HD12	1:A:214:MET:HE1	1.94	0.50
3:C:26:PRO:O	3:C:27:TRP:HB2	2.12	0.50
2:B:129:GLU:OE1	2:B:216:HIS:HE1	1.94	0.50
1:A:170:TRP:CH2	1:A:172:HIS:HA	2.47	0.50
3:C:64:ASN:O	3:C:67:MET:HG2	2.12	0.50
4:D:1:GLY:H1	7:D:4000:MYR:C1	2.25	0.49
2:B:171:TRP:CD2	3:C:63:GLY:HA2	2.46	0.49
1:A:134:HIS:CE1	1:A:228:HIS:NE2	2.81	0.49
1:A:265:LYS:HG2	8:A:7090:HOH:O	2.13	0.49
2:B:14:ILE:CG2	2:B:28:VAL:HG11	2.43	0.48
4:D:1:GLY:H3	7:D:4000:MYR:H32	1.77	0.48
1:A:145:VAL:HG13	1:A:149:ALA:HB3	1.95	0.48
2:B:179:LEU:HD12	2:B:182:LEU:HD12	1.96	0.48
1:A:144:TYR:O	1:A:146:PRO:HD3	2.14	0.48
1:A:197:TYR:CE2	1:A:206:TYR:HB2	2.48	0.48
3:C:108:HIS:HB2	3:C:222:ARG:HB3	1.95	0.48
3:C:185:SER:HB2	8:C:274:HOH:O	2.15	0.47
2:B:45:GLN:H	2:B:45:GLN:CD	2.19	0.46
2:B:30:ASN:ND2	2:B:31:ALA:N	2.64	0.46
1:A:184:LEU:CD1	1:A:214:MET:HE1	2.46	0.46
1:A:35:ASP:CG	1:A:36:ALA:H	2.19	0.45
3:C:212:PHE:N	3:C:212:PHE:CD1	2.85	0.45
3:C:128:LYS:HB2	3:C:195:THR:OG1	2.17	0.45
3:C:83:PHE:C	3:C:83:PHE:CD1	2.89	0.45
1:A:30:ALA:O	1:A:32:PRO:HD3	2.17	0.45
1:A:182:PRO:O	1:A:184:LEU:HG	2.17	0.45
2:B:43:THR:HB	2:B:45:GLN:OE1	2.17	0.45
3:C:111:GLY:HA3	3:C:219:PHE:HA	1.98	0.44
2:B:82:LEU:HD21	2:B:244:ILE:HD13	2.00	0.44
1:A:243:THR:HG22	1:A:244:LYS:N	2.32	0.44
1:A:250:PRO:HA	1:A:251:PRO:HD3	1.89	0.44
1:A:183:PHE:CZ	1:A:185:SER:HB3	2.53	0.44
8:A:7008:HOH:O	3:C:222:ARG:HG3	2.18	0.44
2:B:236:ASN:HD22	2:B:236:ASN:C	2.22	0.43
1:A:262:THR:OG1	2:B:133:ALA:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:165:GLN:HG3	2:B:166:PRO:HD2	2.00	0.43
2:B:52:LYS:HA	2:B:53:PRO:HD3	1.89	0.43
3:C:2:LEU:HD12	3:C:3:PRO:HD2	2.01	0.43
1:A:242:HIS:HA	4:D:41:SER:OG	2.18	0.43
1:A:60:GLN:HG2	3:C:110:THR:HG21	2.01	0.43
1:A:132:ASP:HB2	1:A:228:HIS:HB3	2.01	0.42
3:C:115:PHE:CZ	3:C:189:ILE:HD11	2.54	0.42
2:B:148:HIS:N	2:B:149:PRO:CD	2.82	0.42
2:B:171:TRP:CE2	3:C:63:GLY:HA2	2.55	0.42
3:C:81:GLU:HB2	3:C:192:TRP:CZ3	2.54	0.42
2:B:159:GLN:NE2	8:B:349:HOH:O	2.51	0.42
1:A:44:LYS:HA	1:A:44:LYS:HD3	1.64	0.42
8:B:380:HOH:O	3:C:208:GLU:HG3	2.19	0.42
3:C:29:HIS:HA	3:C:30:PRO:HD3	1.91	0.41
1:A:97:ASN:HD22	1:A:97:ASN:HA	1.67	0.41
2:B:12:ARG:NH1	2:B:12:ARG:HG3	2.35	0.41
2:B:183:LEU:N	2:B:183:LEU:HD12	2.35	0.41
2:B:48:THR:HG23	2:B:49:ALA:N	2.35	0.41
2:B:232:ASN:N	2:B:232:ASN:HD22	2.19	0.41
1:A:17:VAL:HG13	1:A:60:GLN:O	2.20	0.41
1:A:3:VAL:HB	4:D:7:GLN:OE1	2.20	0.41
1:A:79:GLU:HG2	1:A:235:ARG:HG2	2.03	0.41
3:C:171:SER:HB2	3:C:176:ARG:CZ	2.51	0.41
2:B:165:GLN:HA	2:B:166:PRO:HD3	1.87	0.41
3:C:136:PRO:HD3	3:C:186:ALA:O	2.21	0.40
3:C:194:GLN:OE1	3:C:194:GLN:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/285 (99%)	276 (98%)	7 (2%)	0	100	100
2	B	250/261 (96%)	236 (94%)	13 (5%)	1 (0%)	36	64
3	C	236/238 (99%)	223 (94%)	12 (5%)	1 (0%)	36	64
4	D	25/68 (37%)	24 (96%)	1 (4%)	0	100	100
All	All	794/852 (93%)	759 (96%)	33 (4%)	2 (0%)	43	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	161	GLU
3	C	180	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/256 (100%)	249 (97%)	7 (3%)	48	78
2	B	221/228 (97%)	215 (97%)	6 (3%)	48	78
3	C	210/210 (100%)	207 (99%)	3 (1%)	69	89
4	D	23/59 (39%)	22 (96%)	1 (4%)	32	61
All	All	710/753 (94%)	693 (98%)	17 (2%)	52	81

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	VAL
1	A	60	GLN
1	A	63	ASP
1	A	74	SER
1	A	97	ASN
1	A	134	HIS
1	A	172	HIS
2	B	30	ASN
2	B	45	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	165	GLN
2	B	168	ASP
2	B	193	ARG
2	B	236	ASN
3	C	19	MET
3	C	180	PRO
3	C	182	THR
4	D	28	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN
1	A	57	GLN
1	A	89	ASN
1	A	97	ASN
1	A	171	GLN
2	B	30	ASN
2	B	55	GLN
2	B	159	GLN
2	B	165	GLN
2	B	173	ASN
2	B	216	HIS
2	B	218	ASN
2	B	232	ASN
2	B	236	ASN
3	C	59	GLN
4	D	28	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	W11	A	7001	-	21,29,29	2.40	7 (33%)	32,42,42	2.94	15 (46%)
7	MYR	D	4000	-	14,14,15	1.01	1 (7%)	13,13,15	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	W11	A	7001	-	-	0/13/17/17	0/3/3/3
7	MYR	D	4000	-	-	0/12/12/13	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	4000	MYR	O2-C1	-3.06	1.26	1.42
6	A	7001	W11	F1-CM4	2.27	1.41	1.32
6	A	7001	W11	O1B-C1B	2.58	1.44	1.39
6	A	7001	W11	C1B-C2B	2.82	1.45	1.40
6	A	7001	W11	C5B-C4B	4.01	1.46	1.39
6	A	7001	W11	C5B-C6B	4.40	1.46	1.39
6	A	7001	W11	C2A-N3A	5.02	1.42	1.35
6	A	7001	W11	C1B-C6B	5.34	1.49	1.40

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	7001	W11	F1-CM4-C3A	-8.21	95.84	112.46
6	A	7001	W11	C4B-C3B-C2B	-4.67	116.34	122.35
6	A	7001	W11	C4B-C5B-C6B	-3.92	117.31	122.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	7001	W11	CM6-C6B-C5B	-2.88	114.12	119.48
6	A	7001	W11	F3-CM4-C3A	-2.72	106.95	112.46
6	A	7001	W11	C6B-C1B-C2B	-2.56	116.59	122.13
6	A	7001	W11	C3B-C4B-C2A	-2.37	116.79	120.14
6	A	7001	W11	CM2-C2B-C1B	-2.08	117.46	120.86
6	A	7001	W11	C1C-C5-C4	2.05	135.00	129.10
6	A	7001	W11	CM6-C6B-C1B	3.06	125.85	120.86
6	A	7001	W11	C5B-C4B-C3B	3.87	124.16	118.30
6	A	7001	W11	C4B-C2A-N1A	4.14	124.67	119.13
6	A	7001	W11	O1B-C1B-C6B	4.25	125.89	118.95
6	A	7001	W11	F2-CM4-C3A	4.76	122.10	112.46
6	A	7001	W11	C3B-C2B-C1B	5.14	125.56	117.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	7001	W11	1	0
7	D	4000	MYR	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.