



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2018 – 06:25 am GMT

PDB ID : 1P5W  
Title : The structures of host range controlling regions of the capsids of canine and feline parvoviruses and mutants  
Authors : Agbandje-McKenna, M.; Govindasamy, L.  
Deposited on : 2003-04-28  
Resolution : 3.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	1021 (3.34-3.26)
Ramachandran outliers	120005	1003 (3.34-3.26)
Sidechain outliers	119972	1002 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	11	
2	A	548	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	3DR	B	1	X	-	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(P\*(3DR)P\*TP\*AP\*CP\*CP\*TP\*CP\*TP\*TP\*GP\*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	B	11	210	101	30	68	11	0	0	0

- Molecule 2 is a protein called Coat protein VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	544	4322	2747	739	820	16	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	ARG	ASN	ENGINEERED	UNP P17455

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total 2	Mg 2	0	0
3	A	2	Total 2	Mg 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total 2	O 2	0	0
4	A	82	Total 82	O 82	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: 5'-D(P\*(3DR)P\*TP\*AP\*CP\*CP\*TP\*CP\*TP\*TP\*GP\*C)-3'

Chain B:  45% 55%



- Molecule 2: Coat protein VP2

Chain A:  77% 20%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	372.42Å 373.02Å 377.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 3.30	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-3.30)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.13	Depositor
Refinement program	CNS	Depositor
R, $R_{free}$	0.200 , 0.202	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4620	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 3DR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	B	2.00	6/220 (2.7%)	3.11	32/336 (9.5%)
2	A	0.49	2/4450 (0.0%)	0.75	4/6085 (0.1%)
All	All	0.65	8/4670 (0.2%)	1.02	36/6421 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	2	0
2	A	1	2
All	All	3	2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	360	GLY	C-N	-10.82	1.09	1.34
1	B	9	DT	C5-C7	8.91	1.55	1.50
1	B	6	DT	C5-C7	8.48	1.55	1.50
2	A	366	THR	N-CA	-8.19	1.29	1.46
1	B	3	DA	C3'-O3'	7.58	1.53	1.44
1	B	8	DT	C5-C7	7.45	1.54	1.50
1	B	2	DT	C5-C7	7.30	1.54	1.50
1	B	3	DA	C5'-C4'	5.41	1.57	1.51

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	9	DT	N1-C1'-C2'	-14.40	85.24	112.60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	9	DT	O4'-C1'-N1	13.51	117.46	108.00
1	B	4	DC	O4'-C4'-C3'	12.35	113.41	106.00
1	B	6	DT	N1-C1'-C2'	-12.04	89.72	112.60
1	B	3	DA	P-O3'-C3'	11.86	133.93	119.70
2	A	366	THR	N-CA-CB	9.76	128.83	110.30
1	B	9	DT	O4'-C4'-C3'	9.75	111.85	106.00
1	B	6	DT	O4'-C4'-C3'	9.65	111.79	106.00
1	B	8	DT	C2'-C3'-O3'	9.19	142.92	112.60
1	B	4	DC	C2'-C3'-O3'	8.90	141.96	112.60
1	B	3	DA	C4'-C3'-O3'	8.88	131.90	109.70
1	B	6	DT	P-O3'-C3'	-8.66	109.30	119.70
2	A	360	GLY	C-N-CA	8.46	142.86	121.70
1	B	10	DG	O4'-C4'-C3'	8.10	110.86	106.00
1	B	6	DT	O4'-C1'-N1	7.78	113.44	108.00
1	B	3	DA	O4'-C1'-N9	7.03	112.92	108.00
2	A	360	GLY	O-C-N	-6.98	111.53	122.70
1	B	6	DT	C2'-C3'-O3'	6.32	133.46	112.60
1	B	4	DC	C4'-C3'-C2'	-6.17	97.55	103.10
1	B	6	DT	C1'-O4'-C4'	-6.14	103.96	110.10
1	B	4	DC	P-O3'-C3'	6.08	126.99	119.70
1	B	9	DT	C1'-O4'-C4'	-5.93	104.17	110.10
1	B	6	DT	C6-C5-C7	-5.81	119.41	122.90
2	A	93	ARG	O-C-N	-5.67	113.55	123.20
1	B	7	DC	C2'-C3'-O3'	-5.66	93.91	112.60
1	B	7	DC	C4'-C3'-C2'	5.52	108.07	103.10
1	B	5	DC	C4'-C3'-C2'	-5.50	98.15	103.10
1	B	4	DC	C3'-C2'-C1'	5.48	109.08	102.50
1	B	8	DT	C6-C5-C7	-5.47	119.61	122.90
1	B	9	DT	OP1-P-OP2	-5.41	111.48	119.60
1	B	2	DT	P-O5'-C5'	-5.13	112.70	120.90
1	B	5	DC	N1-C1'-C2'	5.13	122.34	112.60
1	B	9	DT	C4'-C3'-C2'	-5.07	98.54	103.10
1	B	6	DT	O4'-C1'-C2'	5.05	109.94	105.90
1	B	4	DC	O5'-P-OP2	-5.04	101.16	105.70
1	B	8	DT	C4-C5-C7	5.04	122.03	119.00

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1	3DR	C4',C3'
2	A	366	THR	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	366	THR	Peptide
2	A	93	ARG	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	210	0	121	12	0
2	A	4322	0	4124	114	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	82	0	0	0	0
4	B	2	0	0	0	0
All	All	4620	0	4245	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:366:THR:CG2	2:A:367:ASP:H	1.17	1.36
2:A:366:THR:CG2	2:A:367:ASP:N	1.74	1.10
2:A:366:THR:HG23	2:A:367:ASP:H	0.94	1.09
2:A:366:THR:HG22	2:A:367:ASP:N	1.30	1.08
2:A:366:THR:HG22	2:A:367:ASP:CA	1.86	1.05
2:A:554:ASN:H	2:A:557:ASN:HD21	1.05	1.04
2:A:193:GLU:HB3	2:A:206:THR:HG21	1.46	0.97
2:A:93:ARG:NH2	2:A:227:GLY:O	1.95	0.97
2:A:557:ASN:HD22	2:A:558:GLN:N	1.72	0.86
2:A:362:GLY:HA2	2:A:366:THR:OG1	1.75	0.85
2:A:92:VAL:HG12	2:A:92:VAL:O	1.78	0.83
2:A:554:ASN:H	2:A:557:ASN:ND2	1.78	0.81
1:B:3:DA:H61	2:A:267:PHE:H	1.26	0.79
2:A:422:LEU:H	2:A:422:LEU:HD23	1.51	0.76

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:96:MET:HG2	2:A:220:PRO:HA	1.66	0.76
2:A:101:ILE:HD12	2:A:216:ARG:CZ	2.18	0.74
2:A:214:TRP:O	2:A:350:GLN:HG2	1.88	0.73
1:B:3:DA:N6	2:A:267:PHE:H	1.87	0.73
2:A:366:THR:HG22	2:A:367:ASP:HA	1.69	0.72
2:A:443:ASN:H	2:A:446:ASN:HD22	1.37	0.72
1:B:10:DG:H2''	1:B:11:DC:O5'	1.91	0.71
2:A:554:ASN:N	2:A:557:ASN:HD21	1.87	0.67
2:A:177:LEU:HD22	2:A:263:THR:HG22	1.78	0.65
1:B:7:DC:OP1	2:A:180:ASN:ND2	2.31	0.64
2:A:443:ASN:HD22	2:A:445:THR:H	1.47	0.63
2:A:422:LEU:HA	2:A:423:PRO:C	2.20	0.62
2:A:349:THR:HG22	2:A:350:GLN:HG3	1.81	0.62
2:A:99:ASP:CG	2:A:216:ARG:HH21	2.02	0.61
2:A:361:ARG:HG2	2:A:362:GLY:N	2.15	0.61
2:A:326:THR:H	2:A:329:THR:HB	1.66	0.60
2:A:133:MET:CE	2:A:539:LEU:HD23	2.30	0.60
2:A:349:THR:CG2	2:A:350:GLN:HG3	2.32	0.60
2:A:457:LEU:N	2:A:457:LEU:HD23	2.17	0.60
2:A:557:ASN:HD22	2:A:557:ASN:C	2.05	0.59
2:A:213:GLN:HG3	2:A:240:ASP:HB2	1.85	0.58
2:A:562:VAL:HG13	2:A:563:PRO:HD2	1.86	0.58
2:A:238:PRO:HA	2:A:241:VAL:HG23	1.86	0.57
2:A:360:GLY:HA3	2:A:375:ASN:ND2	2.19	0.57
2:A:193:GLU:CB	2:A:206:THR:HG21	2.28	0.57
1:B:3:DA:C8	2:A:493:ASN:HB3	2.40	0.57
2:A:361:ARG:CG	2:A:362:GLY:N	2.68	0.57
2:A:129:ILE:O	2:A:133:MET:HB2	2.05	0.56
2:A:133:MET:HG3	2:A:537:ALA:HB1	1.86	0.56
2:A:376:PRO:HG2	2:A:400:TYR:HB3	1.88	0.55
2:A:322:THR:HG21	2:A:420:PHE:HD2	1.71	0.55
2:A:422:LEU:HD23	2:A:422:LEU:N	2.21	0.54
2:A:443:ASN:ND2	2:A:445:THR:H	2.04	0.54
2:A:324:TYR:O	2:A:329:THR:HG21	2.08	0.53
2:A:336:VAL:O	2:A:408:ARG:NH2	2.41	0.53
1:B:2:DT:H4'	1:B:2:DT:OP1	2.08	0.53
2:A:319:MET:HE3	2:A:329:THR:HG23	1.91	0.53
2:A:199:PRO:HG2	2:A:200:TRP:CE3	2.44	0.52
2:A:133:MET:HE1	2:A:539:LEU:HD23	1.92	0.52
2:A:133:MET:HE3	2:A:539:LEU:HD23	1.91	0.52
2:A:213:GLN:HG3	2:A:240:ASP:CB	2.40	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:48:GLN:O	2:A:64:ASN:HB2	2.10	0.51
2:A:460:VAL:HG11	2:A:484:VAL:HA	1.92	0.51
2:A:435:PRO:HB3	2:A:439:LYS:O	2.10	0.51
2:A:133:MET:HE1	2:A:539:LEU:CD2	2.41	0.51
2:A:118:GLY:CA	2:A:465:PRO:HB2	2.42	0.50
2:A:69:VAL:CG1	2:A:205:PRO:HD3	2.41	0.50
2:A:133:MET:HE3	2:A:539:LEU:HA	1.94	0.50
2:A:216:ARG:NH1	2:A:231:ASN:OD1	2.42	0.50
2:A:133:MET:CG	2:A:537:ALA:HB1	2.41	0.50
2:A:292:ASN:HB2	2:A:306:ILE:O	2.11	0.49
1:B:10:DG:C2'	1:B:11:DC:O5'	2.57	0.49
2:A:422:LEU:CD2	2:A:422:LEU:H	2.25	0.48
2:A:138:LEU:HG	2:A:268:PHE:CD2	2.49	0.48
2:A:422:LEU:CD2	2:A:422:LEU:N	2.76	0.48
2:A:366:THR:HG23	2:A:367:ASP:N	1.77	0.48
2:A:368:GLU:H	2:A:401:ILE:CD1	2.27	0.48
2:A:185:PHE:CD2	2:A:187:PRO:HD3	2.48	0.48
2:A:319:MET:CE	2:A:329:THR:HG23	2.44	0.48
2:A:382:ARG:NH2	2:A:392:GLY:O	2.46	0.48
1:B:3:DA:C2	1:B:9:DT:H73	2.49	0.47
2:A:340:ALA:HB3	2:A:357:ILE:HD12	1.94	0.47
2:A:557:ASN:HD22	2:A:558:GLN:H	1.58	0.47
2:A:66:SER:HA	2:A:529:TRP:O	2.14	0.46
2:A:92:VAL:CG1	2:A:92:VAL:O	2.50	0.46
2:A:199:PRO:HG2	2:A:200:TRP:HE3	1.80	0.46
2:A:469:ILE:O	2:A:487:PRO:HD2	2.16	0.46
2:A:216:ARG:NH2	2:A:218:LEU:HD22	2.31	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CD1	2.69	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CE1	2.68	0.45
2:A:443:ASN:ND2	2:A:445:THR:N	2.64	0.45
2:A:215:ASP:HB2	2:A:234:HIS:HB2	1.98	0.45
2:A:92:VAL:O	2:A:93:ARG:O	2.35	0.44
2:A:380:PHE:N	2:A:380:PHE:CD1	2.85	0.44
2:A:368:GLU:HA	2:A:371:ALA:HB2	2.00	0.44
2:A:218:LEU:HD13	2:A:231:ASN:OD1	2.18	0.44
1:B:2:DT:O2	2:A:179:SER:HA	2.18	0.44
2:A:365:GLN:OE1	2:A:409:TYR:CZ	2.71	0.44
2:A:142:GLU:HB3	2:A:265:THR:HA	2.00	0.43
2:A:459:ASN:HD21	2:A:487:PRO:HA	1.83	0.43
2:A:266:PHE:CD1	2:A:495:PRO:HG3	2.54	0.43
2:A:150:LEU:HG	2:A:525:SER:HB2	1.99	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:557:ASN:ND2	2:A:557:ASN:C	2.71	0.43
2:A:339:SER:O	2:A:449:ASN:HA	2.19	0.43
2:A:362:GLY:HA2	2:A:366:THR:CB	2.48	0.42
2:A:410:PRO:HA	2:A:413:ASP:OD2	2.20	0.42
2:A:261:PHE:C	2:A:261:PHE:CD1	2.93	0.42
2:A:497:GLN:HE21	2:A:497:GLN:HB2	1.60	0.42
2:A:130:VAL:CG1	2:A:578:LEU:HD22	2.49	0.42
1:B:3:DA:N6	2:A:267:PHE:N	2.61	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CG	2.74	0.41
2:A:104:GLN:HE21	2:A:106:VAL:HG22	1.85	0.41
2:A:323:ASN:HD22	2:A:323:ASN:N	2.19	0.41
2:A:470:TRP:HA	2:A:488:PHE:O	2.19	0.41
1:B:7:DC:H2'	1:B:8:DT:C6	2.55	0.41
2:A:443:ASN:ND2	2:A:445:THR:HG23	2.36	0.41
2:A:583:LEU:HD23	2:A:583:LEU:C	2.41	0.41
1:B:10:DG:H2'	1:B:11:DC:C6	2.56	0.41
2:A:366:THR:HG21	2:A:401:ILE:HD13	2.02	0.41
2:A:368:GLU:H	2:A:401:ILE:HD11	1.86	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CD2	2.74	0.41
2:A:422:LEU:HB2	2:A:423:PRO:HA	2.03	0.40
2:A:149:VAL:C	2:A:150:LEU:HD12	2.41	0.40
2:A:322:THR:C	2:A:323:ASN:HD22	2.25	0.40
2:A:118:GLY:HA3	2:A:465:PRO:HB2	2.02	0.40
2:A:443:ASN:O	2:A:446:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	A	540/548 (98%)	505 (94%)	31 (6%)	4 (1%)	24 59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	367	ASP
2	A	93	ARG
2	A	371	ALA
2	A	94	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	A	473/476 (99%)	454 (96%)	19 (4%)	34 66

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	47	ASN
2	A	80	ARG
2	A	93	ARG
2	A	96	MET
2	A	133	MET
2	A	191	ARG
2	A	209	ARG
2	A	216	ARG
2	A	230	THR
2	A	270	CYS
2	A	342	TYR
2	A	349	THR
2	A	354	LYS
2	A	367	ASP
2	A	422	LEU
2	A	465	PRO
2	A	517	ASN
2	A	555	VAL
2	A	557	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such

sidechains are listed below:

Mol	Chain	Res	Type
2	A	104	GLN
2	A	242	GLN
2	A	248	ASN
2	A	309	GLN
2	A	323	ASN
2	A	350	GLN
2	A	375	ASN
2	A	403	HIS
2	A	428	ASN
2	A	443	ASN
2	A	446	ASN
2	A	466	ASN
2	A	491	GLN
2	A	492	ASN
2	A	517	ASN
2	A	557	ASN
2	A	560	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	3DR	B	1	1	8,11,12	6.37	3 (37%)	9,14,17	11.83	6 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	3DR	B	1	1	2/2/3/3	0/3/15/16	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	3DR	O3'-C3'	-11.83	1.17	1.43
1	B	1	3DR	C3'-C4'	6.50	1.70	1.53
1	B	1	3DR	C2'-C3'	11.88	1.73	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	3DR	C1'-C2'-C3'	-19.35	80.05	103.19
1	B	1	3DR	O4'-C4'-C3'	-11.07	87.43	103.73
1	B	1	3DR	C2'-C3'-C4'	-6.86	88.32	102.75
1	B	1	3DR	O3'-C3'-C4'	-2.81	99.16	110.14
1	B	1	3DR	C5'-C4'-C3'	7.34	157.88	114.74
1	B	1	3DR	O3'-C3'-C2'	25.53	171.90	111.62

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	1	3DR	C4'
1	B	1	3DR	C3'

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	360:GLY	C	361:ARG	N	1.09

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.