



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2023 – 03:35 AM EDT

PDB ID : 4QV0
Title : yCP beta5-A49T-A50V-double mutant
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.
Deposited on : 2014-07-14
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	98%
1	O	250	2% 98%
2	B	258	% 88% 6% 5%
2	P	258	2% 89% 5% 5%
3	C	254	% 87% 7% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	 3% 87% 7% • 6%
4	D	260	 % 87% • 10%
4	R	260	 2% 87% • 10%
5	E	234	 95% • •
5	S	234	 95% • •
6	F	288	 % 82% • 16%
6	T	288	 82% • 16%
7	G	252	 89% 7% •
7	U	252	 89% 7% •
8	H	232	 3% 95% • •
8	V	232	 2% 95% • •
9	I	205	 94% 6%
9	W	205	 96% •
10	J	198	 89% 9% • •
10	X	198	 % 90% 8% • •
11	K	212	 88% 11% •
11	Y	212	 89% 11%
12	L	222	 96% •
12	Z	222	 96% •
13	M	246	 92% • 5%
13	a	246	 92% • 5%
14	N	196	 97% • •
14	b	196	 98% •

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 49529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	1719	1082	298	332	7	0	0	0
8	V	226	1719	1082	298	332	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1648	1048	280	313	7	0	0	0
11	Y	212	1648	1048	280	313	7	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	49	THR	ALA	engineered mutation	UNP P30656
K	50	VAL	ALA	engineered mutation	UNP P30656
Y	49	THR	ALA	engineered mutation	UNP P30656
Y	50	VAL	ALA	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total 1	Mg 1	0	0
15	H	1	Total 1	Mg 1	0	0
15	K	1	Total 1	Mg 1	0	0
15	N	1	Total 1	Mg 1	0	0
15	V	1	Total 1	Mg 1	0	0
15	Y	1	Total 1	Mg 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total 1	Cl 1	0	0
16	U	1	Total 1	Cl 1	0	0

- Molecule 17 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	3	Total 3	O 3	0	0
17	B	5	Total 5	O 5	0	0
17	C	3	Total 3	O 3	0	0
17	D	7	Total 7	O 7	0	0
17	E	5	Total 5	O 5	0	0
17	F	12	Total 12	O 12	0	0
17	G	2	Total 2	O 2	0	0
17	H	5	Total 5	O 5	0	0
17	I	2	Total 2	O 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	J	6	Total O 6 6	0	0
17	K	8	Total O 8 8	0	0
17	L	8	Total O 8 8	0	0
17	M	7	Total O 7 7	0	0
17	N	5	Total O 5 5	0	0
17	O	1	Total O 1 1	0	0
17	P	4	Total O 4 4	0	0
17	Q	8	Total O 8 8	0	0
17	R	1	Total O 1 1	0	0
17	S	5	Total O 5 5	0	0
17	T	5	Total O 5 5	0	0
17	U	6	Total O 6 6	0	0
17	V	4	Total O 4 4	0	0
17	W	3	Total O 3 3	0	0
17	X	10	Total O 10 10	0	0
17	Y	8	Total O 8 8	0	0
17	Z	3	Total O 3 3	0	0
17	a	8	Total O 8 8	0	0
17	b	3	Total O 3 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4



• Molecule 4: Proteasome subunit alpha type-5



• Molecule 4: Proteasome subunit alpha type-5





• Molecule 5: Proteasome subunit alpha type-6




• Molecule 5: Proteasome subunit alpha type-6




• Molecule 6: Probable proteasome subunit alpha type-7




• Molecule 6: Probable proteasome subunit alpha type-7








- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4

Chain J:  89% 9% ..




- Molecule 10: Proteasome subunit beta type-4

Chain X:  90% 8% ..



- Molecule 11: Proteasome subunit beta type-5

Chain K:  88% 11% .



- Molecule 11: Proteasome subunit beta type-5

Chain Y:  89% 11%



- Molecule 12: Proteasome subunit beta type-6

Chain L:  96%




- Molecule 12: Proteasome subunit beta type-6

Chain Z:  96%



- Molecule 13: Proteasome subunit beta type-7

Chain M:  92% 5%



- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% • 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  97% ••



- Molecule 14: Proteasome subunit beta type-1

Chain b:  98% •



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	134.80Å 300.21Å 144.40Å 90.00° 112.86° 90.00°	Depositor
Resolution (Å)	15.00 – 3.10 15.00 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.1 (15.00-3.10) 98.1 (15.00-3.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 3.12Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.159 , 0.197 0.170 , 0.204	Depositor DCC
R_{free} test set	9273 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	72.5	Xtrriage
Anisotropy	0.018	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49529	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.49	0/2586
3	Q	0.27	0/1910	0.49	0/2586
4	D	0.26	0/1837	0.46	0/2475
4	R	0.26	0/1837	0.46	0/2475
5	E	0.26	0/1800	0.46	0/2433
5	S	0.26	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.44	0/2609
7	G	0.27	0/1945	0.47	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.25	0/1750	0.46	0/2373
8	V	0.25	0/1750	0.46	0/2373
9	I	0.27	0/1611	0.47	0/2174
9	W	0.27	0/1611	0.47	0/2174
10	J	0.27	0/1589	0.48	0/2142
10	X	0.28	0/1589	0.48	0/2142
11	K	0.26	0/1685	0.50	0/2280
11	Y	0.27	0/1685	0.50	0/2280
12	L	0.27	0/1795	0.47	0/2420
12	Z	0.27	0/1795	0.46	0/2420
13	M	0.27	0/1855	0.50	0/2514
13	a	0.27	0/1855	0.50	0/2514
14	N	0.25	0/1541	0.46	0/2087
14	b	0.25	0/1541	0.46	0/2087
All	All	0.27	0/50272	0.47	0/67974

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	K	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	48	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	6	0
2	P	1904	0	1904	7	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	2	0
4	R	1813	0	1797	1	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	1	0
6	F	1892	0	1883	0	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	5	0
8	H	1719	0	1719	1	0
8	V	1719	0	1719	1	0
9	I	1581	0	1574	6	0
9	W	1581	0	1574	3	0
10	J	1561	0	1569	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	X	1561	0	1569	10	0
11	K	1648	0	1601	17	0
11	Y	1648	0	1601	16	0
12	L	1757	0	1711	4	0
12	Z	1757	0	1711	5	0
13	M	1824	0	1832	0	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	1	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	3	0	0	0	0
17	B	5	0	0	0	0
17	C	3	0	0	0	0
17	D	7	0	0	0	0
17	E	5	0	0	0	0
17	F	12	0	0	0	0
17	G	2	0	0	0	0
17	H	5	0	0	0	0
17	I	2	0	0	0	0
17	J	6	0	0	0	0
17	K	8	0	0	0	0
17	L	8	0	0	0	0
17	M	7	0	0	0	0
17	N	5	0	0	0	0
17	O	1	0	0	0	0
17	P	4	0	0	0	0
17	Q	8	0	0	0	0
17	R	1	0	0	0	0
17	S	5	0	0	0	0
17	T	5	0	0	0	0
17	U	6	0	0	0	0
17	V	4	0	0	0	0
17	W	3	0	0	0	0
17	X	10	0	0	0	0
17	Y	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	Z	3	0	0	0	0
17	a	8	0	0	0	0
17	b	3	0	0	0	0
All	All	49529	0	49142	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:25:ILE:O	10:X:139:TYR:OH	2.21	0.59
11:K:53:GLN:O	11:K:57:THR:HG23	2.05	0.57
11:Y:53:GLN:O	11:Y:57:THR:HG23	2.04	0.56
10:J:139:TYR:OH	10:X:25:ILE:O	2.25	0.54
11:Y:35:ILE:HD11	11:Y:57:THR:HG22	1.90	0.54
11:K:35:ILE:HD11	11:K:57:THR:HG22	1.89	0.54
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.53
7:G:23:PHE:O	7:G:26:THR:HB	2.08	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.52
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.93	0.50
10:J:25:ILE:HG12	10:X:139:TYR:OH	2.11	0.50
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.94	0.50
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.94	0.50
3:C:201:VAL:O	3:C:202:GLN:HB3	2.12	0.50
11:K:50:VAL:HB	12:L:130:SER:HB3	1.93	0.50
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.77	0.50
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.46	0.49
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.49
11:K:35:ILE:HB	11:K:45:MET:CE	2.42	0.49
11:K:52:CYS:SG	11:K:97:MET:HG2	2.53	0.49
11:Y:48:GLY:C	11:Y:49:THR:HG23	2.33	0.49
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.94	0.49
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.94	0.49
11:Y:35:ILE:HB	11:Y:45:MET:CE	2.42	0.49
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.78	0.49
11:Y:52:CYS:SG	11:Y:97:MET:HG2	2.54	0.48
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.13	0.48
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.96	0.47
10:J:50:ALA:O	11:K:91:LYS:NZ	2.47	0.47
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.48	0.46
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.46
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.46
11:Y:128:CYS:HB2	11:Y:137:TYR:CZ	2.51	0.46
11:K:19:ARG:O	11:K:33:LYS:NZ	2.48	0.46
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.97	0.45
11:K:128:CYS:HB2	11:K:137:TYR:CZ	2.51	0.45
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.45
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.46	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.98	0.45
11:Y:50:VAL:HB	12:Z:130:SER:HB3	1.98	0.45
11:K:128:CYS:HB2	11:K:137:TYR:CE2	2.52	0.45
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.52	0.44
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.52	0.44
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.00	0.44
11:Y:48:GLY:C	11:Y:49:THR:CG2	2.85	0.44
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.89	0.44
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.44
11:K:48:GLY:HA3	11:K:49:THR:HG23	1.99	0.44
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.00	0.44
11:Y:35:ILE:HB	11:Y:45:MET:HE3	1.99	0.44
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.44
11:Y:97:MET:HB2	11:Y:117:SER:HB3	1.99	0.43
11:K:97:MET:HB2	11:K:117:SER:HB3	1.99	0.43
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.17	0.43
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.00	0.43
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.43
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.48	0.43
2:P:50:LYS:O	2:P:51:VAL:C	2.57	0.43
2:B:50:LYS:O	2:B:51:VAL:C	2.57	0.43
9:I:36:SER:HB2	10:J:126:VAL:HG11	2.00	0.43
10:J:1:MET:HB3	10:J:34:LYS:HE3	2.00	0.43
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.49	0.43
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.49	0.43
11:Y:128:CYS:HB2	11:Y:137:TYR:CE2	2.52	0.43
11:K:35:ILE:HG23	11:K:37:ILE:HG13	2.00	0.42
12:L:13:LEU:HD11	12:L:150:LEU:HD21	2.00	0.42
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.00	0.42
11:Y:35:ILE:HG23	11:Y:37:ILE:HG13	2.01	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.19	0.42
2:P:145:TYR:OH	2:P:217:LYS:N	2.52	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
12:L:8:ASN:HA	12:L:30:ILE:O	2.20	0.42
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	2.01	0.42
10:J:25:ILE:O	10:J:25:ILE:HG12	2.20	0.41
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.03	0.41
11:K:49:THR:HB	11:K:51:ASP:H	1.84	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.02	0.41
11:Y:35:ILE:HG21	11:Y:56:GLU:HB3	2.03	0.41
2:B:217:LYS:C	2:B:219:ALA:H	2.24	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.41
11:K:35:ILE:HG21	11:K:56:GLU:HB3	2.02	0.41
2:B:221:ASP:O	2:B:223:GLU:N	2.54	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.02	0.41
2:B:145:TYR:OH	2:B:217:LYS:N	2.53	0.41
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.03	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.03	0.41
7:U:73:VAL:HG12	7:U:133:THR:HB	2.02	0.41
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.02	0.41
10:J:168:LEU:O	10:J:172:MET:HB2	2.21	0.41
11:K:35:ILE:HB	11:K:45:MET:HE3	2.02	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.51	0.40
10:J:132:ALA:HB1	10:J:136:SER:HB2	2.03	0.40
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	2.04	0.40
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.51	0.40
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.40
5:E:77:ALA:N	5:E:78:PRO:CD	2.85	0.40
7:G:73:VAL:HG12	7:G:133:THR:HB	2.02	0.40
9:I:94:LEU:HD11	9:I:106:PRO:HG2	2.04	0.40
2:P:221:ASP:O	2:P:223:GLU:N	2.54	0.40
10:X:132:ALA:HB1	10:X:136:SER:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	69
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	69
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	36
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	36
3	C	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	54
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	19	54
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
5	S	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
6	T	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
7	G	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
7	U	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	210/212 (99%)	205 (98%)	5 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	231/246 (94%)	221 (96%)	10 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6284/6614 (95%)	6098 (97%)	172 (3%)	14 (0%)	47	79

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	THR
2	B	51	VAL
3	C	202	GLN
1	O	2	THR
2	P	51	VAL
3	Q	202	GLN
2	B	218	GLY
2	B	222	GLY
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	86
2	B	203/216 (94%)	200 (98%)	3 (2%)	65	85
2	P	203/216 (94%)	200 (98%)	3 (2%)	65	85
3	C	212/226 (94%)	202 (95%)	10 (5%)	26	59
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	64
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	64
5	E	190/193 (98%)	184 (97%)	6 (3%)	39	69
5	S	190/193 (98%)	184 (97%)	6 (3%)	39	69
6	F	201/239 (84%)	194 (96%)	7 (4%)	36	68
6	T	201/239 (84%)	194 (96%)	7 (4%)	36	68
7	G	206/210 (98%)	197 (96%)	9 (4%)	28	61
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	65
8	H	185/190 (97%)	182 (98%)	3 (2%)	62	84
8	V	185/190 (97%)	182 (98%)	3 (2%)	62	84
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	88
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	88
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	72
10	X	173/175 (99%)	168 (97%)	5 (3%)	42	72
11	K	171/171 (100%)	165 (96%)	6 (4%)	36	68
11	Y	171/171 (100%)	164 (96%)	7 (4%)	30	64
12	L	185/185 (100%)	184 (100%)	1 (0%)	88	94
12	Z	185/185 (100%)	184 (100%)	1 (0%)	88	94
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	71
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	71
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	75
14	b	162/162 (100%)	158 (98%)	4 (2%)	47	75
All	All	5324/5544 (96%)	5178 (97%)	146 (3%)	44	74

All (146) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	181	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	154	TYR
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	68	LEU
8	H	196	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	23	ARG
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	104	TYR
11	K	107	LYS
11	K	140	LEU
12	L	23	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	39	ASP
14	N	83	LYS
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	181	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	154	TYR
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	104	TYR
11	Y	107	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	140	LEU
11	Y	148	LEU
12	Z	23	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	39	ASP
14	b	83	LYS
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (74) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
4	D	91	HIS
4	D	225	ASN
5	E	68	HIS
5	E	116	GLN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	166	GLN
8	H	66	HIS
8	H	91	GLN
10	J	55	GLN
10	J	63	ASN
11	K	85	ASN
11	K	176	ASN
12	L	3	ASN
12	L	79	HIS
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	91	HIS
4	R	225	ASN
5	S	68	HIS
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
10	X	55	GLN
10	X	63	ASN
11	Y	85	ASN
11	Y	176	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	208	ASN
12	Z	3	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	194	ASN
13	a	213	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.56	1 (0%) 92 84	50, 68, 109, 143	0
1	O	250/250 (100%)	-0.52	4 (1%) 72 51	53, 75, 121, 153	0
2	B	244/258 (94%)	-0.53	3 (1%) 79 61	46, 73, 118, 187	0
2	P	244/258 (94%)	-0.53	6 (2%) 57 34	56, 74, 116, 183	0
3	C	240/254 (94%)	-0.47	2 (0%) 86 72	53, 76, 135, 158	0
3	Q	240/254 (94%)	-0.33	8 (3%) 46 24	58, 89, 159, 191	0
4	D	235/260 (90%)	-0.55	2 (0%) 84 69	59, 80, 111, 143	0
4	R	235/260 (90%)	-0.49	4 (1%) 70 49	63, 86, 127, 159	0
5	E	231/234 (98%)	-0.53	1 (0%) 92 84	54, 81, 116, 149	0
5	S	231/234 (98%)	-0.49	1 (0%) 92 84	59, 88, 130, 163	0
6	F	243/288 (84%)	-0.57	3 (1%) 79 61	49, 75, 126, 152	0
6	T	243/288 (84%)	-0.54	1 (0%) 92 84	55, 84, 140, 169	0
7	G	241/252 (95%)	-0.66	1 (0%) 92 84	49, 68, 103, 154	0
7	U	241/252 (95%)	-0.59	1 (0%) 92 84	51, 72, 111, 155	0
8	H	226/232 (97%)	-0.56	6 (2%) 54 31	44, 64, 98, 173	0
8	V	226/232 (97%)	-0.54	5 (2%) 62 41	47, 67, 98, 188	0
9	I	204/205 (99%)	-0.77	1 (0%) 91 81	42, 63, 92, 129	0
9	W	204/205 (99%)	-0.76	1 (0%) 91 81	45, 63, 97, 123	0
10	J	195/198 (98%)	-0.71	0 100 100	44, 63, 92, 130	0
10	X	195/198 (98%)	-0.70	2 (1%) 82 67	47, 65, 91, 144	0
11	K	212/212 (100%)	-0.62	0 100 100	45, 66, 97, 116	0
11	Y	212/212 (100%)	-0.65	1 (0%) 91 81	49, 66, 96, 109	0
12	L	222/222 (100%)	-0.68	1 (0%) 91 81	48, 66, 107, 145	0
12	Z	222/222 (100%)	-0.65	0 100 100	38, 68, 114, 142	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.77	0 100 100	41, 64, 90, 112	0
13	a	233/246 (94%)	-0.72	0 100 100	45, 64, 89, 111	0
14	N	196/196 (100%)	-0.74	0 100 100	42, 58, 89, 116	0
14	b	196/196 (100%)	-0.74	0 100 100	44, 61, 92, 119	0
All	All	6344/6614 (95%)	-0.60	55 (0%) 84 69	38, 71, 118, 191	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
8	V	224	GLN	7.4
2	B	220	ASN	4.8
3	Q	49	THR	4.6
3	Q	50	LEU	4.6
8	V	226	GLU	4.5
2	P	220	ASN	4.4
2	B	221	ASP	4.3
2	P	219	ALA	4.3
8	V	222	ASP	4.1
8	H	226	GLU	3.7
2	P	221	ASP	3.6
5	S	202	ASP	3.6
9	W	1	SER	3.5
8	H	222	ASP	3.5
2	B	51	VAL	3.4
7	U	242	GLN	3.4
8	H	225	GLU	3.2
2	P	51	VAL	3.2
5	E	202	ASP	3.2
6	F	181	GLU	3.2
3	Q	236	GLN	3.0
4	R	241	ALA	3.0
8	V	221	CYS	3.0
8	H	224	GLN	2.9
8	V	225	GLU	2.9
2	P	59	ASP	2.8
1	A	2	THR	2.8
12	L	174	TYR	2.7
3	C	206	LYS	2.7
10	X	1	MET	2.7
3	Q	239	GLN	2.6
7	G	242	GLN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	1	ASP	2.6
3	Q	240	GLU	2.6
6	F	202	ASP	2.6
11	Y	212	GLY	2.6
1	O	2	THR	2.5
6	T	244	ASN	2.5
8	H	221	CYS	2.4
4	D	2	ARG	2.4
3	Q	202	GLN	2.3
4	R	217	GLN	2.3
3	C	49	THR	2.3
1	O	52	SER	2.3
6	F	244	ASN	2.3
8	H	223	ILE	2.2
1	O	249	ALA	2.2
9	I	1	SER	2.2
2	P	222	GLY	2.2
4	R	242	GLU	2.1
4	D	1	ASP	2.1
10	X	194	ASP	2.1
3	Q	48	SER	2.0
3	Q	206	LYS	2.0
1	O	201	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	MG	H	301	1/1	0.91	0.19	58,58,58,58	0
15	MG	G	301	1/1	0.95	0.13	66,66,66,66	0
15	MG	N	201	1/1	0.96	0.13	54,54,54,54	0
15	MG	K	301	1/1	0.98	0.11	59,59,59,59	0
15	MG	Y	301	1/1	0.98	0.12	74,74,74,74	0
16	CL	U	301	1/1	0.98	0.21	57,57,57,57	0
16	CL	G	302	1/1	0.99	0.11	46,46,46,46	0
15	MG	V	301	1/1	0.99	0.10	77,77,77,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.