

Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 – 02:11 AM EDT

PDB ID	:	5006
Title	:	Complex of human nuclear cap-binding complex with ARS2 C-terminal pep-
		tide
Authors	:	Cusack, S.; Schulze, W.M.
Deposited on	:	2017-08-06
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	130704	3140 (2.80-2.80)		
Clashscore	141614	3569(2.80-2.80)		
Ramachandran outliers	138981	3498 (2.80-2.80)		
Sidechain outliers	138945	3500 (2.80-2.80)		
RSRZ outliers	127900	3078 (2.80-2.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	772	3% 90%	• 6%
1	D	772	2% 92%	• •
1	G	772	2% 91%	• 5%
1	J	772	<u>5%</u> 91%	• 5%
1	М	772	2% 92%	• •



Chain Length Quality of chain Mol .% Р 772 1 91% • 5% 6% \mathbf{S} 1 772• 6% 91% 3% V 7721 • 6% 90% .% 2В 15891% • 6% 5% 2Е 158• 6% 90% .% 2Η 15891% • 6% 6% 2Κ 158• 6% 91% 2% 2Ν 158• 6% 90% 2% 2Q 158• 6% 91% 4% Т 215891% • 6% 3% $\mathbf{2}$ W 158• 6% 91% 2% С 483 25% 71% • 3 F 4827% 71% . 6% 3 Ι 4825% 73% . 2% 3 L 4877% 21% • 3 Ο 4871% 27% . 2% 3 \mathbf{R} 4827% 71% • 4% U 3 4821% 77% • 4% 3 Х 48 71% 25% •





2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 58743 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Α	toms			ZeroOcc	AltConf	Trace
1	Δ	726	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	Л	120	5948	3838	1007	1065	38	0	0	0
1	л	740	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	D	740	6054	3900	1026	1090	38	0	0	0
1	G	730	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	Ο	0
1	u	150	5980	3856	1015	1071	38	0	0	0
1	Т	730	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	Ο	0
1	5	150	5980	3856	1015	1071	38	0	0	0
1	М	740	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	Ο	0
1	111	140	6054	3900	1026	1090	38	0	0	0
1	р	730	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
1	T	150	5980	3856	1015	1071	38	0	0	0
1	q	726	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
1	U U	120	5948	3838	1007	1065	38	0	0	0
1	V	726	Total	C	Ň	Ō	S	0	0	0
	v	120	5948	3838	1007	1065	38		0	0

• Molecule 1 is a protein called Nuclear cap-binding protein subunit 1.

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	19	MET	-	initiating methionine	UNP Q09161
А	479	VAL	ALA	conflict	UNP Q09161
D	19	MET	-	initiating methionine	UNP Q09161
D	479	VAL	ALA	conflict	UNP Q09161
G	19	MET	-	initiating methionine	UNP Q09161
G	479	VAL	ALA	conflict	UNP Q09161
J	19	MET	-	initiating methionine	UNP Q09161
J	479	VAL	ALA	conflict	UNP Q09161
М	19	MET	-	initiating methionine	UNP Q09161
М	479	VAL	ALA	conflict	UNP Q09161
Р	19	MET	-	initiating methionine	UNP Q09161
Р	479	VAL	ALA	conflict	UNP Q09161
S	19	MET	-	initiating methionine	UNP Q09161



Chain	Residue	Modelled	Actual	Comment	Reference
S	479	VAL	ALA	conflict	UNP Q09161
V	19	MET	-	initiating methionine	UNP Q09161
V	479	VAL	ALA	conflict	UNP Q09161

• Molecule 2 is a protein called Nuclear cap-binding protein subunit 2.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace			
9	В	1/18	Total	С	Ν	Ο	S	0	0	0			
	D	140	1207	751	216	234	6	0	0	0			
9	F	1/18	Total	С	Ν	Ο	S	0	0	0			
		140	1207	751	216	234	6	0	0	0			
9	ц	1/18	Total	С	Ν	0	S	0	0	0			
	11	140	1207	751	216	234	6	0	0	0			
9	K	1/18	Total	С	Ν	0	S	0	0	0			
	Γ	140	1207	751	216	234	6	0		0			
9	N	1/18	Total	С	Ν	0	S	0	0	0			
2	11	140	1207	751	216	234	6	0	0	0			
2	0	1/18	Total	С	Ν	Ο	\mathbf{S}	0	0	0			
2	પ	Ч Ч	Q	Q		1207	751	216	234	6	0	0	U
2	т	1/18	Total	С	Ν	Ο	\mathbf{S}	0	0	0			
2	L	140	1207	751	216	234	6	0	0	0			
9	0 W	1/18	Total	С	Ν	Ο	S	0	0	0			
	vv	148	1207	751	216	234	6	0		0			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	-1	GLY	-	expression tag	UNP P52298
В	0	ALA	-	expression tag	UNP P52298
Е	-1	GLY	-	expression tag	UNP P52298
E	0	ALA	-	expression tag	UNP P52298
Н	-1	GLY	-	expression tag	UNP P52298
Н	0	ALA	-	expression tag	UNP P52298
K	-1	GLY	-	expression tag	UNP P52298
K	0	ALA	-	expression tag	UNP P52298
N	-1	GLY	-	expression tag	UNP P52298
N	0	ALA	-	expression tag	UNP P52298
Q	-1	GLY	-	expression tag	UNP P52298
Q	0	ALA	-	expression tag	UNP P52298
Т	-1	GLY	-	expression tag	UNP P52298
Т	0	ALA	-	expression tag	UNP P52298
W	-1	GLY	-	expression tag	UNP P52298



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
W	0	ALA	-	expression tag	UNP P52298

• Molecule 3 is a protein called Serrate RNA effector molecule homolog.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace		
2	2 C	1.4	Total C N O	0	0	0		
5	U	14	124 80 20 24	0	0	0		
3	F	14	Total C N O	0	0	0		
5	Ľ	14	124 80 20 24	0	0	0		
3	T	13	Total C N O	0	0	0		
0	1	I	1	10	115 76 18 21	0	0	0
3	T	11	Total C N O	0	0	0		
0	Ľ	11	98 65 14 19	0	0	0		
ગ	0	14	Total C N O	0	0	0		
0	U	14	124 80 20 24	0		0		
3	В	14	Total C N O	0	0	Ο		
0	10	14	124 80 20 24	0	0	0		
3	II	11	Total C N O	0	0	Ο		
0	U	11	98 65 14 19	0	0	0		
3	3 X	1/	Total C N O	0	0	0		
3		14	124 80 20 24	U		0		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	824	GLY	-	expression tag	UNP Q9BXP5
С	825	ALA	-	expression tag	UNP Q9BXP5
С	826	MET	-	expression tag	UNP Q9BXP5
F	824	GLY	-	expression tag	UNP Q9BXP5
F	825	ALA	-	expression tag	UNP Q9BXP5
F	826	MET	-	expression tag	UNP Q9BXP5
Ι	824	GLY	-	expression tag	UNP Q9BXP5
Ι	825	ALA	-	expression tag	UNP Q9BXP5
Ι	826	MET	-	expression tag	UNP Q9BXP5
L	824	GLY	-	expression tag	UNP Q9BXP5
L	825	ALA	-	expression tag	UNP Q9BXP5
L	826	MET	-	expression tag	UNP Q9BXP5
0	824	GLY	-	expression tag	UNP Q9BXP5
0	825	ALA	-	expression tag	UNP Q9BXP5
0	826	MET	-	expression tag	UNP Q9BXP5
R	824	GLY	-	expression tag	UNP Q9BXP5
R	825	ALA	_	expression tag	UNP Q9BXP5



5	Ο	Ο	6

Continuou fronte proceso us pago								
Chain	Residue	Modelled	Actual	Comment	Reference			
R	826	MET	-	expression tag	UNP Q9BXP5			
U	824	GLY	-	expression tag	UNP Q9BXP5			
U	825	ALA	-	expression tag	UNP Q9BXP5			
U	826	MET	-	expression tag	UNP Q9BXP5			
Х	824	GLY	-	expression tag	UNP Q9BXP5			
Х	825	ALA	-	expression tag	UNP Q9BXP5			
Х	826	MET	-	expression tag	UNP Q9BXP5			

• Molecule 4 is 7N-METHYL-8-HYDROGUANOSINE-5'-TRIPHOSPHATE (three-letter code: MGT) (formula: $C_{11}H_{20}N_5O_{14}P_3$).



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf					
4	В	1	Total	С	Ν	Ο	Р	0	0					
4	D	1	33	11	5	14	3	0	0					
4	F	1	Total	С	Ν	0	Р	0	0					
4	Ľ	1	33	11	5	14	3	0	0					
4	Ц	1	Total	С	Ν	Ο	Р	0	0					
4	11	1	33	11	5	14	3	0	0					
4	K	1	Total	С	Ν	Ο	Р	0	0					
4	Γ		33	11	5	14	3	0	0					
4	N	1	Total	С	Ν	Ο	Р	0	0					
4	IN	IN	1 N	1 N	11	11	1	33	11	5	14	3	0	0
4	4 0	0	0	4 0	1	Total	С	Ν	Ο	Р	0	0		
	1	33	11	5	14	3	0	0						
4	4 T	T 1	Total	С	Ν	Ο	Р	0	0					
4	1		33	11	5	14	3	0	U					



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	W	1	Total	С	Ν	Ο	Р	0	0
4	4 W	1	33	11	5	14	3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Nuclear cap-binding protein subunit 1











Chain I.	25%		73%	
	2370		•••	
GLY ALA MET GLY GLY ASN ASN ASN ASN	PHE ARG GLY GLN GLY GLY TYR PRO	GLT LYS PRO ASN ASN ASN MET ARG GLY GLY GLY	1856 V857 E858 F869 ASP LEU ALA ALA ALA ALA ASP ASP ASP	
• Molecule 3:	Serrate RN	A effector mol	ecule homolog	
Chain L:	21% •		77%	
GLY ALA MET GLY ARG GLY GLY ASN TYR ASP	PHE ARG GLY GLY GLY TYR PRO	GLT LYS PRO ARG ARG MET VAL ARG GLY GLY	Y859 ARG ASP LEU ASP ASP PRO ASP ASP VAL VAL VAL	4 5 4
• Molecule 3:	Serrate RN	A effector mol	ecule homolog	
Chain O:	27%		71%	
GLY ALA MET GLY ARG GLY ASN TYR ASP	PHE ARG GLY GLY GLY TYR PRO	GLY LYS PRO ARG ARG MET VAL ARG GLY GLY	D861 LEU ASP ASP ASP ASP ASP V868 F871	
• Molecule 3:	Serrate RN	A effector mol	ecule homolog	
Chain R:	27%		71%	
GLY ALA MET MET GLY GLY ARG GLY TYR ASP AIA	PHE ARG GLY GLY GLY TYR PRO	uLI LYS PRO ARG ARG MET MET VAL ARG GLY DBS2	R860 D861 LEU ASP ALA PR0 ASP ASP V868 V868 F871	
• Molecule 3:	Serrate RN	A effector mol	ecule homolog	
Chain U:	21% •		77%	
GLY ALA MET MET GLY GLY ARG GLY TYR ASN ASP	PHE ARG GLY GLN GLY TYR PRO	ult LYS PRO ARG ARG MET VAL ARG GLY DBS2 GLY	Y859 ARG ASP LEU ASP ASP ASP ASP ASP VAL D869 D869	4
• Molecule 3:	Serrate RN	A effector mol	ecule homolog	
Chain X:	25%	·	71%	
GLY ALA MET GLY GLY GLY ASN TYR ASP ALA	PHE ARG GLY GLY GLY TYR TYR	GLT LYS PRO ASN ASN ASN ASN ASN ASN ASN ASN ASN ASN	R854 E856 E856 ASP ASP ASP ASP ASP ASP	F871



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	70.52Å 112.99Å 270.98Å	Deperitor
a, b, c, α , β , γ	90.00° 90.30° 90.02°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	270.98 - 2.80	Depositor
Resolution (A)	48.87 - 2.80	EDS
% Data completeness	$97.5\ (270.98-2.80)$	Depositor
(in resolution range)	97.4(48.87-2.80)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$< I/\sigma(I) > 1$	$1.77 (at 2.81 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
B B c	0.231 , 0.268	Depositor
It, Itfree	0.231 , 0.268	DCC
R_{free} test set	10059 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	54.5	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 16.8	EDS
L-test for $twinning^2$	$< L > = 0.48, < L^2 > = 0.30$	Xtriage
	0.176 for h,-k,-l	
Estimated twinning fraction	0.437 for -h,k,-l	Xtriage
	0.177 for -h,-k,l	
F_o, F_c correlation	0.94	EDS
Total number of atoms	58743	wwPDB-VP
Average B, all atoms $(Å^2)$	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 53.19 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.3682e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MGT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.41	0/6098	0.58	0/8273	
1	D	0.40	0/6207	0.57	0/8421	
1	G	0.41	0/6130	0.58	0/8314	
1	J	0.40	0/6130	0.57	0/8314	
1	М	0.40	0/6207	0.58	0/8421	
1	Р	0.40	0/6130	0.58	0/8314	
1	S	0.40	0/6098	0.58	0/8273	
1	V	0.40	0/6098	0.58	0/8273	
2	В	0.43	0/1227	0.66	0/1636	
2	Е	0.42	0/1227	0.65	0/1636	
2	Н	0.42	0/1227	0.66	0/1636	
2	Κ	0.43	0/1227	0.66	0/1636	
2	N	0.43	0/1227	0.66	0/1636	
2	Q	0.42	0/1227	0.66	0/1636	
2	Т	0.43	0/1227	0.65	0/1636	
2	W	0.43	0/1227	0.65	0/1636	
3	С	0.57	0/126	0.75	0/167	
3	F	0.51	0/126	0.63	0/167	
3	Ι	0.49	0/117	0.62	0/154	
3	L	0.52	0/100	0.59	0/132	
3	0	0.50	0/126	0.64	0/167	
3	R	0.50	0/126	0.64	0/167	
3	U	0.50	0/100	0.55	0/132	
3	Х	0.55	0/126	0.73	0/167	
All	All	0.41	0/59861	0.59	0/80944	

There are no bond length outliers. There are no bond angle outliers. There are no chirality outliers. There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5948	0	5954	14	0
1	D	6054	0	6049	12	0
1	G	5980	0	5987	11	0
1	J	5980	0	5987	11	0
1	М	6054	0	6049	14	0
1	Р	5980	0	5987	13	0
1	S	5948	0	5954	10	0
1	V	5948	0	5954	14	0
2	В	1207	0	1163	3	0
2	Е	1207	0	1163	3	0
2	Н	1207	0	1163	1	0
2	Κ	1207	0	1163	2	0
2	N	1207	0	1163	3	0
2	Q	1207	0	1163	1	0
2	Т	1207	0	1163	2	0
2	W	1207	0	1163	1	0
3	С	124	0	110	2	0
3	F	124	0	110	0	0
3	Ι	115	0	105	0	0
3	L	98	0	84	0	0
3	0	124	0	110	0	0
3	R	124	0	110	0	0
3	U	98	0	84	0	0
3	Х	124	0	110	1	0
4	В	33	0	16	0	0
4	Е	33	0	16	1	0
4	Н	33	0	16	0	0
4	К	33	0	16	1	0
4	Ν	33	0	16	1	0
4	Q	33	0	16	0	0
4	Т	33	0	16	1	0
4	W	33	0	16	0	0
All	All	58743	0	58176	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:609:ILE:HD11	1:A:619:VAL:HG21	1.68	0.76	
1:G:609:ILE:HD11	1:G:619:VAL:HG21	1.68	0.76	
1:P:609:ILE:HD11	1:P:619:VAL:HG21	1.68	0.75	
1:V:609:ILE:HD11	1:V:619:VAL:HG21	1.69	0.75	
1:A:479:VAL:HG12	1:A:480:ASN:N	2.02	0.74	
1:M:609:ILE:HD11	1:M:619:VAL:HG21	1.69	0.74	
1:S:609:ILE:HD11	1:S:619:VAL:HG21	1.69	0.74	
1:J:609:ILE:HD11	1:J:619:VAL:HG21	1.68	0.73	
1:D:609:ILE:HD11	1:D:619:VAL:HG21	1.69	0.72	
1:P:479:VAL:HG12	1:P:480:ASN:N	2.13	0.62	
1:A:479:VAL:CG1	1:A:480:ASN:N	2.65	0.59	
1:M:480:ASN:OD1	1:M:481:PRO:HD2	2.02	0.59	
1:D:480:ASN:OD1	1:D:481:PRO:HD2	2.03	0.58	
1:J:384:PRO:HG3	1:S:769:LEU:HD21	1.89	0.55	
1:P:479:VAL:CG1	1:P:480:ASN:N	2.71	0.54	
2:N:123:ARG:NH2	4:N:201:MGT:O2'	2.41	0.53	
1:M:769:LEU:HD21	1:V:384:PRO:HG3	1.94	0.49	
1:A:479:VAL:HG12	1:A:480:ASN:H	1.76	0.49	
1:J:417:PHE:CE2	1:J:421:LEU:HD11	2.48	0.49	
1:M:417:PHE:CE2	1:M:421:LEU:HD11	2.48	0.49	
1:D:417:PHE:CE2	1:D:421:LEU:HD11	2.48	0.49	
1:P:480:ASN:HD22	1:P:482:THR:HG23	1.77	0.49	
1:S:417:PHE:CE2	1:S:421:LEU:HD11	2.48	0.49	
1:A:417:PHE:CE2	1:A:421:LEU:HD11	2.48	0.48	
1:G:417:PHE:CE2	1:G:421:LEU:HD11	2.48	0.48	
1:P:417:PHE:CE2	1:P:421:LEU:HD11	2.48	0.48	
2:B:49:PHE:HB3	3:C:856:ILE:HD12	1.97	0.47	
1:V:417:PHE:CE2	1:V:421:LEU:HD11	2.48	0.47	
1:S:655:ILE:HG22	1:S:699:VAL:HG22	1.97	0.47	
1:G:655:ILE:HG22	1:G:699:VAL:HG22	1.97	0.47	
1:M:655:ILE:HG22	1:M:699:VAL:HG22	1.97	0.47	
1:A:479:VAL:CG1	1:A:480:ASN:H	2.26	0.47	
1:M:425:GLN:HB2	1:M:427:ARG:NH1	2.30	0.47	
1:M:425:GLN:OE1	1:M:427:ARG:NH1	2.48	0.47	
1:A:655:ILE:HG22	1:A:699:VAL:HG22	1.97	0.47	
1:J:655:ILE:HG22	1:J:699:VAL:HG22	1.97	0.46	
1:D:655:ILE:HG22	1:D:699:VAL:HG22	1.97	0.46	
1:V:655:ILE:HG22	1:V:699:VAL:HG22	1.97	0.46	
1:S:573:PHE:HB3	1:S:613:ILE:HD12	1.99	0.45	
1:P:655:ILE:HG22	1:P:699:VAL:HG22	1.97	0.45	
1:D:573:PHE:HB3	1:D:613:ILE:HD12	1.99	0.45	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlan (Å)	
1·P·573·PHE·HB3	1·P·613·ILE·HD12	1 99	0.45	
1:J:573:PHE:HB3	1:J:613:ILE:HD12	1.99	0.44	
1·M·329·ABG·HG3	1·M·378·GLU·HG3	1.00	0.44	
1·M·573·PHE·HB3	1·M·613·ILE·HD12	2.00	0.44	
2:T:123:ARG:NH2	4:T:201:MGT:O2'	2.50	0.44	
1:J:105:VAL:CG1	1:J:268:LEU:HD23	2.48	0.44	
1:A:105:VAL:CG1	1:A:268:LEU:HD23	2.48	0.44	
1:G:573:PHE:HB3	1:G:613:ILE:HD12	1.99	0.44	
1:A:688:LEU:HD12	1:A:691:GLN:OE1	2.18	0.44	
1:G:105:VAL:CG1	1:G:268:LEU:HD23	2.48	0.44	
1:V:109:ILE:HD11	1:V:268:LEU:HD22	2.00	0.44	
1:J:109:ILE:HD11	1:J:268:LEU:HD22	2.00	0.44	
1:P:109:ILE:HD11	1:P:268:LEU:HD22	2.00	0.44	
1:D:105:VAL:CG1	1:D:268:LEU:HD23	2.48	0.43	
1:P:329:ARG:HG3	1:P:378:GLU:HG3	2.00	0.43	
1:S:105:VAL:CG1	1:S:268:LEU:HD23	2.48	0.43	
1:V:105:VAL:CG1	1:V:268:LEU:HD23	2.48	0.43	
1:V:573:PHE:HB3	1:V:613:ILE:HD12	1.99	0.43	
1:S:688:LEU:HD12	1:S:691:GLN:OE1	2.18	0.43	
1:D:109:ILE:HD11	1:D:268:LEU:HD22	2.00	0.43	
2:B:82:GLY:O	2:B:146:ARG:NH2	2.52	0.43	
1:M:105:VAL:CG1	1:M:268:LEU:HD23	2.48	0.43	
2:N:82:GLY:O	2:N:146:ARG:NH2	2.52	0.43	
1:P:105:VAL:CG1	1:P:268:LEU:HD23	2.48	0.43	
1:S:329:ARG:HG3	1:S:378:GLU:HG3	2.00	0.43	
1:V:688:LEU:HD12	1:V:691:GLN:OE1	2.18	0.43	
2:H:82:GLY:O	2:H:146:ARG:NH2	2.52	0.43	
2:T:82:GLY:O	2:T:146:ARG:NH2	2.52	0.43	
1:A:573:PHE:HB3	1:A:613:ILE:HD12	2.00	0.43	
1:D:329:ARG:HG3	1:D:378:GLU:HG3	2.00	0.42	
1:M:688:LEU:HD12	1:M:691:GLN:OE1	2.19	0.42	
1:D:610:ARG:CZ	2:E:89:TYR:OH	2.67	0.42	
1:G:329:ARG:HG3	1:G:378:GLU:HG3	2.00	0.42	
1:J:329:ARG:HG3	1:J:378:GLU:HG3	2.00	0.42	
1:A:329:ARG:HG3	1:A:378:GLU:HG3	2.01	0.42	
2:B:49:PHE:CB	3:C:856:ILE:HD12	2.49	0.42	
2:E:123:ARG:NH2	4:E:201:MGT:O2'	2.49	0.42	
2:K:82:GLY:O	2:K:146:ARG:NH2	2.52	0.42	
1:S:109:ILE:HD11	1:S:268:LEU:HD22	2.00	0.42	
1:M:362:LEU:HA	1:M:363:PRO:C	2.40	0.42	
1:A:109:ILE:HD11	1:A:268:LEU:HD22	2.00	0.42	



A + 1	A + a	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:G:109:ILE:HD11	1:G:268:LEU:HD22	2.00	0.42	
1:V:329:ARG:HG3	1:V:378:GLU:HG3	2.01	0.42	
1:A:153:VAL:HG21	1:A:195:ILE:HG23	2.02	0.42	
1:D:153:VAL:HG21	1:D:195:ILE:HG23	2.02	0.42	
1:M:109:ILE:HD11	1:M:268:LEU:HD22	2.01	0.42	
1:V:461:TYR:CD1	3:X:854:ARG:CZ	3.03	0.41	
1:J:153:VAL:HG21	1:J:195:ILE:HG23	2.02	0.41	
1:P:688:LEU:HD12	1:P:691:GLN:OE1	2.19	0.41	
1:S:362:LEU:HA	1:S:363:PRO:C	2.41	0.41	
2:E:82:GLY:O	2:E:146:ARG:NH2	2.52	0.41	
2:K:127:ARG:HB2	4:K:201:MGT:O1A	2.20	0.41	
1:V:362:LEU:HA	1:V:363:PRO:C	2.41	0.41	
1:D:688:LEU:HD12	1:D:691:GLN:OE1	2.20	0.41	
1:P:362:LEU:HA	1:P:363:PRO:C	2.41	0.41	
1:G:362:LEU:HA	1:G:363:PRO:C	2.40	0.41	
1:J:362:LEU:HA	1:J:363:PRO:C	2.41	0.41	
1:J:688:LEU:HD12	1:J:691:GLN:OE1	2.20	0.41	
1:G:153:VAL:HG21	1:G:195:ILE:HG23	2.02	0.41	
1:G:688:LEU:HD12	1:G:691:GLN:OE1	2.21	0.41	
1:P:153:VAL:HG21	1:P:195:ILE:HG23	2.02	0.41	
1:V:153:VAL:HG21	1:V:195:ILE:HG23	2.02	0.41	
2:W:82:GLY:O	2:W:146:ARG:NH2	2.52	0.41	
1:A:362:LEU:HA	1:A:363:PRO:C	2.41	0.41	
1:M:610:ARG:CZ	2:N:89:TYR:OH	2.69	0.41	
2:Q:82:GLY:O	2:Q:146:ARG:NH2	2.52	0.41	
1:D:362:LEU:HA	1:D:363:PRO:C	2.41	0.41	
1:V:479:VAL:HG12	1:V:480:ASN:N	2.36	0.40	
1:G:694:ARG:NH1	1:V:193:ASP:OD2	2.54	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{n} tiles
1	А	718/772~(93%)	705 (98%)	13 (2%)	0	100	100
1	D	734/772~(95%)	721 (98%)	12 (2%)	1 (0%)	51	81
1	G	722/772~(94%)	711 (98%)	11 (2%)	0	100	100
1	J	722/772~(94%)	711 (98%)	11 (2%)	0	100	100
1	М	734/772~(95%)	720 (98%)	13 (2%)	1 (0%)	51	81
1	Р	722/772 (94%)	711 (98%)	11 (2%)	0	100	100
1	S	718/772~(93%)	707 (98%)	11 (2%)	0	100	100
1	V	718/772~(93%)	707 (98%)	11 (2%)	0	100	100
2	В	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
2	Е	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
2	Н	146/158~(92%)	137 (94%)	9 (6%)	0	100	100
2	K	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
2	Ν	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
2	Q	146/158~(92%)	137 (94%)	9 (6%)	0	100	100
2	Т	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
2	W	146/158~(92%)	138 (94%)	8 (6%)	0	100	100
3	С	10/48~(21%)	10 (100%)	0	0	100	100
3	F	10/48 (21%)	10 (100%)	0	0	100	100
3	Ι	9/48~(19%)	9 (100%)	0	0	100	100
3	L	7/48~(15%)	7 (100%)	0	0	100	100
3	Ο	10/48 (21%)	10 (100%)	0	0	100	100
3	R	10/48 (21%)	10 (100%)	0	0	100	100
3	U	7/48~(15%)	7 (100%)	0	0	100	100
3	X	10/48 (21%)	10 (100%)	0	0	100	100
All	All	7029/7824~(90%)	6868 (98%)	159 (2%)	2(0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	489	ASP
1	М	489	ASP



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	667/709~(94%)	657~(98%)	10 (2%)	65	89
1	D	679/709~(96%)	670~(99%)	9 (1%)	69	91
1	G	670/709~(94%)	659~(98%)	11 (2%)	62	88
1	J	670/709~(94%)	662~(99%)	8 (1%)	71	92
1	М	679/709~(96%)	670~(99%)	9 (1%)	69	91
1	Р	670/709~(94%)	661 (99%)	9 (1%)	69	91
1	S	667/709~(94%)	658~(99%)	9 (1%)	69	91
1	V	667/709~(94%)	657~(98%)	10 (2%)	65	89
2	В	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Е	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Н	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Κ	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Ν	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Q	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	Т	124/130~(95%)	122 (98%)	2 (2%)	62	88
2	W	124/130~(95%)	122 (98%)	2 (2%)	62	88
3	С	13/36~(36%)	12 (92%)	1 (8%)	13	35
3	F	13/36~(36%)	12 (92%)	1 (8%)	13	35
3	Ι	11/36~(31%)	10 (91%)	1 (9%)	9	27
3	L	10/36~(28%)	9 (90%)	1 (10%)	7	22
3	Ο	13/36~(36%)	12 (92%)	1 (8%)	13	35
3	R	13/36~(36%)	12 (92%)	1 (8%)	13	35
3	U	10/36~(28%)	9 (90%)	1 (10%)	7	22
3	X	13/36~(36%)	12 (92%)	1 (8%)	13	35
All	All	6457/7000~(92%)	6358 (98%)	99 (2%)	65	89

All (99) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	243	ARG
1	А	344	LYS
1	А	387	LEU
1	А	431	GLU
1	А	464	ARG
1	А	503	CYS
1	А	515	ASP
1	А	669	GLN
1	А	719	MET
1	А	733	THR
2	В	21	ARG
2	В	137	GLU
1	D	243	ARG
1	D	387	LEU
1	D	431	GLU
1	D	464	ARG
1	D	479	VAL
1	D	503	CYS
1	D	515	ASP
1	D	669	GLN
1	D	733	THR
2	Ε	21	ARG
2	Е	137	GLU
1	G	243	ARG
1	G	344	LYS
1	G	387	LEU
1	G	431	GLU
1	G	464	ARG
1	G	479	VAL
1	G	503	CYS
1	G	515	ASP
1	G	669	GLN
1	G	719	MET
1	G	733	THR
2	Н	21	ARG
2	Н	137	GLU
1	J	387	LEU
1	J	431	GLU
1	J	464	ARG
1	J	503	CYS
1	J	515	ASP
1	J	669	GLN
1	J	733	THR



Mol	Chain	Res	Type
1	J	786	CYS
2	K	21	ARG
2	К	137	GLU
1	М	243	ARG
1	М	387	LEU
1	М	431	GLU
1	М	464	ARG
1	М	479	VAL
1	М	503	CYS
1	М	515	ASP
1	М	669	GLN
1	М	733	THR
2	N	21	ARG
2	N	137	GLU
1	Р	243	ARG
1	Р	387	LEU
1	Р	431	GLU
1	Р	464	ARG
1	Р	503	CYS
1	Р	515	ASP
1	Р	669	GLN
1	Р	719	MET
1	Р	733	THR
2	Q	21	ARG
2	Q	137	GLU
1	S	387	LEU
1	S	431	GLU
1	S	464	ARG
1	S	503	CYS
1	S	515	ASP
1	S	660	GLU
1	S	669	GLN
1	S	733	THR
1	S	786	CYS
2	Т	21	ARG
2	Т	137	GLU
1	V	243	ARG
1	V	344	LYS
1	V	387	LEU
1	V	431	GLU
1	V	464	ARG
1	V	503	CYS



Mol	Chain	Res	Type
1	V	515	ASP
1	V	669	GLN
1	V	719	MET
1	V	733	THR
2	W	21	ARG
2	W	137	GLU
3	С	852	ASP
3	F	852	ASP
3	Ι	852	ASP
3	L	852	ASP
3	0	852	ASP
3	R	852	ASP
3	U	852	ASP
3	Х	852	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mol Type Chain Res		Dec	Tink	Bo	ond leng	$_{\rm sths}$	Bond angles					
WIOI	туре	Ullalli	rtes	ries	ries	ries		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MGT	W	201	-	30,35,35	1.33	3 (10%)	42,56,56	2.08	8 (19%)			
4	MGT	Н	201	-	30,35,35	1.33	3 (10%)	42,56,56	2.15	9 (21%)			
4	MGT	Ν	201	-	30,35,35	1.23	3 (10%)	42,56,56	2.31	10 (23%)			
4	MGT	В	201	-	30,35,35	1.39	5 (16%)	42,56,56	2.15	8 (19%)			
4	MGT	Q	201	-	30,35,35	1.31	5 (16%)	42,56,56	2.21	10 (23%)			
4	MGT	Т	201	-	30,35,35	1.25	2 (6%)	42,56,56	2.27	9 (21%)			
4	MGT	Е	201	-	30,35,35	1.24	3 (10%)	42,56,56	2.30	10 (23%)			
4	MGT	K	201	-	30,35,35	1.30	4 (13%)	42,56,56	2.29	10 (23%)			

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MGT	W	201	-	-	5/22/50/50	0/3/3/3
4	MGT	Н	201	-	-	6/22/50/50	0/3/3/3
4	MGT	Ν	201	-	-	2/22/50/50	0/3/3/3
4	MGT	В	201	-	-	6/22/50/50	0/3/3/3
4	MGT	Q	201	-	-	4/22/50/50	0/3/3/3
4	MGT	Т	201	-	-	1/22/50/50	0/3/3/3
4	MGT	Е	201	-	-	3/22/50/50	0/3/3/3
4	MGT	Κ	201	-	-	0/22/50/50	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
4	В	201	MGT	C4-N9	-3.85	1.33	1.37
4	W	201	MGT	C4-N9	-3.76	1.33	1.37
4	Н	201	MGT	C4-N9	-3.44	1.33	1.37
4	Q	201	MGT	C4-N9	-3.39	1.33	1.37
4	Т	201	MGT	C4-N9	-3.33	1.33	1.37
4	Κ	201	MGT	C4-N9	-3.18	1.34	1.37
4	Κ	201	MGT	C5-C4	3.17	1.48	1.38
4	Т	201	MGT	C5-C4	3.11	1.48	1.38
4	Ε	201	MGT	C5-C4	3.10	1.48	1.38
4	Н	201	MGT	C5-C4	3.08	1.48	1.38
4	В	201	MGT	C5-C4	3.05	1.48	1.38
4	Ν	201	MGT	C5-C4	3.04	1.48	1.38



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	W	201	MGT	C5-C4	2.98	1.47	1.38
4	Q	201	MGT	C5-C4	2.95	1.47	1.38
4	Ν	201	MGT	C4-N9	-2.77	1.34	1.37
4	Е	201	MGT	C4-N9	-2.75	1.34	1.37
4	В	201	MGT	C5-N7	-2.60	1.32	1.35
4	Ε	201	MGT	C5-N7	-2.58	1.32	1.35
4	Ν	201	MGT	C5-N7	-2.49	1.32	1.35
4	Q	201	MGT	C6-N1	-2.43	1.34	1.38
4	Q	201	MGT	C5-N7	-2.37	1.33	1.35
4	W	201	MGT	C5-N7	-2.25	1.33	1.35
4	В	201	MGT	C8-N9	2.21	1.47	1.46
4	Κ	201	MGT	C5-N7	-2.19	1.33	1.35
4	В	201	MGT	C6-N1	-2.15	1.34	1.38
4	Н	201	MGT	C1'-N9	2.11	1.50	1.46
4	Κ	201	MGT	$\overline{\text{C5-C6}}$	2.02	1.48	1.43
4	Q	201	MGT	C1'-N9	2.01	1.50	1.46

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	Ν	201	MGT	N9-C4-N3	8.93	138.82	125.47
4	Е	201	MGT	N9-C4-N3	8.85	138.70	125.47
4	Κ	201	MGT	N9-C4-N3	8.50	138.19	125.47
4	Т	201	MGT	N9-C4-N3	8.45	138.11	125.47
4	W	201	MGT	N9-C4-N3	7.99	137.43	125.47
4	Н	201	MGT	N9-C4-N3	7.98	137.40	125.47
4	Q	201	MGT	N9-C4-N3	7.82	137.16	125.47
4	В	201	MGT	N9-C4-N3	7.82	137.16	125.47
4	Q	201	MGT	O4'-C1'-N9	5.64	116.98	109.30
4	Ν	201	MGT	C5-C4-N3	-5.47	117.69	128.13
4	Е	201	MGT	C5-C4-N3	-5.41	117.82	128.13
4	Т	201	MGT	O4'-C1'-N9	5.23	116.43	109.30
4	Κ	201	MGT	C5-C4-N3	-5.19	118.25	128.13
4	В	201	MGT	C5-C4-N3	-5.12	118.36	128.13
4	Н	201	MGT	C5-C4-N3	-5.06	118.48	128.13
4	W	201	MGT	C5-C4-N3	-5.06	118.49	128.13
4	Q	201	MGT	C5-C4-N3	-5.05	118.51	128.13
4	Т	201	MGT	C5-C4-N3	-5.04	118.53	128.13
4	Т	201	MGT	N9-C8-N7	-4.93	96.32	103.38
4	В	201	MGT	O4'-C1'-N9	4.83	115.88	109.30
4	Κ	201	MGT	N9-C8-N7	-4.67	96.70	103.38
4	Κ	201	MGT	O4'-C1'-N9	4.62	115.59	109.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	Ν	201	MGT	C2-N3-C4	4.61	120.51	112.30
4	Ν	201	MGT	N9-C8-N7	-4.46	97.00	103.38
4	W	201	MGT	N9-C8-N7	-4.40	97.08	103.38
4	Н	201	MGT	C2-N3-C4	4.40	120.14	112.30
4	Е	201	MGT	C2-N3-C4	4.39	120.13	112.30
4	Е	201	MGT	N9-C8-N7	-4.34	97.17	103.38
4	Κ	201	MGT	C2-N3-C4	4.30	119.97	112.30
4	Е	201	MGT	O4'-C1'-N9	4.30	115.16	109.30
4	Q	201	MGT	C2-N3-C4	4.30	119.95	112.30
4	Т	201	MGT	C2-N3-C4	4.19	119.77	112.30
4	W	201	MGT	C2-N3-C4	4.15	119.69	112.30
4	В	201	MGT	N9-C8-N7	-4.07	97.55	103.38
4	В	201	MGT	C2-N3-C4	4.07	119.55	112.30
4	Н	201	MGT	N9-C8-N7	-4.05	97.58	103.38
4	Н	201	MGT	O4'-C1'-N9	4.00	114.75	109.30
4	Q	201	MGT	N9-C8-N7	-3.99	97.68	103.38
4	W	201	MGT	O4'-C1'-N9	3.86	114.56	109.30
4	Ν	201	MGT	O4'-C1'-N9	3.85	114.55	109.30
4	Ν	201	MGT	PB-O3B-PG	-3.04	122.40	132.83
4	Е	201	MGT	PB-O3B-PG	-3.01	122.50	132.83
4	Ν	201	MGT	C5-C6-N1	3.01	116.29	110.99
4	Е	201	MGT	C5-C6-N1	2.99	116.26	110.99
4	Κ	201	MGT	PA-O3A-PB	-2.75	123.37	132.83
4	Κ	201	MGT	PB-O3B-PG	-2.72	123.50	132.83
4	Т	201	MGT	C5-C6-N1	2.72	115.78	110.99
4	Q	201	MGT	C5-C6-N1	2.68	115.72	110.99
4	Н	201	MGT	PB-O3B-PG	-2.64	123.75	132.83
4	Н	201	MGT	C5-C6-N1	2.64	115.65	110.99
4	Ε	201	MGT	O6-C6-C5	-2.64	121.07	127.54
4	Κ	201	MGT	C5-C6-N1	2.63	115.62	110.99
4	Q	201	MGT	PB-O3B-PG	-2.56	124.05	132.83
4	N	201	MGT	O6-C6-C5	-2.53	121.32	127.54
4	Q	201	MGT	PA-O3A-PB	-2.41	124.57	132.83
4	В	201	MGT	C5-C6-N1	2.36	115.15	110.99
4	Т	201	MGT	C5-C4-N9	-2.31	103.35	106.35
4	Ν	201	MGT	PA-O3A-PB	-2.28	125.01	132.83
4	Е	201	MGT	C5-C4-N9	-2.21	103.48	106.35
4	Ν	201	MGT	C5-C4-N9	-2.20	103.49	106.35
4	H	201	MGT	CM7-N7-C5	2.20	132.07	126.40
4	Н	201	MGT	O6-C6-C5	-2.16	122.25	127.54
4	K	201	MGT	C5-C4-N9	-2.14	103.57	106.35
4	W	201	MGT	C5-C6-N1	2.13	114.74	110.99

Continued from previous page...



5	О	О	6
\sim	\sim	\sim	~

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	Q	201	MGT	O6-C6-C5	-2.11	122.37	127.54
4	Κ	201	MGT	O6-C6-C5	-2.10	122.38	127.54
4	Т	201	MGT	PB-O3B-PG	-2.10	125.63	132.83
4	W	201	MGT	PA-O3A-PB	-2.07	125.74	132.83
4	Т	201	MGT	O6-C6-C5	-2.06	122.49	127.54
4	В	201	MGT	O6-C6-C5	-2.06	122.50	127.54
4	Е	201	MGT	PA-O3A-PB	-2.04	125.83	132.83
4	В	201	MGT	O3G-PG-O2G	2.02	115.36	107.64
4	W	201	MGT	O6-C6-C5	-2.02	122.59	127.54
4	Q	201	MGT	CM7-N7-C5	2.00	131.56	126.40

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	В	201	MGT	PB-O3B-PG-O2G
4	В	201	MGT	O4'-C4'-C5'-O5'
4	Е	201	MGT	C5'-O5'-PA-O1A
4	Е	201	MGT	C5'-O5'-PA-O2A
4	Н	201	MGT	O4'-C4'-C5'-O5'
4	Ν	201	MGT	C5'-O5'-PA-O3A
4	Ν	201	MGT	C5'-O5'-PA-O2A
4	Q	201	MGT	O4'-C4'-C5'-O5'
4	W	201	MGT	C5'-O5'-PA-O3A
4	W	201	MGT	C5'-O5'-PA-O2A
4	В	201	MGT	C3'-C4'-C5'-O5'
4	Н	201	MGT	C3'-C4'-C5'-O5'
4	Q	201	MGT	C3'-C4'-C5'-O5'
4	Н	201	MGT	PA-O3A-PB-O1B
4	Т	201	MGT	PB-O3A-PA-O5'
4	Н	201	MGT	PB-O3B-PG-O1G
4	W	201	MGT	PB-O3B-PG-O1G
4	Q	201	MGT	PB-O3A-PA-O1A
4	Q	201	MGT	PB-O3A-PA-O2A
4	В	201	MGT	PB-O3B-PG-O3G
4	Н	201	MGT	PB-O3B-PG-O2G
4	Н	201	MGT	PB-O3B-PG-O3G
4	W	201	MGT	PB-O3B-PG-O2G
4	W	201	MGT	PB-O3B-PG-O3G
4	В	201	MGT	PA-O3A-PB-O3B
4	Е	201	MGT	C5'-O5'-PA-O3A
4	В	201	MGT	PA-O3A-PB-O2B



There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	N	201	MGT	1	0
4	Т	201	MGT	1	0
4	Е	201	MGT	1	0
4	K	201	MGT	1	0

4 monomers are involved in 4 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	# RSRZ > 2	$OWAB(Å^2)$	Q < 0.9
1	А	726/772~(94%)	0.10	24 (3%) 46 36	30, 62, 121, 174	0
1	D	740/772~(95%)	0.08	19 (2%) 56 46	32, 68, 116, 140	0
1	G	730/772~(94%)	0.04	12 (1%) 72 66	30, 62, 110, 138	0
1	J	730/772~(94%)	0.29	40 (5%) 25 16	36, 83, 127, 168	0
1	М	740/772~(95%)	0.07	18 (2%) 59 49	33, 68, 116, 145	0
1	Р	730/772~(94%)	0.04	11 (1%) 73 68	31, 62, 110, 138	0
1	S	726/772 (94%)	0.29	50 (6%) 16 10	35, 81, 124, 154	0
1	V	726/772~(94%)	0.11	22 (3%) 50 40	31, 63, 120, 178	0
2	В	148/158~(93%)	-0.11	2 (1%) 75 70	33, 65, 95, 119	0
2	Е	148/158~(93%)	0.05	8 (5%) 25 17	39, 77, 117, 148	0
2	Н	148/158~(93%)	-0.10	1 (0%) 87 84	35, 70, 106, 139	0
2	К	148/158~(93%)	0.37	10 (6%) 17 10	41, 86, 124, 145	0
2	Ν	148/158~(93%)	0.02	3 (2%) 65 56	41, 78, 115, 137	0
2	Q	148/158~(93%)	-0.01	3 (2%) 65 56	34, 70, 105, 148	0
2	Т	148/158~(93%)	0.21	7 (4%) 31 22	40, 83, 121, 153	0
2	W	148/158~(93%)	-0.13	4 (2%) 54 44	36, 64, 95, 124	0
3	С	14/48~(29%)	1.14	1 (7%) 16 9	78, 97, 129, 129	0
3	F	14/48~(29%)	0.50	0 100 100	79, 97, 110, 114	0
3	Ι	13/48~(27%)	1.20	$3\ (23\%)\ 0\ 0$	88, 109, 118, 125	0
3	L	11/48~(22%)	0.90	1 (9%) 9 5	98, 115, 124, 133	0
3	Ο	14/48~(29%)	0.54	0 100 100	72, 97, 110, 113	0
3	R	$1\overline{4/48}~(29\%)$	1.01	1 (7%) 16 9	84, 114, 127, 137	0
3	U	11/48~(22%)	1.07	2(18%) 1 1	104, 108, 123, 137	0
3	Х	14/48~(29%)	0.70	2(14%) 2 1	77, 100, 131, 131	0



Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
All	All	7137/7824~(91%)	0.12	244 (3%) 45 35	30,70,119,178	0

All (244) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	527	PRO	11.2
1	V	527	PRO	10.9
1	А	517	ILE	6.9
1	J	499	SER	6.6
2	Κ	129	ARG	6.5
1	V	525	PRO	6.0
2	Κ	138	TYR	6.0
1	J	527	PRO	5.9
1	V	540	ASN	5.3
2	Т	138	TYR	5.3
1	S	31	LEU	5.2
1	V	517	ILE	5.2
2	Κ	140	GLN	5.1
1	А	540	ASN	5.0
1	S	688	LEU	4.9
2	Т	140	GLN	4.9
1	J	683	ARG	4.7
1	V	526	ASN	4.7
1	J	503	CYS	4.6
1	S	540	ASN	4.5
1	А	518	PHE	4.4
1	S	670	HIS	4.4
1	S	689	GLU	4.3
1	М	686	GLY	4.3
2	Κ	76	MET	4.2
1	J	31	LEU	4.1
1	J	473	PHE	4.1
1	G	686	GLY	4.1
2	Κ	128	GLY	4.0
1	V	573	PHE	4.0
2	Ε	138	TYR	4.0
1	V	509	LYS	3.9
2	Q	138	TYR	3.9
1	J	688	LEU	3.8
2	Т	57	TYR	3.8
2	Κ	23	GLN	3.8
2	Ν	140	GLN	3.8



Mol	Chain	Res	Type	RSRZ
1	S	160	ASP	3.7
1	S	28	GLU	3.7
2	Т	149	TYR	3.7
1	J	734	SER	3.7
1	S	668	ARG	3.6
1	J	160	ASP	3.6
1	М	100	PHE	3.6
1	J	670	HIS	3.6
1	V	524	VAL	3.6
1	V	518	PHE	3.6
1	V	521	LEU	3.6
1	S	551	LEU	3.5
1	G	540	ASN	3.5
1	D	492	SER	3.5
2	Q	24	HIS	3.5
1	J	543	LYS	3.5
1	V	512	ALA	3.5
1	А	526	ASN	3.5
1	А	262	GLU	3.5
1	S	543	LYS	3.4
2	N	24	HIS	3.4
1	S	586	VAL	3.4
2	Е	24	HIS	3.4
1	V	670	HIS	3.3
1	S	527	PRO	3.3
1	D	489	ASP	3.3
1	М	57	LEU	3.3
1	М	685	ASP	3.3
1	S	57	LEU	3.3
1	S	511	LYS	3.2
1	S	35	ILE	3.2
1	P	526	ASN	3.1
1	Р	527	PRO	3.1
1	A	521	LEU	3.1
1	D	343	ASN	3.1
1	P	686	GLY	3.1
1	S	58	GLU	3.1
2	Т	30	GLU	3.1
2	K	149	TYR	3.1
1	J	631	ASP	3.1
1	Р	684	LYS	3.1
1	Р	499	SER	3.1



Mol	Chain	Res	Type	RSRZ
2	Е	140	GLN	3.0
1	G	668	ARG	3.0
1	D	488	GLY	3.0
1	G	517	ILE	3.0
1	D	442	GLU	3.0
1	S	247	ARG	3.0
1	J	35	ILE	3.0
1	S	205	ARG	2.9
1	S	36	CYS	2.9
1	J	504	LEU	2.9
1	А	508	PHE	2.9
1	М	691	GLN	2.9
1	М	492	SER	2.9
1	Р	735	VAL	2.9
1	J	551	LEU	2.9
1	S	666	LEU	2.9
1	М	192	MET	2.9
1	Р	552	LEU	2.9
1	S	504	LEU	2.9
3	L	859	TYR	2.8
1	J	105	VAL	2.8
1	D	57	LEU	2.8
1	А	541	PRO	2.8
1	А	734	SER	2.8
1	D	494	SER	2.8
1	S	32	GLU	2.8
1	J	733	THR	2.8
1	J	689	GLU	2.7
1	G	666	LEU	2.7
1	S	34	LEU	2.7
1	D	31	LEU	2.7
1	D	666	LEU	2.7
1	D	691	GLN	2.7
1	S	585	HIS	2.7
1	V	544	ILE	2.7
1	S	694	ARG	2.7
1	S	734	SER	2.7
1	S	590	MET	2.7
1	D	543	LYS	2.7
1	J	552	LEU	2.7
1	S	343	ASN	2.7
1	V	513	THR	2.6



5	Ο	Ο	6

Mol	Chain	Res	Type	RSRZ
1	S	509	LYS	2.6
3	U	870	PHE	2.6
2	Т	23	GLN	2.6
1	А	509	LYS	2.6
1	D	683	ARG	2.6
1	D	689	GLU	2.6
1	А	688	LEU	2.6
2	W	26	ARG	2.6
2	Н	24	HIS	2.6
1	V	666	LEU	2.6
1	J	201	SER	2.6
3	Ι	856	ILE	2.6
1	S	258	SER	2.6
2	В	26	ARG	2.5
2	Е	23	GLN	2.5
1	S	542	LEU	2.5
1	М	160	ASP	2.5
2	Е	149	TYR	2.5
1	М	670	HIS	2.5
1	S	257	ASP	2.5
1	G	442	GLU	2.5
2	Е	147	GLY	2.5
1	Р	486	LYS	2.5
1	М	262	GLU	2.5
1	А	662	ALA	2.5
2	W	142	TYR	2.5
1	G	670	HIS	2.5
1	V	667	ALA	2.5
1	D	490	GLU	2.4
1	J	194	ARG	2.4
1	J	666	LEU	2.4
1	D	540	ASN	2.4
1	V	506	VAL	2.4
1	А	525	PRO	2.4
1	S	547	PHE	2.4
1	J	523	ASP	2.4
1	G	521	LEU	2.4
1	S	546	VAL	2.4
1	G	684	LYS	2.4
1	М	688	LEU	2.4
2	K	24	HIS	2.4
1	V	569	PHE	2.4



50	$\cap 6$
50	00

Mol	Chain	Res	Type	RSRZ	
1	J	546	VAL	2.4	
2	K	6	LEU	2.4	
1	J	62	PRO	2.4	
1	S	550	THR	2.4	
1	М	491	SER	2.4	
2	Е	129	ARG	2.3	
1	Р	341	GLY	2.3	
1	А	670	HIS	2.3	
1	J	159	GLU	2.3	
1	Р	683	ARG	2.3	
3	С	857	VAL	2.3	
1	S	108	MET	2.3	
2	Ν	138	TYR	2.3	
1	А	506	VAL	2.3	
1	G	541	PRO	2.3	
1	J	668	ARG	2.3	
1	V	572	VAL	2.3	
3	Х	858	GLU	2.3	
1	S	27	THR	2.3	
1	S	499	SER	2.3	
1	А	511	LYS	2.3	
1	J	693	GLU	2.3	
2	Е	5	LEU	2.3	
1	А	585	HIS	2.3	
1	D	243	ARG	2.3	
1	М	668	ARG	2.3	
1	G	509	LYS	2.3	
1	S	483	CYS	2.2	
1	S	687	VAL	2.2	
1	J	694	ARG	2.2	
1	J	590	MET	2.2	
1	S	68	ILE	2.2	
1	S	104	PHE	2.2	
1	S	473	PHE	2.2	
1	S	628	LEU	2.2	
2	Т	129	ARG	2.2	
3	R	860	ARG	2.2	
1	А	666	LEU	2.2	
1	М	666	LEU	2.2	
1	J	581	GLU	2.2	
1	J	248	HIS	2.2	
1	А	690	GLU	2.2	



Mol	Chain	Res	Type	RSRZ	
1	D	341	GLY	2.2	
1	S	691	GLN	2.2	
1	А	694	ARG	2.2	
1	D	35	ILE	2.1	
3	Ι	857	VAL	2.1	
2	W	138	TYR	2.1	
1	J	32	GLU	2.1	
1	М	442	GLU	2.1	
1	S	243	ARG	2.1	
1	S	512	ALA	2.1	
1	J	777	HIS	2.1	
1	М	734	SER	2.1	
1	J	685	ASP	2.1	
1	J	135	VAL	2.1	
1	V	669	GLN	2.1	
1	J	687	VAL	2.1	
1	J	519	SER	2.1	
1	А	736	LEU	2.1	
3	U	859	TYR	2.1	
1	М	490	GLU	2.1	
1	S	173	PHE	2.1	
1	V	662	ALA	2.1	
3	Ι	858	GLU	2.1	
1	А	613	ILE	2.1	
2	В	138	TYR	2.1	
3	Х	861	ASP	2.1	
1	S	662	ALA	2.1	
1	J	150	GLU	2.1	
1	Р	523	ASP	2.0	
2	K	57	TYR	2.0	
2	W	149	TYR	2.0	
1	S	53	LEU	2.0	
2	Q	23	GLN	2.0	
1	G	683	ARG	2.0	
1	V	541	PRO	2.0	
1	D	299	GLU	2.0	
1	М	689	GLU	2.0	
1	J	271	PHE	2.0	
1	А	514	ASN	2.0	

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q < 0.9
4	MGT	K	201	33/33	0.93	0.18	66,79,90,97	0
4	MGT	Т	201	33/33	0.93	0.14	69,79,92,104	0
4	MGT	N	201	33/33	0.94	0.14	66,71,84,91	0
4	MGT	Q	201	33/33	0.94	0.16	56,61,67,72	0
4	MGT	Е	201	33/33	0.94	0.15	64,72,82,87	0
4	MGT	W	201	33/33	0.96	0.16	40,45,65,67	0
4	MGT	Н	201	33/33	0.97	0.13	53,58,67,68	0
4	MGT	В	201	33/33	0.97	0.14	37,42,67,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

































6.5 Other polymers (i)

There are no such residues in this entry.

