



Full wwPDB EM Validation Report ⓘ

Dec 17, 2022 – 04:03 pm GMT

PDB ID : 6ZP2
EMDB ID : EMD-11334
Title : Structure of SARS-CoV-2 Spike Protein Trimer (K986P, V987P, single Arg S1/S2 cleavage site) in Locked State
Authors : Xiong, X.; Qu, K.; Scheres, S.H.W.; Briggs, J.A.G.
Deposited on : 2020-07-08
Resolution : 3.10 Å(reported)
Based on initial model : 6VXX

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1132	 84% 12% ..
1	B	1132	 84% 12% ..
1	C	1132	 83% 13% ..
2	D	2	 100%
2	E	2	 50% 100%
2	F	2	 50% 100%
2	G	2	 50% 50%
2	H	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	2	 100%
2	J	2	 50% 100%
2	K	2	 50% 100%
2	L	2	 50% 100%
2	M	2	 50% 50%
2	N	2	 100%
2	O	2	 50% 100%
2	P	2	 50% 100%
2	Q	2	 50% 100%
2	R	2	 50% 50%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 26871 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1097	8572	5467	1433	1632	40	0	0
1	B	1097	8572	5467	1433	1632	40	0	0
1	C	1097	8572	5467	1433	1632	40	0	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	10	GLU	-	expression tag	UNP P0DTC2
A	11	THR	-	expression tag	UNP P0DTC2
A	12	GLY	-	expression tag	UNP P0DTC2
A	13	THR	-	expression tag	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	10	GLU	-	expression tag	UNP P0DTC2
B	11	THR	-	expression tag	UNP P0DTC2
B	12	GLY	-	expression tag	UNP P0DTC2
B	13	THR	-	expression tag	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	10	GLU	-	expression tag	UNP P0DTC2
C	11	THR	-	expression tag	UNP P0DTC2
C	12	GLY	-	expression tag	UNP P0DTC2
C	13	THR	-	expression tag	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	D	2	28	16	2	10	0	0
2	E	2	28	16	2	10	0	0
2	F	2	28	16	2	10	0	0
2	G	2	28	16	2	10	0	0
2	H	2	28	16	2	10	0	0
2	I	2	28	16	2	10	0	0
2	J	2	28	16	2	10	0	0
2	K	2	28	16	2	10	0	0
2	L	2	28	16	2	10	0	0
2	M	2	28	16	2	10	0	0
2	N	2	28	16	2	10	0	0
2	O	2	28	16	2	10	0	0
2	P	2	28	16	2	10	0	0
2	Q	2	28	16	2	10	0	0
2	R	2	28	16	2	10	0	0

- Molecule 3 is BILIVERDINE IX ALPHA (three-letter code: BLA) (formula: C₃₃H₃₄N₄O₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	43	33	4	6	0
3	B	1	43	33	4	6	0
3	C	1	43	33	4	6	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	A	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	B	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	
4	C	1	Total	C	N	O	0
			182	104	13	65	

- Molecule 5 is LINOLEIC ACID (three-letter code: EIC) (formula: C₁₈H₃₂O₂).




Mol	Chain	Residues	Atoms			AltConf
5	A	1	Total	C	O	0
			40	36	4	
5	A	1	Total	C	O	0
			40	36	4	
5	B	1	Total	C	O	0
			20	18	2	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein





- Molecule 1: Spike glycoprotein





• Molecule 1: Spike glycoprotein



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	55580	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.199	Depositor
Minimum map value	-0.094	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.026	Depositor
Map size (Å)	271.616, 271.616, 271.616	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.061, 1.061, 1.061	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EIC, NAG, BLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	5/8771 (0.1%)	0.84	22/11934 (0.2%)
1	B	0.47	5/8771 (0.1%)	0.84	21/11934 (0.2%)
1	C	0.47	5/8771 (0.1%)	0.84	21/11934 (0.2%)
All	All	0.47	15/26313 (0.1%)	0.84	64/35802 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
All	All	0	6

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	391	CYS	CB-SG	-6.89	1.70	1.82
1	C	391	CYS	CB-SG	-6.89	1.70	1.82
1	B	391	CYS	CB-SG	-6.84	1.70	1.82
1	B	166	CYS	CB-SG	-6.20	1.71	1.82
1	C	166	CYS	CB-SG	-6.20	1.71	1.82
1	A	166	CYS	CB-SG	-6.16	1.71	1.82
1	C	223	LEU	C-N	-5.43	1.21	1.34
1	A	223	LEU	C-N	-5.43	1.21	1.34
1	B	223	LEU	C-N	-5.41	1.21	1.34
1	A	525	CYS	CB-SG	-5.14	1.73	1.81
1	B	525	CYS	CB-SG	-5.10	1.73	1.81
1	C	525	CYS	CB-SG	-5.10	1.73	1.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	131	CYS	CB-SG	-5.10	1.73	1.81
1	C	131	CYS	CB-SG	-5.07	1.73	1.81
1	B	131	CYS	CB-SG	-5.06	1.73	1.81

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	273	ARG	NE-CZ-NH2	-14.34	113.13	120.30
1	A	273	ARG	NE-CZ-NH2	-14.28	113.16	120.30
1	B	273	ARG	NE-CZ-NH2	-14.26	113.17	120.30
1	A	273	ARG	CG-CD-NE	11.74	136.46	111.80
1	B	902	MET	CB-CG-SD	11.74	147.63	112.40
1	C	273	ARG	CG-CD-NE	11.74	136.46	111.80
1	C	902	MET	CB-CG-SD	11.74	147.62	112.40
1	B	273	ARG	CG-CD-NE	11.73	136.44	111.80
1	A	902	MET	CB-CG-SD	11.73	147.59	112.40
1	B	113	LYS	CD-CE-NZ	10.10	134.92	111.70
1	C	113	LYS	CD-CE-NZ	10.10	134.92	111.70
1	A	113	LYS	CD-CE-NZ	10.09	134.90	111.70
1	B	131	CYS	CA-CB-SG	8.02	128.44	114.00
1	C	131	CYS	CA-CB-SG	8.00	128.40	114.00
1	A	131	CYS	CA-CB-SG	7.99	128.39	114.00
1	A	1073	LYS	CD-CE-NZ	7.90	129.87	111.70
1	B	1073	LYS	CD-CE-NZ	7.89	129.86	111.70
1	C	1073	LYS	CD-CE-NZ	7.89	129.85	111.70
1	A	900	MET	CB-CG-SD	7.50	134.91	112.40
1	B	900	MET	CB-CG-SD	7.49	134.88	112.40
1	C	900	MET	CB-CG-SD	7.48	134.83	112.40
1	A	179	LEU	CB-CG-CD2	6.49	122.03	111.00
1	B	179	LEU	CB-CG-CD2	6.48	122.02	111.00
1	C	179	LEU	CB-CG-CD2	6.48	122.01	111.00
1	B	738	CYS	CA-CB-SG	6.41	125.53	114.00
1	A	738	CYS	CA-CB-SG	6.36	125.45	114.00
1	C	220	PHE	CB-CG-CD1	6.36	125.25	120.80
1	C	738	CYS	CA-CB-SG	6.36	125.44	114.00
1	B	220	PHE	CB-CG-CD1	6.29	125.20	120.80
1	A	220	PHE	CB-CG-CD1	6.27	125.19	120.80
1	C	489	TYR	CB-CG-CD2	-6.01	117.39	121.00
1	A	489	TYR	CB-CG-CD2	-5.99	117.41	121.00
1	B	489	TYR	CB-CG-CD2	-5.96	117.42	121.00
1	C	220	PHE	CB-CG-CD2	-5.74	116.78	120.80
1	A	614	ASP	CB-CG-OD1	5.71	123.44	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	PHE	CB-CG-CD2	-5.68	116.83	120.80
1	B	220	PHE	CB-CG-CD2	-5.67	116.83	120.80
1	C	614	ASP	CB-CG-OD1	5.66	123.39	118.30
1	B	614	ASP	CB-CG-OD1	5.63	123.36	118.30
1	C	516	GLU	CA-CB-CG	5.59	125.70	113.40
1	A	516	GLU	CA-CB-CG	5.58	125.68	113.40
1	B	516	GLU	CA-CB-CG	5.56	125.64	113.40
1	B	273	ARG	CB-CG-CD	-5.47	97.37	111.60
1	A	273	ARG	CB-CG-CD	-5.47	97.39	111.60
1	C	273	ARG	CB-CG-CD	-5.46	97.40	111.60
1	B	291	CYS	CA-CB-SG	5.36	123.64	114.00
1	C	291	CYS	CA-CB-SG	5.33	123.59	114.00
1	A	291	CYS	CA-CB-SG	5.32	123.58	114.00
1	B	273	ARG	CD-NE-CZ	5.26	130.96	123.60
1	B	590	CYS	CA-CB-SG	5.25	123.46	114.00
1	A	590	CYS	CA-CB-SG	5.25	123.45	114.00
1	C	590	CYS	CA-CB-SG	5.24	123.44	114.00
1	C	489	TYR	CB-CG-CD1	5.24	124.14	121.00
1	A	273	ARG	CD-NE-CZ	5.24	130.93	123.60
1	A	346	ARG	CA-CB-CG	5.22	124.89	113.40
1	C	273	ARG	CD-NE-CZ	5.21	130.90	123.60
1	A	529	LYS	CA-CB-CG	5.21	124.86	113.40
1	C	346	ARG	CA-CB-CG	5.21	124.86	113.40
1	B	529	LYS	CA-CB-CG	5.20	124.83	113.40
1	B	346	ARG	CA-CB-CG	5.19	124.82	113.40
1	C	529	LYS	CA-CB-CG	5.19	124.82	113.40
1	B	489	TYR	CB-CG-CD1	5.17	124.10	121.00
1	A	489	TYR	CB-CG-CD1	5.07	124.04	121.00
1	A	904	TYR	CB-CG-CD2	-5.05	117.97	121.00

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	244	LEU	Mainchain
1	A	987	PRO	Mainchain
1	B	244	LEU	Mainchain
1	B	987	PRO	Mainchain
1	C	244	LEU	Mainchain
1	C	987	PRO	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8572	0	8342	89	0
1	B	8572	0	8342	87	0
1	C	8572	0	8342	89	0
2	D	28	0	25	0	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	1	0
2	H	28	0	25	2	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
2	L	28	0	25	0	0
2	M	28	0	25	2	0
2	N	28	0	25	0	0
2	O	28	0	25	0	0
2	P	28	0	25	0	0
2	Q	28	0	25	0	0
2	R	28	0	25	2	0
3	A	43	0	32	2	0
3	B	43	0	32	2	0
3	C	43	0	32	2	0
4	A	182	0	169	8	0
4	B	182	0	169	8	0
4	C	182	0	169	8	0
5	A	40	0	62	0	0
5	B	20	0	31	0	0
All	All	26871	0	26097	253	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (253) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:ASN:HD21	4:A:2115:NAG:C1	1.14	1.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:ASN:HD21	4:B:2115:NAG:C1	1.14	1.59
1:C:17:ASN:HD21	4:C:2112:NAG:C1	1.15	1.59
1:A:17:ASN:HD21	4:A:2113:NAG:C1	1.15	1.58
1:B:17:ASN:HD21	4:B:2113:NAG:C1	1.15	1.57
1:B:122:ASN:HD21	2:M:1:NAG:C1	1.16	1.56
1:C:149:ASN:HD21	4:C:2114:NAG:C1	1.14	1.56
1:A:122:ASN:HD21	2:H:1:NAG:C1	1.16	1.54
1:C:122:ASN:HD21	2:R:1:NAG:C1	1.16	1.51
1:C:17:ASN:ND2	4:C:2112:NAG:C1	1.95	1.30
1:C:122:ASN:ND2	2:R:1:NAG:C1	1.96	1.29
1:A:122:ASN:ND2	2:H:1:NAG:C1	1.95	1.29
1:B:149:ASN:ND2	4:B:2115:NAG:C1	1.96	1.28
1:B:17:ASN:ND2	4:B:2113:NAG:C1	1.95	1.28
1:C:149:ASN:ND2	4:C:2114:NAG:C1	1.96	1.28
1:A:149:ASN:ND2	4:A:2115:NAG:C1	1.96	1.27
1:A:17:ASN:ND2	4:A:2113:NAG:C1	1.95	1.26
1:B:122:ASN:ND2	2:M:1:NAG:C1	1.96	1.26
1:B:165:ASN:HD21	4:B:2109:NAG:C1	1.57	1.17
1:C:165:ASN:HD21	4:C:2109:NAG:C1	1.57	1.17
1:A:165:ASN:HD21	4:A:2109:NAG:C1	1.57	1.15
1:A:165:ASN:ND2	4:A:2109:NAG:C1	2.35	0.90
1:B:165:ASN:ND2	4:B:2109:NAG:C1	2.35	0.90
1:C:165:ASN:ND2	4:C:2109:NAG:C1	2.35	0.89
1:B:811:LYS:NZ	1:B:813:SER:OG	2.21	0.74
1:C:811:LYS:NZ	1:C:813:SER:OG	2.21	0.74
1:A:811:LYS:NZ	1:A:813:SER:OG	2.21	0.73
1:C:989:ALA:O	1:C:993:ILE:HG13	1.90	0.71
1:B:989:ALA:O	1:B:993:ILE:HG13	1.90	0.71
1:A:989:ALA:O	1:A:993:ILE:HG13	1.90	0.71
1:B:96:GLU:OE2	1:B:99:ASN:N	2.28	0.67
1:A:96:GLU:OE2	1:A:99:ASN:N	2.28	0.67
1:A:327:VAL:O	1:A:531:THR:N	2.28	0.67
1:C:96:GLU:OE2	1:C:99:ASN:N	2.28	0.66
1:B:327:VAL:O	1:B:531:THR:N	2.28	0.66
1:C:327:VAL:O	1:C:531:THR:N	2.28	0.66
1:C:454:ARG:NH2	1:C:467:ASP:O	2.29	0.66
1:A:454:ARG:NH2	1:A:467:ASP:O	2.29	0.65
1:A:675:GLN:HG2	1:A:693:ILE:HD13	1.79	0.65
1:B:675:GLN:HG2	1:B:693:ILE:HD13	1.79	0.65
1:B:454:ARG:NH2	1:B:467:ASP:O	2.29	0.64
1:B:1073:LYS:HE3	1:B:1073:LYS:HA	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1073:LYS:HE3	1:A:1073:LYS:HA	1.80	0.63
1:C:675:GLN:HG2	1:C:693:ILE:HD13	1.79	0.63
1:C:535:LYS:NZ	1:C:554:GLU:OE2	2.31	0.63
1:B:1119:ASN:O	1:B:1119:ASN:ND2	2.32	0.62
1:C:1073:LYS:HA	1:C:1073:LYS:HE3	1.80	0.62
1:C:1119:ASN:ND2	1:C:1119:ASN:O	2.32	0.62
1:B:535:LYS:NZ	1:B:554:GLU:OE2	2.31	0.61
1:A:535:LYS:NZ	1:A:554:GLU:OE2	2.31	0.60
1:A:1119:ASN:ND2	1:A:1119:ASN:O	2.32	0.59
1:A:786:LYS:HE3	1:A:786:LYS:HA	1.85	0.59
1:C:786:LYS:HE3	1:C:786:LYS:HA	1.85	0.59
1:A:226:LEU:HD11	3:A:2101:BLA:HMA1	1.86	0.58
1:A:58:PHE:CD2	1:A:290:ASP:HB2	2.39	0.58
1:A:1091:ARG:NH1	1:A:1118:ASP:O	2.37	0.58
1:B:786:LYS:HE3	1:B:786:LYS:HA	1.84	0.58
1:A:96:GLU:OE2	1:A:100:ILE:N	2.32	0.58
1:B:226:LEU:HD11	3:B:2101:BLA:HMA1	1.86	0.58
1:C:226:LEU:HD11	3:C:2101:BLA:HMA1	1.86	0.57
1:B:1091:ARG:NH1	1:B:1118:ASP:O	2.37	0.57
1:A:77:LYS:NZ	1:A:258:TRP:O	2.30	0.57
1:C:58:PHE:CD2	1:C:290:ASP:HB2	2.39	0.57
1:B:58:PHE:CD2	1:B:290:ASP:HB2	2.39	0.57
1:C:1091:ARG:NH1	1:C:1118:ASP:O	2.37	0.57
1:A:895:GLN:NE2	1:B:1074:ASN:OD1	2.39	0.55
1:A:904:TYR:CE2	1:B:1107:ARG:HD3	2.41	0.55
1:B:867:ASP:OD1	1:B:868:GLU:N	2.40	0.55
1:A:867:ASP:OD1	1:A:868:GLU:N	2.40	0.55
1:C:14:GLN:NE2	1:C:157:PHE:O	2.40	0.55
1:B:96:GLU:OE2	1:B:100:ILE:N	2.32	0.54
1:B:14:GLN:NE2	1:B:157:PHE:O	2.40	0.54
1:A:289:VAL:HG23	1:A:306:PHE:CE1	2.43	0.54
1:C:289:VAL:HG23	1:C:306:PHE:CE1	2.43	0.54
1:A:14:GLN:NE2	1:A:157:PHE:O	2.40	0.54
1:C:867:ASP:OD1	1:C:868:GLU:N	2.40	0.54
1:C:77:LYS:NZ	1:C:258:TRP:O	2.31	0.54
1:A:792:PRO:HG3	1:B:707:TYR:HB3	1.89	0.54
1:B:791:THR:HG21	1:B:806:LEU:HD13	1.90	0.54
1:C:140:PHE:HD2	1:C:244:LEU:HD13	1.73	0.53
1:A:390:LEU:HD21	1:C:982:SER:O	2.08	0.53
1:C:96:GLU:OE2	1:C:100:ILE:N	2.32	0.53
1:A:140:PHE:HD2	1:A:244:LEU:HD13	1.73	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:77:LYS:NZ	1:B:258:TRP:O	2.31	0.53
1:B:289:VAL:HG23	1:B:306:PHE:CE1	2.43	0.53
1:C:791:THR:HG21	1:C:806:LEU:HD13	1.90	0.53
1:B:34:ARG:NH1	1:B:191:GLU:OE2	2.42	0.53
1:A:791:THR:HG21	1:A:806:LEU:HD13	1.90	0.53
1:B:874:THR:O	1:B:878:LEU:HD23	2.09	0.53
1:C:874:THR:O	1:C:878:LEU:HD23	2.09	0.52
1:A:874:THR:O	1:A:878:LEU:HD23	2.09	0.52
1:B:140:PHE:HD2	1:B:244:LEU:HD13	1.73	0.52
1:A:34:ARG:NH1	1:A:191:GLU:OE2	2.42	0.52
1:A:941:THR:OG1	1:A:942:ALA:N	2.43	0.51
1:B:941:THR:OG1	1:B:942:ALA:N	2.43	0.51
1:C:34:ARG:NH1	1:C:191:GLU:OE2	2.42	0.51
1:C:165:ASN:ND2	4:C:2109:NAG:O7	2.44	0.51
1:C:220:PHE:HD1	1:C:221:SER:N	2.09	0.51
1:A:165:ASN:ND2	4:A:2109:NAG:O7	2.44	0.51
1:B:165:ASN:ND2	4:B:2109:NAG:O7	2.43	0.51
1:B:220:PHE:HD1	1:B:221:SER:N	2.09	0.51
1:C:941:THR:OG1	1:C:942:ALA:N	2.43	0.51
1:A:220:PHE:HD1	1:A:221:SER:N	2.09	0.50
1:B:903:ALA:HB1	1:B:913:GLN:HB2	1.94	0.50
1:C:903:ALA:HB1	1:C:913:GLN:HB2	1.94	0.50
1:A:903:ALA:HB1	1:A:913:GLN:HB2	1.94	0.50
1:B:841:LEU:HD13	1:C:588:THR:HG21	1.94	0.50
1:B:115:GLN:HB2	1:B:233:ILE:HD12	1.95	0.49
1:A:382:VAL:HG23	1:C:983:ARG:O	2.12	0.49
1:C:115:GLN:HB2	1:C:233:ILE:HD12	1.95	0.49
1:B:792:PRO:HG3	1:C:707:TYR:HB3	1.96	0.48
1:B:457:ARG:NH2	2:G:1:NAG:O7	2.39	0.48
1:A:115:GLN:HB2	1:A:233:ILE:HD12	1.95	0.48
1:A:706:ALA:O	1:C:895:GLN:OE1	2.32	0.48
1:B:1110:TYR:HE2	1:B:1112:PRO:HB3	1.79	0.48
1:A:326:ILE:HD11	1:A:552:LEU:CD1	2.44	0.47
1:B:245:HIS:HB2	1:B:259:THR:HG23	1.96	0.47
1:C:45:SER:O	1:C:47:VAL:HG23	2.15	0.47
1:B:326:ILE:HD11	1:B:552:LEU:CD1	2.45	0.47
1:B:977:LEU:CD1	1:B:993:ILE:HD13	2.45	0.47
1:A:193:VAL:HG23	1:A:223:LEU:HD22	1.96	0.47
1:A:977:LEU:CD1	1:A:993:ILE:HD13	2.45	0.47
1:B:45:SER:O	1:B:47:VAL:HG23	2.15	0.47
1:C:121:ASN:ND2	3:C:2101:BLA:OB	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:480:CYS:O	1:B:483:VAL:HG12	2.15	0.47
1:B:531:THR:HG22	1:B:532:ASN:N	2.30	0.47
1:B:1119:ASN:C	1:B:1119:ASN:HD22	2.10	0.47
1:C:977:LEU:CD1	1:C:993:ILE:HD13	2.45	0.47
1:A:45:SER:O	1:A:47:VAL:HG23	2.15	0.47
1:C:193:VAL:HG23	1:C:223:LEU:HD22	1.96	0.47
1:C:57:PRO:HG3	1:C:273:ARG:NH1	2.30	0.47
1:C:442:ASP:OD1	1:C:451:TYR:OH	2.26	0.47
1:C:480:CYS:O	1:C:483:VAL:HG12	2.15	0.47
1:A:531:THR:HG22	1:A:532:ASN:N	2.30	0.46
1:C:326:ILE:HD11	1:C:552:LEU:CD1	2.44	0.46
1:A:33:THR:HG22	1:A:58:PHE:CD1	2.51	0.46
1:B:33:THR:HG22	1:B:58:PHE:CD1	2.51	0.46
1:C:531:THR:HG22	1:C:532:ASN:N	2.30	0.46
1:A:121:ASN:ND2	3:A:2101:BLA:OB	2.48	0.46
1:A:295:PRO:HB3	1:A:597:VAL:HG22	1.98	0.46
1:A:437:ASN:OD1	1:A:438:SER:N	2.48	0.46
1:C:1110:TYR:HE2	1:C:1112:PRO:HB3	1.79	0.46
1:C:245:HIS:HB2	1:C:259:THR:HG23	1.96	0.46
1:A:108:THR:HG23	1:A:234:ASN:O	2.15	0.46
1:B:108:THR:HG23	1:B:234:ASN:O	2.15	0.46
1:A:480:CYS:O	1:A:483:VAL:HG12	2.15	0.46
1:B:57:PRO:HG3	1:B:273:ARG:NH1	2.30	0.46
1:B:193:VAL:HG23	1:B:223:LEU:HD22	1.96	0.46
1:A:1110:TYR:HE2	1:A:1112:PRO:HB3	1.79	0.46
1:A:57:PRO:HG3	1:A:273:ARG:NH1	2.30	0.46
1:B:121:ASN:ND2	3:B:2101:BLA:OB	2.48	0.46
1:C:33:THR:HG22	1:C:58:PHE:CD1	2.51	0.46
1:C:108:THR:HG23	1:C:234:ASN:O	2.15	0.46
1:B:437:ASN:OD1	1:B:438:SER:N	2.48	0.46
1:A:245:HIS:HB2	1:A:259:THR:HG23	1.96	0.45
1:C:437:ASN:OD1	1:C:438:SER:N	2.48	0.45
1:B:904:TYR:CE2	1:C:1107:ARG:HD3	2.50	0.45
1:C:581:THR:O	1:C:583:GLU:N	2.48	0.45
1:B:295:PRO:HB3	1:B:597:VAL:HG22	1.98	0.45
1:A:883:THR:OG1	1:B:705:VAL:HG11	2.17	0.45
1:C:295:PRO:HB3	1:C:597:VAL:HG22	1.98	0.45
1:A:581:THR:O	1:A:583:GLU:N	2.48	0.45
1:B:740:MET:SD	1:B:857:GLY:N	2.90	0.45
1:B:988:GLU:O	1:B:991:VAL:HG12	2.17	0.44
1:C:740:MET:SD	1:C:857:GLY:N	2.90	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:773:GLU:OE2	1:B:1019:ARG:NH1	2.49	0.44
1:C:1077:THR:OG1	1:C:1095:PHE:O	2.29	0.44
1:A:1119:ASN:HD22	1:A:1119:ASN:C	2.10	0.44
1:C:988:GLU:O	1:C:991:VAL:HG12	2.17	0.44
1:B:159:VAL:HG23	1:B:160:TYR:CD2	2.53	0.44
1:B:1119:ASN:ND2	1:B:1119:ASN:C	2.71	0.44
1:C:314:GLN:OE1	1:C:596:SER:OG	2.31	0.44
1:A:1075:PHE:CZ	1:A:1110:TYR:CE1	3.06	0.44
1:A:1119:ASN:ND2	1:A:1119:ASN:C	2.71	0.44
1:C:159:VAL:HG23	1:C:160:TYR:CD2	2.53	0.43
1:C:618:THR:OG1	4:C:2104:NAG:O7	2.34	0.43
1:A:159:VAL:HG23	1:A:160:TYR:CD2	2.53	0.43
1:A:713:ALA:HA	1:A:1073:LYS:O	2.19	0.43
1:A:786:LYS:HA	1:A:786:LYS:CE	2.47	0.43
1:B:29:THR:HG22	1:B:30:ASN:N	2.34	0.43
1:C:29:THR:HG22	1:C:30:ASN:N	2.33	0.43
1:C:347:PHE:CE2	1:C:509:ARG:HD3	2.54	0.43
1:C:1028:LYS:NZ	1:C:1042:PHE:O	2.51	0.43
1:C:1119:ASN:ND2	1:C:1119:ASN:C	2.71	0.43
1:A:618:THR:OG1	4:A:2104:NAG:O7	2.34	0.43
1:A:973:ILE:HD13	1:A:984:LEU:HD11	2.01	0.43
1:A:656:VAL:HG21	1:A:693:ILE:HD12	2.01	0.43
1:A:740:MET:SD	1:A:857:GLY:N	2.90	0.43
1:A:988:GLU:O	1:A:991:VAL:HG12	2.17	0.43
1:B:1075:PHE:CZ	1:B:1110:TYR:CE1	3.06	0.43
1:A:545:GLY:O	1:C:982:SER:HB2	2.19	0.43
1:B:314:GLN:OE1	1:B:596:SER:OG	2.31	0.43
1:A:773:GLU:OE2	1:A:1019:ARG:NH1	2.49	0.43
1:B:347:PHE:CE2	1:B:509:ARG:HD3	2.54	0.43
1:C:973:ILE:HD13	1:C:984:LEU:HD11	2.01	0.43
1:A:29:THR:HG22	1:A:30:ASN:N	2.34	0.43
1:B:656:VAL:HG21	1:B:693:ILE:HD12	2.01	0.43
1:C:1075:PHE:CZ	1:C:1110:TYR:CE1	3.06	0.42
1:C:278:LYS:HB2	1:C:306:PHE:HE2	1.84	0.42
1:C:786:LYS:HA	1:C:786:LYS:CE	2.47	0.42
1:A:278:LYS:HB2	1:A:306:PHE:HE2	1.84	0.42
1:A:642:VAL:HG13	1:A:651:ILE:HG12	2.01	0.42
1:B:278:LYS:HB2	1:B:306:PHE:HE2	1.84	0.42
1:C:518:LEU:HD22	1:C:546:LEU:HB2	2.02	0.42
1:C:642:VAL:HG13	1:C:651:ILE:HG12	2.02	0.42
1:C:713:ALA:HA	1:C:1073:LYS:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:518:LEU:HD22	1:A:546:LEU:HB2	2.02	0.42
1:B:973:ILE:HD13	1:B:984:LEU:HD11	2.01	0.42
1:A:347:PHE:CE2	1:A:509:ARG:HD3	2.54	0.42
1:B:713:ALA:HA	1:B:1073:LYS:O	2.19	0.42
1:B:715:PRO:HA	1:B:1072:GLU:HA	2.02	0.42
1:B:895:GLN:NE2	1:C:1074:ASN:OD1	2.53	0.42
1:C:773:GLU:OE2	1:C:1019:ARG:NH1	2.49	0.42
1:A:378:LYS:O	1:A:432:CYS:HA	2.20	0.41
1:C:656:VAL:HG21	1:C:693:ILE:HD12	2.01	0.41
1:A:1028:LYS:NZ	1:A:1042:PHE:O	2.51	0.41
1:B:618:THR:OG1	4:B:2104:NAG:O7	2.34	0.41
1:B:518:LEU:HD22	1:B:546:LEU:HB2	2.02	0.41
1:B:642:VAL:HG13	1:B:651:ILE:HG12	2.01	0.41
1:C:334:ASN:O	1:C:362:VAL:N	2.50	0.41
1:C:1011:GLN:OE1	1:C:1014:ARG:NH1	2.54	0.41
1:A:1011:GLN:OE1	1:A:1014:ARG:NH1	2.54	0.41
1:A:1073:LYS:HA	1:A:1073:LYS:CE	2.49	0.41
1:A:1110:TYR:CE2	1:A:1112:PRO:HD3	2.56	0.41
1:C:813:SER:O	1:C:815:ARG:N	2.53	0.41
1:A:32:PHE:O	1:A:33:THR:OG1	2.34	0.41
1:A:130:VAL:HB	1:A:168:PHE:HB3	2.03	0.41
1:A:437:ASN:OD1	1:A:439:ASN:N	2.54	0.41
1:A:1126:CYS:CB	1:A:1132:ILE:HD13	2.51	0.41
1:B:378:LYS:O	1:B:432:CYS:HA	2.20	0.41
1:B:437:ASN:OD1	1:B:439:ASN:N	2.54	0.41
1:B:1073:LYS:HA	1:B:1073:LYS:CE	2.49	0.41
1:B:1110:TYR:CD2	1:B:1112:PRO:HD3	2.56	0.41
1:B:1110:TYR:CE2	1:B:1112:PRO:HD3	2.56	0.41
1:C:736:VAL:HG11	1:C:1004:LEU:HD22	2.03	0.41
1:C:1110:TYR:CE2	1:C:1112:PRO:HD3	2.56	0.41
1:C:437:ASN:OD1	1:C:439:ASN:N	2.54	0.41
1:C:715:PRO:HA	1:C:1072:GLU:HA	2.02	0.41
1:C:1126:CYS:CB	1:C:1132:ILE:HD13	2.51	0.41
1:B:763:LEU:HD21	1:B:1005:GLN:OE1	2.22	0.40
1:C:719:THR:HG23	1:C:1070:ALA:HB2	2.03	0.40
1:A:811:LYS:NZ	1:A:813:SER:O	2.46	0.40
1:B:736:VAL:HG11	1:B:1004:LEU:HD22	2.03	0.40
1:B:902:MET:HB3	1:B:916:LEU:HD11	2.03	0.40
1:B:1126:CYS:CB	1:B:1132:ILE:HD13	2.51	0.40
1:A:715:PRO:HA	1:A:1072:GLU:HA	2.02	0.40
1:A:58:PHE:HD2	1:A:290:ASP:HB2	1.84	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:LYS:O	1:A:421:TYR:HB2	2.22	0.40
1:A:719:THR:HG23	1:A:1070:ALA:HB2	2.03	0.40
1:C:58:PHE:HD2	1:C:290:ASP:HB2	1.84	0.40
1:C:378:LYS:O	1:C:432:CYS:HA	2.20	0.40
1:B:581:THR:O	1:B:583:GLU:N	2.48	0.40
1:B:1011:GLN:OE1	1:B:1014:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1087/1132 (96%)	1049 (96%)	37 (3%)	1 (0%)	51 83
1	B	1087/1132 (96%)	1048 (96%)	38 (4%)	1 (0%)	51 83
1	C	1087/1132 (96%)	1047 (96%)	39 (4%)	1 (0%)	51 83
All	All	3261/3396 (96%)	3144 (96%)	114 (4%)	3 (0%)	54 83

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	757	GLY
1	B	757	GLY
1	C	757	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	954/982 (97%)	940 (98%)	14 (2%)	65	85
1	B	954/982 (97%)	940 (98%)	14 (2%)	65	85
1	C	954/982 (97%)	940 (98%)	14 (2%)	65	85
All	All	2862/2946 (97%)	2820 (98%)	42 (2%)	66	85

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	HIS
1	A	140	PHE
1	A	196	ASN
1	A	220	PHE
1	A	273	ARG
1	A	291	CYS
1	A	319	ARG
1	A	661	GLU
1	A	936	ASP
1	A	1017	GLU
1	A	1073	LYS
1	A	1103	PHE
1	A	1110	TYR
1	A	1119	ASN
1	B	66	HIS
1	B	140	PHE
1	B	196	ASN
1	B	220	PHE
1	B	273	ARG
1	B	291	CYS
1	B	319	ARG
1	B	661	GLU
1	B	936	ASP
1	B	1017	GLU
1	B	1073	LYS
1	B	1103	PHE
1	B	1110	TYR
1	B	1119	ASN
1	C	66	HIS
1	C	140	PHE
1	C	196	ASN
1	C	220	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	273	ARG
1	C	291	CYS
1	C	319	ARG
1	C	661	GLU
1	C	936	ASP
1	C	1017	GLU
1	C	1073	LYS
1	C	1103	PHE
1	C	1110	TYR
1	C	1119	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	122	ASN
1	A	149	ASN
1	A	165	ASN
1	B	17	ASN
1	B	122	ASN
1	B	149	ASN
1	B	165	ASN
1	C	17	ASN
1	C	122	ASN
1	C	149	ASN
1	C	165	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

30 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	2,1	14,14,15	0.16	0	17,19,21	0.58	0
2	NAG	D	2	2	14,14,15	0.39	0	17,19,21	0.68	0
2	NAG	E	1	2,1	14,14,15	0.17	0	17,19,21	0.67	0
2	NAG	E	2	2	14,14,15	0.21	0	17,19,21	0.54	0
2	NAG	F	1	2,1	14,14,15	0.21	0	17,19,21	0.57	0
2	NAG	F	2	2	14,14,15	0.17	0	17,19,21	0.58	0
2	NAG	G	1	2,1	14,14,15	0.20	0	17,19,21	0.61	0
2	NAG	G	2	2	14,14,15	0.38	0	17,19,21	0.61	0
2	NAG	H	1	2	14,14,15	0.64	1 (7%)	17,19,21	0.45	0
2	NAG	H	2	2	14,14,15	0.29	0	17,19,21	0.71	0
2	NAG	I	1	2,1	14,14,15	0.15	0	17,19,21	0.58	0
2	NAG	I	2	2	14,14,15	0.40	0	17,19,21	0.69	0
2	NAG	J	1	2,1	14,14,15	0.17	0	17,19,21	0.67	0
2	NAG	J	2	2	14,14,15	0.21	0	17,19,21	0.53	0
2	NAG	K	1	2,1	14,14,15	0.22	0	17,19,21	0.56	0
2	NAG	K	2	2	14,14,15	0.17	0	17,19,21	0.58	0
2	NAG	L	1	2,1	14,14,15	0.20	0	17,19,21	0.61	0
2	NAG	L	2	2	14,14,15	0.36	0	17,19,21	0.62	0
2	NAG	M	1	2	14,14,15	0.64	1 (7%)	17,19,21	0.46	0
2	NAG	M	2	2	14,14,15	0.29	0	17,19,21	0.71	1 (5%)
2	NAG	N	1	2,1	14,14,15	0.15	0	17,19,21	0.58	0
2	NAG	N	2	2	14,14,15	0.40	0	17,19,21	0.69	0
2	NAG	O	1	2,1	14,14,15	0.16	0	17,19,21	0.68	0
2	NAG	O	2	2	14,14,15	0.21	0	17,19,21	0.54	0
2	NAG	P	1	2,1	14,14,15	0.21	0	17,19,21	0.56	0
2	NAG	P	2	2	14,14,15	0.18	0	17,19,21	0.57	0
2	NAG	Q	1	2,1	14,14,15	0.20	0	17,19,21	0.61	0
2	NAG	Q	2	2	14,14,15	0.37	0	17,19,21	0.62	0
2	NAG	R	1	2	14,14,15	0.64	1 (7%)	17,19,21	0.45	0
2	NAG	R	2	2	14,14,15	0.28	0	17,19,21	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	1/6/23/26	0/1/1/1
2	NAG	H	1	2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	NAG	I	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1
2	NAG	L	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	1/6/23/26	0/1/1/1
2	NAG	M	1	2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	2/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
2	NAG	O	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	O	2	2	-	2/6/23/26	0/1/1/1
2	NAG	P	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	P	2	2	-	2/6/23/26	0/1/1/1
2	NAG	Q	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	1/6/23/26	0/1/1/1
2	NAG	R	1	2	-	0/6/23/26	0/1/1/1
2	NAG	R	2	2	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	1	NAG	O5-C1	-2.31	1.40	1.43
2	H	1	NAG	O5-C1	-2.29	1.40	1.43
2	R	1	NAG	O5-C1	-2.29	1.40	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	2	NAG	C2-N2-C7	2.01	125.77	122.90

There are no chirality outliers.

All (27) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	M	2	NAG	C8-C7-N2-C2
2	M	2	NAG	O7-C7-N2-C2
2	R	2	NAG	C8-C7-N2-C2
2	R	2	NAG	O7-C7-N2-C2
2	D	1	NAG	O5-C5-C6-O6
2	N	1	NAG	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	I	1	NAG	O5-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
2	O	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	K	2	NAG	O5-C5-C6-O6
2	P	2	NAG	O5-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	O	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	P	2	NAG	C4-C5-C6-O6
2	I	1	NAG	C4-C5-C6-O6
2	N	1	NAG	C4-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
2	L	2	NAG	O5-C5-C6-O6
2	Q	2	NAG	O5-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	1	NAG	1	0
2	R	1	NAG	2	0
2	M	1	NAG	2	0
2	H	1	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









































5.6 Ligand geometry [i](#)

45 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	C	2114	-	14,14,15	0.45	0	17,19,21	0.56	0
4	NAG	A	2104	1	14,14,15	0.28	0	17,19,21	0.51	0
4	NAG	B	2113	-	14,14,15	0.43	0	17,19,21	0.65	0
4	NAG	B	2106	1	14,14,15	0.34	0	17,19,21	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	2107	1	14,14,15	0.16	0	17,19,21	0.56	0
4	NAG	B	2110	1	14,14,15	0.14	0	17,19,21	0.57	0
4	NAG	C	2112	-	14,14,15	0.42	0	17,19,21	0.65	0
5	EIC	B	2112	-	19,19,19	0.55	0	19,19,19	0.90	0
4	NAG	A	2102	1	14,14,15	0.20	0	17,19,21	0.46	0
3	BLA	B	2101	-	42,46,46	3.54	19 (45%)	53,67,67	1.81	9 (16%)
4	NAG	B	2102	1	14,14,15	0.21	0	17,19,21	0.47	0
4	NAG	C	2113	1	14,14,15	0.56	0	17,19,21	0.48	0
4	NAG	A	2106	1	14,14,15	0.35	0	17,19,21	0.56	0
4	NAG	A	2114	1	14,14,15	0.56	0	17,19,21	0.47	0
4	NAG	B	2104	1	14,14,15	0.28	0	17,19,21	0.51	0
4	NAG	C	2105	1	14,14,15	0.21	0	17,19,21	0.55	0
4	NAG	B	2114	1	14,14,15	0.56	0	17,19,21	0.48	0
4	NAG	A	2105	1	14,14,15	0.22	0	17,19,21	0.55	0
5	EIC	A	2116	-	19,19,19	0.54	0	19,19,19	0.90	0
4	NAG	A	2113	-	14,14,15	0.42	0	17,19,21	0.64	0
4	NAG	C	2109	-	14,14,15	0.72	1 (7%)	17,19,21	0.75	0
3	BLA	A	2101	-	42,46,46	3.54	19 (45%)	53,67,67	1.81	9 (16%)
4	NAG	C	2111	1	14,14,15	0.26	0	17,19,21	0.62	0
4	NAG	A	2103	1	14,14,15	0.21	0	17,19,21	0.55	0
4	NAG	A	2115	-	14,14,15	0.43	0	17,19,21	0.56	0
4	NAG	B	2105	1	14,14,15	0.23	0	17,19,21	0.55	0
4	NAG	A	2109	-	14,14,15	0.70	1 (7%)	17,19,21	0.75	0
4	NAG	B	2111	1	14,14,15	0.25	0	17,19,21	0.63	0
4	NAG	B	2108	1	14,14,15	0.27	0	17,19,21	0.57	0
4	NAG	B	2103	1	14,14,15	0.22	0	17,19,21	0.54	0
4	NAG	A	2107	1	14,14,15	0.16	0	17,19,21	0.55	0
4	NAG	A	2111	1	14,14,15	0.26	0	17,19,21	0.62	0
4	NAG	C	2110	1	14,14,15	0.13	0	17,19,21	0.57	0
4	NAG	C	2108	1	14,14,15	0.27	0	17,19,21	0.57	0
4	NAG	C	2103	1	14,14,15	0.22	0	17,19,21	0.55	0
4	NAG	A	2110	1	14,14,15	0.13	0	17,19,21	0.57	0
4	NAG	B	2115	-	14,14,15	0.44	0	17,19,21	0.56	0
4	NAG	C	2107	1	14,14,15	0.16	0	17,19,21	0.56	0
4	NAG	C	2102	1	14,14,15	0.20	0	17,19,21	0.47	0
4	NAG	C	2104	1	14,14,15	0.27	0	17,19,21	0.51	0
4	NAG	B	2109	-	14,14,15	0.70	1 (7%)	17,19,21	0.75	0
3	BLA	C	2101	-	42,46,46	3.54	19 (45%)	53,67,67	1.81	9 (16%)
4	NAG	A	2108	1	14,14,15	0.26	0	17,19,21	0.57	0
5	EIC	A	2112	-	19,19,19	0.55	0	19,19,19	0.90	0
4	NAG	C	2106	1	14,14,15	0.36	0	17,19,21	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	2114	-	-	2/6/23/26	0/1/1/1
4	NAG	A	2104	1	-	0/6/23/26	0/1/1/1
4	NAG	B	2113	-	-	2/6/23/26	0/1/1/1
4	NAG	B	2106	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2107	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2110	1	-	2/6/23/26	0/1/1/1
4	NAG	C	2112	-	-	2/6/23/26	0/1/1/1
5	EIC	B	2112	-	-	6/17/17/17	-
4	NAG	A	2102	1	-	3/6/23/26	0/1/1/1
3	BLA	B	2101	-	-	12/26/74/74	0/4/4/4
4	NAG	B	2102	1	-	3/6/23/26	0/1/1/1
4	NAG	C	2113	1	-	3/6/23/26	0/1/1/1
4	NAG	A	2106	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2114	1	-	3/6/23/26	0/1/1/1
4	NAG	B	2104	1	-	0/6/23/26	0/1/1/1
4	NAG	C	2105	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2114	1	-	3/6/23/26	0/1/1/1
4	NAG	A	2105	1	-	2/6/23/26	0/1/1/1
5	EIC	A	2116	-	-	6/17/17/17	-
4	NAG	A	2113	-	-	2/6/23/26	0/1/1/1
4	NAG	C	2109	-	-	0/6/23/26	0/1/1/1
3	BLA	A	2101	-	-	12/26/74/74	0/4/4/4
4	NAG	C	2111	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2103	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2115	-	-	2/6/23/26	0/1/1/1
4	NAG	B	2105	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2109	-	-	0/6/23/26	0/1/1/1
4	NAG	B	2111	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2108	1	-	1/6/23/26	0/1/1/1
4	NAG	B	2103	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2107	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2111	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	2110	1	-	2/6/23/26	0/1/1/1
4	NAG	C	2108	1	-	1/6/23/26	0/1/1/1
4	NAG	C	2103	1	-	2/6/23/26	0/1/1/1
4	NAG	A	2110	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2115	-	-	2/6/23/26	0/1/1/1
4	NAG	C	2107	1	-	2/6/23/26	0/1/1/1
4	NAG	C	2102	1	-	3/6/23/26	0/1/1/1
4	NAG	C	2104	1	-	0/6/23/26	0/1/1/1
4	NAG	B	2109	-	-	0/6/23/26	0/1/1/1
3	BLA	C	2101	-	-	12/26/74/74	0/4/4/4
4	NAG	A	2108	1	-	1/6/23/26	0/1/1/1
5	EIC	A	2112	-	-	6/17/17/17	-
4	NAG	C	2106	1	-	2/6/23/26	0/1/1/1

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	2101	BLA	C1B-NB	9.73	1.54	1.37
3	B	2101	BLA	C1B-NB	9.71	1.54	1.37
3	A	2101	BLA	C1B-NB	9.71	1.54	1.37
3	C	2101	BLA	C4C-NC	9.51	1.53	1.37
3	B	2101	BLA	C4C-NC	9.49	1.53	1.37
3	A	2101	BLA	C4C-NC	9.47	1.53	1.37
3	B	2101	BLA	C4B-NB	7.25	1.53	1.38
3	A	2101	BLA	C1C-NC	7.24	1.53	1.38
3	A	2101	BLA	C4B-NB	7.22	1.53	1.38
3	B	2101	BLA	C1C-NC	7.20	1.53	1.38
3	C	2101	BLA	C4B-NB	7.19	1.53	1.38
3	C	2101	BLA	C1C-NC	7.19	1.53	1.38
3	A	2101	BLA	C4D-ND	5.74	1.50	1.38
3	B	2101	BLA	C4D-ND	5.71	1.50	1.38
3	C	2101	BLA	C4D-ND	5.70	1.50	1.38
3	A	2101	BLA	C3D-C2D	5.29	1.48	1.36
3	A	2101	BLA	CHD-C1D	5.28	1.52	1.40
3	B	2101	BLA	C3D-C2D	5.28	1.47	1.36
3	C	2101	BLA	C3D-C2D	5.27	1.47	1.36
3	B	2101	BLA	CHD-C1D	5.27	1.52	1.40
3	C	2101	BLA	CHD-C1D	5.25	1.52	1.40
3	C	2101	BLA	C4D-C3D	5.07	1.53	1.45
3	B	2101	BLA	C4D-C3D	5.06	1.53	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2101	BLA	C4D-C3D	5.02	1.53	1.45
3	C	2101	BLA	C1D-ND	4.95	1.48	1.36
3	A	2101	BLA	C1D-ND	4.94	1.47	1.36
3	B	2101	BLA	C1D-ND	4.93	1.47	1.36
3	A	2101	BLA	C1A-CHA	3.37	1.54	1.41
3	B	2101	BLA	C1A-CHA	3.37	1.54	1.41
3	C	2101	BLA	C1A-CHA	3.36	1.54	1.41
3	C	2101	BLA	C4A-CHB	3.15	1.53	1.41
3	A	2101	BLA	C4A-CHB	3.15	1.53	1.41
3	B	2101	BLA	C4A-CHB	3.14	1.53	1.41
3	B	2101	BLA	OC-C1C	-3.04	1.17	1.23
3	A	2101	BLA	OC-C1C	-3.02	1.17	1.23
3	C	2101	BLA	OC-C1C	-3.01	1.17	1.23
3	B	2101	BLA	OB-C4B	-2.72	1.18	1.23
3	C	2101	BLA	OB-C4B	-2.69	1.18	1.23
3	A	2101	BLA	OB-C4B	-2.69	1.18	1.23
3	C	2101	BLA	CHA-C4D	-2.65	1.32	1.35
3	C	2101	BLA	C3B-C2B	2.63	1.42	1.37
3	C	2101	BLA	C3C-C2C	2.63	1.42	1.37
3	A	2101	BLA	CHA-C4D	-2.62	1.32	1.35
3	A	2101	BLA	C3B-C2B	2.60	1.42	1.37
3	B	2101	BLA	CHA-C4D	-2.60	1.32	1.35
3	B	2101	BLA	C3B-C2B	2.59	1.42	1.37
3	A	2101	BLA	C3C-C2C	2.58	1.42	1.37
3	B	2101	BLA	C3C-C2C	2.57	1.42	1.37
3	C	2101	BLA	CHD-C4C	-2.51	1.31	1.38
3	B	2101	BLA	CHD-C4C	-2.51	1.31	1.38
3	A	2101	BLA	CHD-C4C	-2.51	1.32	1.38
3	A	2101	BLA	C1B-C2B	2.50	1.49	1.45
3	C	2101	BLA	C1B-C2B	2.48	1.49	1.45
3	B	2101	BLA	C1B-C2B	2.48	1.49	1.45
4	C	2109	NAG	O5-C1	-2.38	1.39	1.43
4	A	2109	NAG	O5-C1	-2.34	1.40	1.43
4	B	2109	NAG	O5-C1	-2.33	1.40	1.43
3	A	2101	BLA	C3C-C4C	2.14	1.49	1.45
3	B	2101	BLA	C3C-C4C	2.11	1.49	1.45
3	C	2101	BLA	C3C-C4C	2.08	1.49	1.45

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2101	BLA	C1A-CHA-C4D	-6.88	120.59	128.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2101	BLA	C1A-CHA-C4D	-6.87	120.60	128.81
3	B	2101	BLA	C1A-CHA-C4D	-6.87	120.61	128.81
3	A	2101	BLA	C4C-CHD-C1D	-4.71	116.58	128.08
3	B	2101	BLA	C4C-CHD-C1D	-4.71	116.58	128.08
3	C	2101	BLA	C4C-CHD-C1D	-4.69	116.63	128.08
3	C	2101	BLA	C3D-C4D-ND	-3.95	104.30	110.05
3	A	2101	BLA	C3D-C4D-ND	-3.95	104.30	110.05
3	B	2101	BLA	C3D-C4D-ND	-3.94	104.32	110.05
3	C	2101	BLA	C4C-NC-C1C	-2.92	106.95	110.67
3	A	2101	BLA	C4C-NC-C1C	-2.91	106.96	110.67
3	B	2101	BLA	C4C-NC-C1C	-2.91	106.96	110.67
3	A	2101	BLA	C4D-C3D-C2D	2.70	109.77	106.78
3	C	2101	BLA	C4D-C3D-C2D	2.69	109.76	106.78
3	B	2101	BLA	C4D-C3D-C2D	2.66	109.73	106.78
3	B	2101	BLA	C1B-NB-C4B	-2.45	107.54	110.67
3	C	2101	BLA	C1B-NB-C4B	-2.45	107.54	110.67
3	A	2101	BLA	C1B-NB-C4B	-2.44	107.56	110.67
3	A	2101	BLA	C4B-C3B-C2B	2.26	110.82	107.92
3	B	2101	BLA	C4B-C3B-C2B	2.24	110.80	107.92
3	C	2101	BLA	CBC-CAC-C3C	-2.23	116.53	127.62
3	B	2101	BLA	CBC-CAC-C3C	-2.22	116.56	127.62
3	A	2101	BLA	CBC-CAC-C3C	-2.21	116.62	127.62
3	C	2101	BLA	C4B-C3B-C2B	2.19	110.73	107.92
3	C	2101	BLA	C3B-C2B-C1B	2.08	110.54	108.03
3	B	2101	BLA	C3B-C2B-C1B	2.07	110.53	108.03
3	A	2101	BLA	C3B-C2B-C1B	2.03	110.49	108.03

There are no chirality outliers.

All (123) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2101	BLA	NA-C1A-CHA-C4D
3	A	2101	BLA	NA-C4A-CHB-C1B
3	A	2101	BLA	C3A-C4A-CHB-C1B
3	A	2101	BLA	C2C-C3C-CAC-CBC
3	A	2101	BLA	C4C-C3C-CAC-CBC
3	B	2101	BLA	NA-C1A-CHA-C4D
3	B	2101	BLA	NA-C4A-CHB-C1B
3	B	2101	BLA	C3A-C4A-CHB-C1B
3	B	2101	BLA	C2C-C3C-CAC-CBC
3	B	2101	BLA	C4C-C3C-CAC-CBC
3	C	2101	BLA	NA-C1A-CHA-C4D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	2101	BLA	NA-C4A-CHB-C1B
3	C	2101	BLA	C3A-C4A-CHB-C1B
3	C	2101	BLA	C2C-C3C-CAC-CBC
3	C	2101	BLA	C4C-C3C-CAC-CBC
4	A	2107	NAG	O5-C5-C6-O6
4	A	2110	NAG	O5-C5-C6-O6
4	B	2107	NAG	O5-C5-C6-O6
4	B	2110	NAG	O5-C5-C6-O6
4	C	2107	NAG	O5-C5-C6-O6
4	C	2110	NAG	O5-C5-C6-O6
4	A	2113	NAG	O5-C5-C6-O6
4	B	2113	NAG	O5-C5-C6-O6
4	C	2112	NAG	O5-C5-C6-O6
4	A	2105	NAG	O5-C5-C6-O6
4	B	2105	NAG	O5-C5-C6-O6
4	C	2105	NAG	O5-C5-C6-O6
4	A	2113	NAG	C4-C5-C6-O6
4	B	2113	NAG	C4-C5-C6-O6
4	C	2112	NAG	C4-C5-C6-O6
4	A	2114	NAG	O5-C5-C6-O6
4	B	2114	NAG	O5-C5-C6-O6
4	C	2113	NAG	O5-C5-C6-O6
4	A	2110	NAG	C4-C5-C6-O6
4	B	2110	NAG	C4-C5-C6-O6
4	C	2110	NAG	C4-C5-C6-O6
4	A	2115	NAG	O5-C5-C6-O6
4	B	2115	NAG	O5-C5-C6-O6
4	C	2114	NAG	O5-C5-C6-O6
4	A	2105	NAG	C4-C5-C6-O6
4	B	2105	NAG	C4-C5-C6-O6
4	C	2105	NAG	C4-C5-C6-O6
4	A	2107	NAG	C4-C5-C6-O6
4	B	2107	NAG	C4-C5-C6-O6
4	C	2107	NAG	C4-C5-C6-O6
4	A	2111	NAG	O5-C5-C6-O6
4	B	2111	NAG	O5-C5-C6-O6
4	C	2111	NAG	O5-C5-C6-O6
4	A	2114	NAG	C4-C5-C6-O6
4	B	2114	NAG	C4-C5-C6-O6
4	C	2113	NAG	C4-C5-C6-O6
4	A	2102	NAG	C4-C5-C6-O6
4	B	2102	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	2115	NAG	C4-C5-C6-O6
4	C	2102	NAG	C4-C5-C6-O6
4	C	2114	NAG	C4-C5-C6-O6
4	A	2106	NAG	O5-C5-C6-O6
4	B	2106	NAG	O5-C5-C6-O6
4	C	2106	NAG	O5-C5-C6-O6
4	A	2115	NAG	C4-C5-C6-O6
4	A	2111	NAG	C4-C5-C6-O6
4	C	2111	NAG	C4-C5-C6-O6
4	B	2111	NAG	C4-C5-C6-O6
4	A	2106	NAG	C4-C5-C6-O6
4	B	2106	NAG	C4-C5-C6-O6
4	C	2106	NAG	C4-C5-C6-O6
4	B	2103	NAG	C4-C5-C6-O6
4	C	2103	NAG	C4-C5-C6-O6
4	A	2103	NAG	C4-C5-C6-O6
5	A	2112	EIC	C4-C5-C6-C7
5	A	2116	EIC	C4-C5-C6-C7
5	B	2112	EIC	C4-C5-C6-C7
4	A	2102	NAG	O5-C5-C6-O6
4	B	2102	NAG	O5-C5-C6-O6
4	C	2102	NAG	O5-C5-C6-O6
3	A	2101	BLA	C2D-C1D-CHD-C4C
3	B	2101	BLA	C2D-C1D-CHD-C4C
3	C	2101	BLA	C2D-C1D-CHD-C4C
4	A	2103	NAG	O5-C5-C6-O6
4	B	2103	NAG	O5-C5-C6-O6
4	C	2103	NAG	O5-C5-C6-O6
4	A	2114	NAG	C1-C2-N2-C7
4	B	2114	NAG	C1-C2-N2-C7
4	C	2113	NAG	C1-C2-N2-C7
5	B	2112	EIC	C2-C3-C4-C5
5	A	2112	EIC	C2-C3-C4-C5
5	A	2116	EIC	C2-C3-C4-C5
3	A	2101	BLA	ND-C1D-CHD-C4C
3	B	2101	BLA	ND-C1D-CHD-C4C
3	C	2101	BLA	ND-C1D-CHD-C4C
5	A	2112	EIC	C7-C8-C9-C10
5	A	2116	EIC	C7-C8-C9-C10
5	B	2112	EIC	C7-C8-C9-C10
5	A	2112	EIC	C6-C7-C8-C9
5	A	2116	EIC	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	2112	EIC	C6-C7-C8-C9
3	A	2101	BLA	ND-C4D-CHA-C1A
3	B	2101	BLA	ND-C4D-CHA-C1A
3	C	2101	BLA	ND-C4D-CHA-C1A
4	A	2102	NAG	C1-C2-N2-C7
4	B	2102	NAG	C1-C2-N2-C7
4	C	2102	NAG	C1-C2-N2-C7
3	A	2101	BLA	CAD-CBD-CGD-O1D
3	B	2101	BLA	CAD-CBD-CGD-O1D
3	C	2101	BLA	CAD-CBD-CGD-O1D
5	A	2112	EIC	C12-C13-C14-C15
5	A	2116	EIC	C12-C13-C14-C15
5	B	2112	EIC	C12-C13-C14-C15
3	A	2101	BLA	CAA-CBA-CGA-O2A
3	A	2101	BLA	CAD-CBD-CGD-O2D
3	B	2101	BLA	CAA-CBA-CGA-O2A
3	B	2101	BLA	CAD-CBD-CGD-O2D
3	C	2101	BLA	CAA-CBA-CGA-O2A
3	C	2101	BLA	CAD-CBD-CGD-O2D
3	C	2101	BLA	CAA-CBA-CGA-O1A
5	A	2112	EIC	C9-C10-C11-C12
5	A	2116	EIC	C9-C10-C11-C12
5	B	2112	EIC	C9-C10-C11-C12
3	B	2101	BLA	CAA-CBA-CGA-O1A
3	A	2101	BLA	CAA-CBA-CGA-O1A
4	A	2108	NAG	C4-C5-C6-O6
4	C	2108	NAG	C4-C5-C6-O6
4	B	2108	NAG	C4-C5-C6-O6

There are no ring outliers.

15 monomers are involved in 30 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	2114	NAG	2	0
4	A	2104	NAG	1	0
4	B	2113	NAG	2	0
4	C	2112	NAG	2	0
3	B	2101	BLA	2	0
4	B	2104	NAG	1	0
4	A	2113	NAG	2	0
4	C	2109	NAG	3	0
3	A	2101	BLA	2	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2115	NAG	2	0
4	A	2109	NAG	3	0
4	B	2115	NAG	2	0
4	C	2104	NAG	1	0
4	B	2109	NAG	3	0
3	C	2101	BLA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1
1	B	1
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	226:LEU	C	227:VAL	N	3.94
1	B	226:LEU	C	227:VAL	N	3.94
1	C	226:LEU	C	227:VAL	N	3.94


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11334. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 123



Y Index: 135




Z Index: 162


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.026. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 185 nm³; this corresponds to an approximate mass of 167 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11334 and PDB model 6ZP2. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.026 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.026).







































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.026) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8321	 0.5070
A	 0.8378	 0.5090
B	 0.8355	 0.5090
C	 0.8382	 0.5080
D	 0.7500	 0.4830
E	 0.5000	 0.3100
F	 0.2857	 0.3250
G	 0.4643	 0.4160
H	 0.5714	 0.4070
I	 0.7500	 0.4860
J	 0.5357	 0.3290
K	 0.2857	 0.3190
L	 0.4643	 0.4060
M	 0.5714	 0.3920
N	 0.7500	 0.4880
O	 0.5000	 0.2970
P	 0.2857	 0.3230
Q	 0.5000	 0.4150
R	 0.5714	 0.4090

