



Full wwPDB X-ray Structure Validation Report i

May 16, 2020 – 06:40 pm BST

PDB ID : 2W04
Title : Co-complex Structure of Achromobactin Synthetase Protein D (AcsD) with citrate in ATP binding site from *Pectobacterium Chrysanthemi*
Authors : Schmelz, S.; McMahon, S.A.; Kadi, N.; Song, L.; Oves-Costales, D.; Oke, M.; Liu, H.; Johnson, K.A.; Carter, L.; White, M.F.; Challis, G.L.; Naismith, J.H.
Deposited on : 2008-08-08
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)


There are 3 unique types of molecules in this entry. The entry contains 9358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACSD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	575	Total	C 4605	N 2929	O 834	S 822	20	0	0
1	B	575	Total	C 4610	N 2931	O 836	S 823	20	0	0

- Molecule 2 is CITRATE ANION (three-letter code: FLC) (formula: C₆H₅O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
2	B	1	Total	C 13	O 6	7	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	62	Total	O 62	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	68	Total O 68 68	0	0


3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ACSD



- Molecule 1: ACSD





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	80.37 Å 94.96 Å 160.26 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.65 – 2.80 37.01 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.9 (81.65-2.80) 99.0 (37.01-2.80)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.60 (at 2.81 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R , R_{free}	0.202 , 0.280 0.211 , 0.285	Depositor DCC
R_{free} test set	1513 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	31.8	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 19.9	EDS
L-test for twinning ²	$< L > = 0.44$, $< L^2 > = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	9358	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
FLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.61	0 / 4726	0.72	0 / 6423
1	B	0.63	1 / 4730 (0.0%)	0.73	1 / 6427 (0.0%)
All	All	0.62	1 / 9456 (0.0%)	0.72	1 / 12850 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	446	GLN	CG-CD	5.73	1.64	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	179	ARG	NE-CZ-NH1	5.50	123.05	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4605	0	4515	98	0
1	B	4610	0	4527	95	0
2	B	13	0	5	0	0
3	A	62	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	68	0	0	8	0
All	All	9358	0	9047	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:481:ASP:HA	3:B:2059:HOH:O	1.41	1.17
1:A:430:VAL:HG11	1:A:506:LEU:HD11	1.44	0.99
1:A:182:PRO:HB2	1:A:184:HIS:CE1	2.04	0.93
1:A:230:GLN:HG2	3:A:2026:HOH:O	1.73	0.88
1:B:446:GLN:HB3	3:B:2057:HOH:O	1.73	0.88
1:A:503:MET:CE	1:A:560:VAL:HA	2.08	0.83
1:B:302:ASN:OD1	1:B:569:ARG:HD2	1.79	0.83
1:A:303:CYS:HB2	1:A:305:ARG:NH1	1.95	0.81
1:A:182:PRO:HB2	1:A:184:HIS:HE1	1.45	0.81
1:B:15:GLU:HG2	1:B:137:GLN:HE21	1.50	0.77
1:B:129:LEU:HD13	1:B:569:ARG:HE	1.51	0.76
1:B:286:ASP:HB2	3:B:2042:HOH:O	1.87	0.74
1:B:454:GLN:O	1:B:456:ARG:NH2	2.20	0.74
1:A:223:LEU:HB3	1:A:229:GLN:NE2	2.03	0.73
1:A:503:MET:HE2	1:A:560:VAL:HA	1.70	0.71
1:A:430:VAL:CG1	1:A:506:LEU:HD11	2.21	0.70
1:B:15:GLU:HG2	1:B:137:GLN:NE2	2.06	0.70
1:B:60:LYS:HD2	3:B:2005:HOH:O	1.92	0.70
1:B:403:ARG:HD3	3:B:2053:HOH:O	1.91	0.70
1:B:331:ASP:OD1	3:B:2045:HOH:O	2.09	0.70
1:B:318:ILE:HD11	1:B:491:LEU:HD22	1.72	0.70
1:B:467:GLY:HA3	3:B:2058:HOH:O	1.91	0.69
1:A:16:LYS:HD2	1:A:394:LEU:HD13	1.73	0.69
1:A:127:PRO:HD2	3:A:2015:HOH:O	1.93	0.68
1:B:306:LYS:HD2	1:B:362:GLU:OE2	1.93	0.68
1:B:432:SER:O	1:B:436:ASN:HB2	1.94	0.67
1:B:301:THR:O	1:B:302:ASN:HB2	1.93	0.67
1:A:281:ARG:HD3	1:A:305:ARG:HB3	1.75	0.67
1:A:300:ILE:O	1:A:305:ARG:NH1	2.28	0.67
1:B:241:MET:HB2	3:B:2031:HOH:O	1.96	0.65
1:B:297:ASN:OD1	1:B:306:LYS:HD3	1.95	0.65
1:A:66:ILE:HD12	1:A:74:LEU:HD22	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:THR:HG21	1:A:451:VAL:HG22	1.79	0.65
1:A:502:ILE:HG23	1:A:506:LEU:HD12	1.78	0.65
1:B:160:LEU:O	1:B:164:GLN:HG3	1.97	0.65
1:B:241:MET:CE	1:B:246:ALA:HA	2.28	0.64
1:B:388:PHE:CE1	1:B:514:THR:HG23	2.32	0.63
1:B:11:ARG:O	1:B:15:GLU:HG3	1.99	0.63
1:B:132:GLN:OE1	1:B:569:ARG:NH2	2.33	0.62
1:A:503:MET:HE1	1:A:560:VAL:HA	1.82	0.61
1:A:68:LEU:HD13	1:A:117:ALA:HB1	1.84	0.60
1:B:503:MET:CE	1:B:560:VAL:HA	2.31	0.60
1:A:26:LEU:HD22	1:A:114:LEU:HD11	1.83	0.60
1:A:388:PHE:CE1	1:A:514:THR:HG23	2.37	0.59
1:A:84:PHE:HA	1:A:583:LEU:HD13	1.84	0.59
1:B:134:LEU:O	1:B:138:ARG:HG3	2.02	0.59
1:A:314:SER:HB2	1:A:491:LEU:HD21	1.84	0.59
1:B:158:HIS:NE2	1:B:378:ALA:HB1	2.19	0.58
1:A:472:ASP:HA	1:A:476:ILE:HG23	1.85	0.58
1:B:299:ARG:HA	1:B:303:CYS:O	2.04	0.58
1:B:241:MET:HE3	1:B:246:ALA:HA	1.85	0.57
1:B:465:PHE:HA	1:B:468:VAL:HG23	1.86	0.57
1:B:507:PHE:CE1	1:B:554:LEU:HD21	2.39	0.57
1:B:476:ILE:HG12	1:B:492:LEU:HD11	1.86	0.57
1:A:307:ASN:OD1	1:A:307:ASN:N	2.35	0.57
1:A:135:GLN:HE22	1:A:179:ARG:H	1.53	0.57
1:B:472:ASP:HA	1:B:476:ILE:HG13	1.87	0.57
1:A:428:ARG:HG2	1:A:540:ILE:HG12	1.87	0.56
1:B:233:SER:O	1:B:236:HIS:HB2	2.04	0.56
1:A:507:PHE:CE1	1:A:554:LEU:HD21	2.41	0.56
1:B:349:PRO:HD2	1:B:352:ALA:HB2	1.88	0.56
1:A:253:ALA:HA	1:A:256:GLN:HB2	1.88	0.55
1:B:139:LEU:HD23	1:B:177:LYS:HB3	1.87	0.55
1:B:499:TRP:CD1	1:B:550:GLU:HB3	2.41	0.55
1:A:339:ALA:HB2	1:A:461:LEU:HD21	1.88	0.55
1:B:158:HIS:HD2	1:B:379:GLU:OE2	1.90	0.54
1:A:230:GLN:HB3	1:A:231:PRO:HD3	1.89	0.54
1:A:540:ILE:O	1:A:543:GLU:HB3	2.07	0.54
1:A:287:ASP:HA	1:A:374:ARG:HH11	1.73	0.53
1:B:201:HIS:O	1:B:240:CYS:HA	2.08	0.53
1:A:530:TRP:CE3	1:A:587:TRP:HZ3	2.27	0.53
1:B:27:ILE:HA	1:B:31:ALA:HB3	1.90	0.53
1:B:499:TRP:NE1	1:B:550:GLU:HB3	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:424:THR:O	1:B:428:ARG:HG3	2.09	0.52
1:A:16:LYS:HD2	1:A:394:LEU:CD1	2.39	0.52
1:B:476:ILE:CG1	1:B:492:LEU:HD11	2.40	0.52
1:A:68:LEU:HD22	1:A:121:ILE:HD11	1.92	0.52
1:A:508:ILE:HD13	1:A:583:LEU:HD12	1.91	0.52
1:B:293:LYS:HB3	1:B:367:ILE:HB	1.91	0.52
1:B:504:TYR:CZ	1:B:509:ASN:HB2	2.46	0.51
1:B:384:ALA:HB2	1:B:448:SER:HB2	1.93	0.51
1:B:540:ILE:O	1:B:543:GLU:HB2	2.10	0.51
1:A:319:ASP:HA	1:A:465:PHE:CE2	2.46	0.51
1:A:281:ARG:CD	1:A:305:ARG:HB3	2.41	0.50
1:A:472:ASP:HA	1:A:476:ILE:CG2	2.40	0.50
1:B:226:PHE:CE2	1:B:368:LEU:HG	2.47	0.50
1:A:479:ILE:HD11	1:A:491:LEU:HD12	1.93	0.50
1:B:177:LYS:NZ	1:B:193:GLU:OE2	2.37	0.50
1:B:310:TYR:CD2	1:B:490:SER:HB2	2.47	0.49
1:B:94:TYR:CE1	1:B:104:CYS:HB2	2.48	0.49
1:B:526:ALA:HB3	1:B:527:PRO:HD3	1.93	0.49
1:A:241:MET:HE1	1:A:364:THR:HG22	1.93	0.49
1:A:287:ASP:HA	1:A:374:ARG:NH1	2.28	0.49
1:B:77:MET:HB2	1:B:91:SER:HB3	1.95	0.49
1:A:19:LEU:HD11	1:A:93:VAL:HG21	1.95	0.49
1:A:201:HIS:O	1:A:240:CYS:HA	2.13	0.49
1:A:342:PRO:HD2	1:A:368:LEU:O	2.13	0.49
1:A:53:TYR:C	1:A:60:LYS:HG3	2.34	0.48
1:B:299:ARG:HD3	1:B:569:ARG:HH12	1.78	0.48
1:A:432:SER:O	1:A:436:ASN:HB2	2.13	0.48
1:B:407:GLY:C	1:B:408:GLU:HG3	2.34	0.48
1:B:443:PRO:HD2	1:B:505:CYS:CB	2.43	0.48
1:A:376:THR:HG23	1:A:451:VAL:HG13	1.96	0.48
1:B:444:HIS:CE1	1:B:446:GLN:HB2	2.48	0.48
1:B:241:MET:HE1	1:B:249:PHE:HB2	1.96	0.48
1:A:473:ASP:O	1:A:477:ARG:NH2	2.46	0.48
1:A:299:ARG:HA	1:A:303:CYS:O	2.14	0.47
1:A:479:ILE:CD1	1:A:491:LEU:HD12	2.44	0.47
1:B:301:THR:O	1:B:302:ASN:CB	2.58	0.47
1:B:445:LEU:HD11	1:B:513:GLU:HG3	1.96	0.47
1:A:215:ASN:OD1	1:A:320:ARG:HD2	2.14	0.47
1:A:471:THR:O	1:A:476:ILE:HG23	2.15	0.47
1:A:56:GLY:O	1:B:394:LEU:HD12	2.14	0.47
1:A:355:LEU:HD12	3:A:2043:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:GLN:N	1:B:71:GLN:OE1	2.48	0.47
1:A:423:GLN:OE1	1:A:536:GLN:HG2	2.15	0.46
1:A:156:LEU:CD1	1:A:386:THR:HG22	2.45	0.46
1:A:476:ILE:O	1:A:479:ILE:HG22	2.16	0.46
1:B:108:GLU:HB2	1:B:109:PRO:HD3	1.97	0.46
1:A:128:GLU:O	1:A:132:GLN:HG3	2.16	0.46
1:A:525:LEU:O	1:A:529:MET:HG3	2.16	0.46
1:A:179:ARG:NH2	1:A:193:GLU:OE2	2.43	0.46
1:B:181:TRP:O	1:B:182:PRO:C	2.54	0.46
1:A:266:ASP:OD1	1:A:267:LEU:O	2.34	0.46
1:A:100:GLY:O	1:A:101:ASP:HB2	2.17	0.45
1:B:440:VAL:HG13	1:B:502:ILE:HD11	1.98	0.45
1:A:571:ALA:C	3:A:2061:HOH:O	2.55	0.45
1:A:532:ARG:HA	1:A:532:ARG:HD2	1.63	0.44
1:A:312:LEU:CD2	1:A:346:SER:HB3	2.47	0.44
1:B:465:PHE:HA	1:B:468:VAL:CG2	2.45	0.44
1:B:213:GLY:HA3	1:B:316:VAL:HG21	1.99	0.44
1:B:503:MET:HE2	1:B:560:VAL:HA	1.98	0.44
1:A:86:SER:HB3	1:A:516:LEU:HD22	1.99	0.44
1:B:154:ALA:N	1:B:155:PRO:CD	2.80	0.44
1:B:207:VAL:HG22	1:B:235:GLY:O	2.18	0.44
1:A:426:LEU:O	1:A:429:PRO:HD2	2.18	0.44
1:A:467:GLY:O	1:A:501:ARG:NH1	2.48	0.44
1:B:83:THR:HB	1:B:584:PRO:HG2	1.99	0.44
1:A:128:GLU:O	1:A:132:GLN:CG	2.66	0.43
1:A:323:ARG:HH22	1:A:342:PRO:HB3	1.83	0.43
1:A:309:TRP:CG	1:A:310:TYR:N	2.86	0.43
1:A:37:LEU:HD23	1:A:38:ARG:N	2.33	0.43
1:A:376:THR:O	1:A:376:THR:HG22	2.18	0.43
1:B:241:MET:HE2	1:B:246:ALA:HA	2.01	0.43
1:B:241:MET:HE3	1:B:246:ALA:CA	2.48	0.43
1:A:326:LEU:HD23	1:A:333:LEU:HD12	1.99	0.43
1:A:52:ALA:O	1:A:60:LYS:HE3	2.18	0.43
1:B:406:TYR:OH	1:B:418:TRP:HD1	2.02	0.43
1:A:472:ASP:HB3	1:A:492:LEU:HD21	2.00	0.42
1:B:529:MET:O	1:B:533:VAL:HG23	2.18	0.42
1:A:492:LEU:HD23	1:A:493:TYR:N	2.33	0.42
1:A:241:MET:CE	1:A:364:THR:HG22	2.49	0.42
1:B:183:ALA:C	1:B:185:LEU:H	2.23	0.42
1:B:403:ARG:HE	1:B:409:ALA:HA	1.84	0.42
1:B:528:LEU:O	1:B:532:ARG:HG2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:15:GLU:HG2	1:A:107:PHE:CG	2.54	0.42
1:A:291:PHE:HB2	1:A:369:ARG:HB3	2.01	0.42
1:B:126:ASN:OD1	1:B:129:LEU:N	2.50	0.42
1:B:309:TRP:CD1	1:B:310:TYR:HD1	2.38	0.42
1:A:25:CYS:O	1:A:29:GLU:HG3	2.20	0.42
1:A:376:THR:CG2	1:A:451:VAL:HG13	2.50	0.42
1:B:486:ARG:HD2	1:B:486:ARG:HA	1.73	0.42
1:B:428:ARG:HG2	1:B:540:ILE:HD11	2.02	0.42
1:A:135:GLN:NE2	1:A:178:ALA:HA	2.34	0.42
1:A:226:PHE:CE2	1:A:368:LEU:HG	2.55	0.42
1:A:541:GLN:O	1:A:544:LEU:HB2	2.19	0.42
1:A:80:ARG:HD2	1:A:86:SER:O	2.20	0.42
1:A:57:ALA:CB	1:B:393:ASP:HB2	2.50	0.42
1:A:162:SER:HB2	1:A:382:ILE:HG23	2.01	0.41
1:A:499:TRP:CE2	1:A:550:GLU:HB3	2.55	0.41
1:B:274:ALA:HB2	1:B:285:ILE:CG1	2.50	0.41
1:B:456:ARG:HA	1:B:457:PRO:HD3	1.85	0.41
1:B:197:ARG:HA	1:B:274:ALA:O	2.19	0.41
1:B:342:PRO:HD2	1:B:368:LEU:O	2.20	0.41
1:A:505:CYS:O	1:A:510:HIS:HB2	2.20	0.41
1:A:303:CYS:CB	1:A:305:ARG:NH1	2.76	0.41
1:A:57:ALA:HB1	1:B:393:ASP:HB2	2.03	0.41
1:B:158:HIS:NE2	1:B:378:ALA:CB	2.83	0.41
1:B:435:PHE:HB2	1:B:544:LEU:HD13	2.02	0.41
1:A:314:SER:CB	1:A:491:LEU:HD21	2.50	0.41
1:B:384:ALA:CB	1:B:448:SER:HB2	2.50	0.41
1:B:42:PRO:HD2	1:B:45:MET:SD	2.60	0.41
1:A:198:ALA:HB3	1:A:283:TRP:CH2	2.56	0.41
1:A:541:GLN:HA	1:A:544:LEU:HD12	2.03	0.41
1:B:68:LEU:HA	1:B:69:PRO:HD3	1.90	0.41
1:A:395:GLN:HB2	3:A:2046:HOH:O	2.20	0.40
1:B:180:LEU:O	1:B:298:VAL:HG13	2.22	0.40
1:B:306:LYS:HD2	1:B:362:GLU:CD	2.41	0.40
1:A:376:THR:HG23	1:A:451:VAL:CG1	2.52	0.40
1:B:524:GLN:O	1:B:527:PRO:HD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	569/620 (92%)	542 (95%)	25 (4%)	2 (0%)	34 66
1	B	569/620 (92%)	542 (95%)	21 (4%)	6 (1%)	14 41
All	All	1138/1240 (92%)	1084 (95%)	46 (4%)	8 (1%)	22 53

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	302	ASN
1	A	184	HIS
1	B	43	ASP
1	B	101	ASP
1	A	101	ASP
1	B	464	ASP
1	B	69	PRO
1	B	182	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	485/522 (93%)	469 (97%)	16 (3%)	38 72
1	B	486/522 (93%)	469 (96%)	17 (4%)	36 70
All	All	971/1044 (93%)	938 (97%)	33 (3%)	37 71

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	124	ARG
1	A	132	GLN
1	A	141	SER
1	A	162	SER
1	A	181	TRP
1	A	185	LEU
1	A	287	ASP
1	A	307	ASN
1	A	320	ARG
1	A	379	GLU
1	A	448	SER
1	A	479	ILE
1	A	490	SER
1	A	493	TYR
1	A	512	SER
1	B	7	ASP
1	B	71	GLN
1	B	162	SER
1	B	205	VAL
1	B	230	GLN
1	B	286	ASP
1	B	312	LEU
1	B	323	ARG
1	B	331	ASP
1	B	355	LEU
1	B	398	ILE
1	B	408	GLU
1	B	423	GLN
1	B	480	ASP
1	B	493	TYR
1	B	558	HIS
1	B	579	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	GLN
1	A	247	GLN
1	A	257	GLN
1	B	230	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FLC	B	1588	-	3,12,12	0.97	0	3,17,17	3.30	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FLC	B	1588	-	-	3/6/16/16	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	1588	FLC	CB-CA-CAC	5.38	123.60	114.98

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1588	FLC	CA-CB-CG-CGC
2	B	1588	FLC	CBC-CB-CG-CGC
2	B	1588	FLC	OHB-CB-CG-CGC

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	575/620 (92%)	-0.15	17 (2%) 50 40	3, 11, 23, 34	0
1	B	575/620 (92%)	-0.10	8 (1%) 75 70	2, 11, 22, 34	3 (0%)
All	All	1150/1240 (92%)	-0.12	25 (2%) 62 52	2, 11, 23, 34	3 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	482	ASP	4.0
1	A	127	PRO	3.8
1	A	476	ILE	3.6
1	A	480	ASP	3.4
1	B	491	LEU	3.0
1	A	483	ILE	2.9
1	A	481	ASP	2.8
1	B	69	PRO	2.7
1	A	479	ILE	2.6
1	B	548	SER	2.6
1	B	304	VAL	2.5
1	A	123	GLY	2.5
1	B	482	ASP	2.4
1	A	579	SER	2.4
1	B	496	GLU	2.3
1	A	183	ALA	2.3
1	B	551	LEU	2.2
1	B	544	LEU	2.2
1	A	43	ASP	2.2
1	A	578	ALA	2.2
1	A	376	THR	2.2
1	A	485	PRO	2.2
1	A	124	ARG	2.1
1	A	570	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	261	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FLC	B	1588	13/13	0.91	0.23	4,10,15,17	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.