



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 09:20 AM EDT

PDB ID : 4PV7
Title : Cocrystal structure of dipeptidyl-peptidase 4 with an indole scaffold inhibitor
Authors : Xiao, P.; Guo, R.; Huang, S.; Cui, H.; Ye, S.; Zhang, Z.
Deposited on : 2014-03-15
Resolution : 3.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1619 (3.28-3.20)
Clashscore	141614	1755 (3.28-3.20)
Ramachandran outliers	138981	1728 (3.28-3.20)
Sidechain outliers	138945	1727 (3.28-3.20)
RSRZ outliers	127900	1567 (3.28-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	752	 5% 74% 20% . .
1	B	752	 6% 76% 19% . .

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 11948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 4 soluble form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	727	5951	3821	978	1126	26	0	0	0
1	B	727	5951	3821	978	1126	26	0	0	0

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	15	HIS	-	EXPRESSION TAG	UNP P27487
A	16	HIS	-	EXPRESSION TAG	UNP P27487
A	17	HIS	-	EXPRESSION TAG	UNP P27487
A	18	HIS	-	EXPRESSION TAG	UNP P27487
A	19	HIS	-	EXPRESSION TAG	UNP P27487
A	20	HIS	-	EXPRESSION TAG	UNP P27487
A	21	ASP	-	EXPRESSION TAG	UNP P27487
A	22	TYR	-	EXPRESSION TAG	UNP P27487
A	23	ASP	-	EXPRESSION TAG	UNP P27487
A	24	ILE	-	EXPRESSION TAG	UNP P27487
A	25	PRO	-	EXPRESSION TAG	UNP P27487
A	26	THR	-	EXPRESSION TAG	UNP P27487
A	27	THR	-	EXPRESSION TAG	UNP P27487
A	28	GLU	-	EXPRESSION TAG	UNP P27487
A	29	ASN	-	EXPRESSION TAG	UNP P27487
A	30	LEU	-	EXPRESSION TAG	UNP P27487
A	31	TYR	-	EXPRESSION TAG	UNP P27487
A	32	PHE	-	EXPRESSION TAG	UNP P27487
A	33	GLN	-	EXPRESSION TAG	UNP P27487
A	34	GLY	-	EXPRESSION TAG	UNP P27487
A	35	ALA	-	EXPRESSION TAG	UNP P27487
A	36	MET	-	EXPRESSION TAG	UNP P27487
A	37	GLY	-	EXPRESSION TAG	UNP P27487
A	38	SER	-	EXPRESSION TAG	UNP P27487
B	15	HIS	-	EXPRESSION TAG	UNP P27487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	16	HIS	-	EXPRESSION TAG	UNP P27487
B	17	HIS	-	EXPRESSION TAG	UNP P27487
B	18	HIS	-	EXPRESSION TAG	UNP P27487
B	19	HIS	-	EXPRESSION TAG	UNP P27487
B	20	HIS	-	EXPRESSION TAG	UNP P27487
B	21	ASP	-	EXPRESSION TAG	UNP P27487
B	22	TYR	-	EXPRESSION TAG	UNP P27487
B	23	ASP	-	EXPRESSION TAG	UNP P27487
B	24	ILE	-	EXPRESSION TAG	UNP P27487
B	25	PRO	-	EXPRESSION TAG	UNP P27487
B	26	THR	-	EXPRESSION TAG	UNP P27487
B	27	THR	-	EXPRESSION TAG	UNP P27487
B	28	GLU	-	EXPRESSION TAG	UNP P27487
B	29	ASN	-	EXPRESSION TAG	UNP P27487
B	30	LEU	-	EXPRESSION TAG	UNP P27487
B	31	TYR	-	EXPRESSION TAG	UNP P27487
B	32	PHE	-	EXPRESSION TAG	UNP P27487
B	33	GLN	-	EXPRESSION TAG	UNP P27487
B	34	GLY	-	EXPRESSION TAG	UNP P27487
B	35	ALA	-	EXPRESSION TAG	UNP P27487
B	36	MET	-	EXPRESSION TAG	UNP P27487
B	37	GLY	-	EXPRESSION TAG	UNP P27487
B	38	SER	-	EXPRESSION TAG	UNP P27487

- Molecule 2 is 1-[2-(2,4-dichlorophenyl)-1-(methylsulfonyl)-1H-indol-3-yl]methanamine (three-letter code: CJP) (formula: C₁₆H₁₄Cl₂N₂O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	Cl	N	O	S	0	0
			23	16	2	2	2	1		
2	B	1	Total	C	Cl	N	O	S	0	0
			23	16	2	2	2	1		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dipeptidyl peptidase 4 soluble form



- Molecule 1: Dipeptidyl peptidase 4 soluble form





4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	79.81Å 79.81Å 286.76Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.75 – 3.24 49.76 – 3.24	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.75-3.24) 99.9 (49.76-3.24)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 3.25Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.223 , 0.264 0.217 , 0.258	Depositor DCC
R_{free} test set	1332 reflections (4.09%)	wwPDB-VP
Wilson B-factor (Å ²)	114.4	Xtrriage
Anisotropy	0.417	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 86.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.019 for -h,-k,l 0.065 for h,-h-k,-l 0.043 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11948	wwPDB-VP
Average B, all atoms (Å ²)	146.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CJP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/6123	0.57	0/8329
1	B	0.43	0/6123	0.57	0/8329
All	All	0.43	0/12246	0.57	0/16658

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5951	0	5669	82	0
1	B	5951	0	5669	77	0
2	A	23	0	14	0	0
2	B	23	0	14	1	0
All	All	11948	0	11366	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:ARG:HH21	1:B:253:ARG:HH21	1.11	0.92
1:B:153:GLN:HE22	1:B:170:ASN:H	1.26	0.83
1:A:153:GLN:HE22	1:A:170:ASN:H	1.27	0.78
1:A:696:LYS:HG3	1:A:728:VAL:HG22	1.67	0.75
1:A:80:ASN:HD22	1:A:82:GLU:H	1.36	0.73
1:B:80:ASN:HD22	1:B:82:GLU:H	1.33	0.73
1:B:564:ALA:HB1	1:B:575:VAL:HG21	1.70	0.73
1:B:696:LYS:HG3	1:B:728:VAL:HG22	1.69	0.73
1:A:242:SER:HB3	1:A:246:LEU:HD12	1.73	0.70
1:B:664:SER:HB2	1:B:668:GLU:OE2	1.91	0.69
1:A:564:ALA:HB1	1:A:575:VAL:HG21	1.75	0.69
1:B:242:SER:HB3	1:B:246:LEU:HD12	1.75	0.68
1:A:664:SER:HB2	1:A:668:GLU:OE2	1.96	0.66
1:B:351:THR:OG1	1:B:592:HIS:HD2	1.77	0.66
1:A:302:ASP:HB3	1:A:314:GLN:HB2	1.79	0.65
1:A:351:THR:OG1	1:A:592:HIS:HD2	1.80	0.64
1:B:314:GLN:HG3	1:B:325:MET:HG3	1.80	0.64
1:B:230:ASP:OD1	1:B:264:PRO:HB3	2.00	0.62
1:B:302:ASP:HB3	1:B:314:GLN:HB2	1.80	0.62
1:A:155:VAL:HG12	1:A:166:TYR:HB3	1.83	0.61
1:A:331:ASP:HB3	1:A:334:SER:HB2	1.82	0.61
1:B:109:PRO:HG2	1:B:158:SER:O	2.00	0.61
1:A:433:LYS:HD2	1:A:445:LEU:HD21	1.83	0.60
1:A:158:SER:OG	1:A:163:LYS:HB2	2.01	0.60
1:B:155:VAL:HG12	1:B:166:TYR:HB3	1.83	0.60
1:A:290:PRO:HG3	1:A:326:ASP:OD1	2.02	0.59
1:B:158:SER:OG	1:B:163:LYS:HB2	2.03	0.59
1:A:314:GLN:HG3	1:A:325:MET:HG3	1.83	0.59
1:B:327:ILE:HD13	1:B:389:ILE:CD1	2.34	0.58
1:A:46:THR:O	1:A:50:LYS:HB2	2.04	0.57
1:B:46:THR:O	1:B:50:LYS:HB2	2.05	0.56
1:B:433:LYS:HD2	1:B:445:LEU:HD21	1.86	0.56
1:A:230:ASP:OD1	1:A:264:PRO:HB3	2.04	0.56
1:A:578:PHE:CD2	1:A:609:ALA:HB2	2.40	0.56
1:A:327:ILE:HD13	1:A:389:ILE:CD1	2.35	0.56
1:B:564:ALA:CB	1:B:575:VAL:HG21	2.36	0.56
1:A:109:PRO:HG2	1:A:158:SER:O	2.06	0.55
1:B:83:TYR:HB2	1:B:85:ASN:OD1	2.07	0.55
1:A:83:TYR:HB2	1:A:85:ASN:OD1	2.07	0.54
1:A:417:TYR:HE1	1:A:419:SER:HB3	1.73	0.54
1:B:330:TYR:HB2	1:B:337:TRP:CZ3	2.42	0.53
1:B:331:ASP:HB3	1:B:334:SER:HB2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:630:SER:OG	1:A:740:HIS:NE2	2.42	0.53
1:B:49:LEU:HD22	1:B:749:GLN:HA	1.92	0.52
1:B:600:THR:OG1	1:B:601:PHE:N	2.43	0.52
1:B:364:PHE:CD2	1:B:371:PHE:HB3	2.46	0.51
1:B:177:GLU:HB2	1:B:180:LEU:HD12	1.93	0.51
1:B:397:ILE:HD12	1:B:434:ILE:HD13	1.93	0.51
1:A:397:ILE:HD12	1:A:434:ILE:HD13	1.92	0.51
1:A:726:VAL:HG23	1:A:728:VAL:HG23	1.92	0.51
1:B:744:SER:HB2	1:B:747:ALA:HB3	1.93	0.51
1:A:48:TYR:CE1	1:A:562:ASN:HA	2.46	0.50
1:A:733:MET:HE2	1:B:732:ALA:H	1.76	0.50
1:B:433:LYS:HB3	1:B:445:LEU:HD11	1.93	0.50
1:A:433:LYS:HB3	1:A:445:LEU:HD11	1.93	0.50
1:A:564:ALA:CB	1:A:575:VAL:HG21	2.41	0.50
1:A:364:PHE:CD2	1:A:371:PHE:HB3	2.47	0.49
1:B:290:PRO:HG3	1:B:326:ASP:OD1	2.12	0.49
1:A:177:GLU:HB2	1:A:180:LEU:HD12	1.93	0.49
1:A:159:PRO:HD3	1:A:216:TRP:CB	2.43	0.49
1:B:48:TYR:CE1	1:B:562:ASN:HA	2.47	0.49
1:B:681:ASP:O	1:B:685:ASN:HB2	2.13	0.49
1:A:688:VAL:HG22	1:A:719:ILE:HG12	1.95	0.48
1:A:472:CYS:O	1:A:478:PRO:HA	2.13	0.48
1:A:600:THR:OG1	1:A:601:PHE:N	2.45	0.48
1:A:720:SER:O	1:A:724:VAL:HG23	2.13	0.48
1:A:738:GLU:OE1	1:A:744:SER:OG	2.30	0.48
1:B:598:LEU:HG	1:B:631:TYR:OH	2.13	0.48
1:A:78:VAL:HG22	1:A:89:PHE:HB2	1.96	0.48
1:B:417:TYR:HE1	1:B:419:SER:HB3	1.78	0.48
1:A:351:THR:OG1	1:A:592:HIS:CD2	2.64	0.48
1:B:351:THR:OG1	1:B:592:HIS:CD2	2.63	0.47
1:A:170:ASN:HD22	1:A:170:ASN:N	2.12	0.47
1:B:346:ILE:H	1:B:392:LYS:NZ	2.13	0.47
1:B:630:SER:OG	1:B:740:HIS:NE2	2.47	0.47
1:A:49:LEU:HD22	1:A:749:GLN:HA	1.97	0.47
1:A:253:ARG:HH21	1:B:253:ARG:NH2	1.95	0.47
1:A:655:PRO:HD2	1:A:716:SER:OG	2.15	0.47
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.96	0.47
1:A:658:ARG:HH21	1:A:687:THR:HG21	1.79	0.46
1:A:708:ASP:OD1	1:A:740:HIS:HA	2.15	0.46
1:A:59:SER:N	1:A:70:TYR:HE1	2.14	0.46
1:B:78:VAL:HG22	1:B:89:PHE:HB2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:CYS:O	1:B:478:PRO:HA	2.15	0.46
1:B:626:ILE:HG23	1:B:636:THR:HG23	1.97	0.46
1:A:193:ILE:HG22	1:A:194:ILE:HG12	1.97	0.46
1:A:681:ASP:O	1:A:685:ASN:HB2	2.16	0.46
1:B:159:PRO:HD3	1:B:216:TRP:CB	2.46	0.46
1:B:465:ALA:O	1:B:485:SER:OG	2.32	0.46
1:B:658:ARG:HH21	1:B:687:THR:HG21	1.81	0.46
1:A:346:ILE:H	1:A:392:LYS:NZ	2.15	0.45
1:B:720:SER:O	1:B:724:VAL:HG23	2.17	0.45
1:B:529:ILE:HB	1:B:575:VAL:HG22	1.98	0.45
1:A:293:MET:HG3	1:A:315:TRP:CB	2.47	0.45
1:A:529:ILE:HB	1:A:575:VAL:HG22	1.99	0.45
1:B:155:VAL:HG12	1:B:166:TYR:CB	2.47	0.45
1:B:578:PHE:CD2	1:B:609:ALA:HB2	2.52	0.45
1:B:106:SER:HB3	1:B:115:LEU:HB3	1.99	0.45
1:B:710:ASN:C	1:B:710:ASN:HD22	2.21	0.45
1:A:88:VAL:HG11	1:A:91:GLU:HG3	1.99	0.45
1:A:155:VAL:HG12	1:A:166:TYR:CB	2.48	0.44
1:A:658:ARG:HH12	1:A:684:ARG:NE	2.15	0.44
1:B:59:SER:N	1:B:70:TYR:HE1	2.15	0.44
1:B:293:MET:HG3	1:B:315:TRP:HB2	1.99	0.44
1:B:135:TYR:HD1	1:B:142:LEU:HD13	1.82	0.44
1:B:327:ILE:HD13	1:B:389:ILE:HD12	1.99	0.44
1:A:105:TYR:HB2	1:A:114:ILE:HD11	1.99	0.44
1:A:235:LEU:HD13	1:A:253:ARG:HB3	1.99	0.44
1:B:598:LEU:HD22	1:B:671:MET:HG2	2.00	0.44
1:B:129:THR:HG23	1:B:151:ASN:HA	1.99	0.44
1:A:293:MET:HG3	1:A:315:TRP:HB2	2.00	0.44
1:A:662:TYR:OH	1:A:710:ASN:ND2	2.50	0.43
1:B:519:LEU:O	1:B:520:ASN:C	2.57	0.43
1:B:655:PRO:HD2	1:B:716:SER:OG	2.18	0.43
1:A:744:SER:HB2	1:A:747:ALA:HB3	1.99	0.43
1:B:88:VAL:HG11	1:B:91:GLU:HG3	2.00	0.43
1:B:740:HIS:NE2	2:B:1000:CJP:CL2	2.89	0.43
1:A:414:TYR:CD2	1:A:433:LYS:HE2	2.54	0.43
1:A:541:PRO:HG3	1:A:623:ARG:NH2	2.34	0.43
1:A:531:PRO:HB3	1:A:572:ASN:HD22	1.84	0.43
1:B:695:PHE:HB3	1:B:728:VAL:HG11	2.01	0.43
1:A:237:GLU:HA	1:A:252:VAL:O	2.19	0.42
1:B:77:LEU:HD13	1:B:88:VAL:HA	2.01	0.42
1:A:167:VAL:HG21	1:A:198:ILE:HG23	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:600:THR:CG2	1:A:682:HIS:HE1	2.33	0.42
1:A:129:THR:HG23	1:A:151:ASN:HA	2.02	0.42
1:A:765:LEU:HA	1:A:766:PRO:HD3	1.90	0.41
1:A:326:ASP:OD2	1:A:344:GLN:HG2	2.20	0.41
1:A:424:GLY:O	1:A:426:PRO:HD3	2.20	0.41
1:B:235:LEU:HD13	1:B:253:ARG:HB3	2.02	0.41
1:A:224:ALA:HB1	1:A:268:PHE:CZ	2.55	0.41
1:B:414:TYR:CD2	1:B:433:LYS:HE2	2.56	0.41
1:A:415:LEU:HB3	1:A:434:ILE:HG23	2.03	0.41
1:A:759:ILE:HD13	1:A:759:ILE:HA	1.97	0.41
1:B:765:LEU:HA	1:B:766:PRO:HD3	1.87	0.41
1:A:598:LEU:HD22	1:A:671:MET:HG2	2.03	0.41
1:B:510:PRO:HD3	1:B:569:SER:HB2	2.03	0.41
1:A:135:TYR:HD1	1:A:142:LEU:HD13	1.86	0.41
1:A:417:TYR:CE1	1:A:419:SER:HB3	2.54	0.41
1:A:543:LEU:O	1:A:575:VAL:HA	2.21	0.41
1:B:651:ILE:HG12	1:B:701:LEU:HB3	2.03	0.41
1:A:541:PRO:HG3	1:A:623:ARG:CZ	2.50	0.41
1:A:745:SER:O	1:A:749:GLN:HG3	2.21	0.41
1:B:564:ALA:HB1	1:B:575:VAL:CG2	2.46	0.41
1:B:745:SER:O	1:B:749:GLN:HG3	2.21	0.41
1:A:598:LEU:HG	1:A:631:TYR:OH	2.21	0.40
1:B:164:LEU:HB3	1:B:175:LYS:HB2	2.03	0.40
1:B:167:VAL:HG21	1:B:198:ILE:HG23	2.03	0.40
1:B:293:MET:HG3	1:B:315:TRP:CB	2.51	0.40
1:A:201:TRP:CE3	1:A:202:VAL:HA	2.55	0.40
1:B:326:ASP:OD2	1:B:344:GLN:HG2	2.21	0.40
1:B:415:LEU:HB3	1:B:434:ILE:HG23	2.02	0.40
1:B:522:THR:HB	1:B:524:PHE:CE2	2.56	0.40
1:B:598:LEU:HB2	1:B:671:MET:SD	2.61	0.40
1:A:77:LEU:HD13	1:A:88:VAL:HA	2.02	0.40
1:A:477:LEU:HG	1:A:500:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	725/752 (96%)	672 (93%)	51 (7%)	2 (0%)	41	73
1	B	725/752 (96%)	672 (93%)	52 (7%)	1 (0%)	51	83
All	All	1450/1504 (96%)	1344 (93%)	103 (7%)	3 (0%)	47	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	73	GLU
1	B	73	GLU
1	A	389	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	651/674 (97%)	600 (92%)	51 (8%)	12	41
1	B	651/674 (97%)	601 (92%)	50 (8%)	13	41
All	All	1302/1348 (97%)	1201 (92%)	101 (8%)	12	41

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	ARG
1	A	63	ILE
1	A	66	HIS
1	A	77	LEU
1	A	78	VAL
1	A	80	ASN
1	A	129	THR
1	A	142	LEU
1	A	145	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	170	ASN
1	A	179	ASN
1	A	182	SER
1	A	212	SER
1	A	246	LEU
1	A	276	LEU
1	A	283	THR
1	A	292	SER
1	A	313	LEU
1	A	316	LEU
1	A	339	CYS
1	A	354	VAL
1	A	358	ARG
1	A	370	SER
1	A	385	CYS
1	A	388	GLN
1	A	392	LYS
1	A	395	THR
1	A	399	LYS
1	A	440	THR
1	A	443	THR
1	A	448	GLU
1	A	453	ARG
1	A	464	GLU
1	A	477	LEU
1	A	482	LEU
1	A	492	ARG
1	A	504	LEU
1	A	514	LEU
1	A	519	LEU
1	A	521	GLU
1	A	522	THR
1	A	538	LYS
1	A	566	TYR
1	A	575	VAL
1	A	615	LYS
1	A	627	TRP
1	A	658	ARG
1	A	663	ASP
1	A	704	HIS
1	A	710	ASN
1	A	731	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	61	ARG
1	B	63	ILE
1	B	66	HIS
1	B	77	LEU
1	B	78	VAL
1	B	80	ASN
1	B	129	THR
1	B	142	LEU
1	B	145	GLU
1	B	179	ASN
1	B	182	SER
1	B	212	SER
1	B	246	LEU
1	B	249	PRO
1	B	276	LEU
1	B	283	THR
1	B	292	SER
1	B	313	LEU
1	B	316	LEU
1	B	339	CYS
1	B	354	VAL
1	B	358	ARG
1	B	370	SER
1	B	385	CYS
1	B	388	GLN
1	B	392	LYS
1	B	395	THR
1	B	399	LYS
1	B	440	THR
1	B	448	GLU
1	B	453	ARG
1	B	464	GLU
1	B	477	LEU
1	B	482	LEU
1	B	492	ARG
1	B	504	LEU
1	B	507	VAL
1	B	514	LEU
1	B	519	LEU
1	B	521	GLU
1	B	522	THR
1	B	538	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	566	TYR
1	B	575	VAL
1	B	627	TRP
1	B	658	ARG
1	B	663	ASP
1	B	704	HIS
1	B	710	ASN
1	B	731	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	80	ASN
1	A	153	GLN
1	A	169	ASN
1	A	170	ASN
1	A	179	ASN
1	A	338	ASN
1	A	435	GLN
1	A	455	GLN
1	A	505	GLN
1	A	506	ASN
1	A	572	ASN
1	A	592	HIS
1	A	710	ASN
1	B	80	ASN
1	B	153	GLN
1	B	169	ASN
1	B	170	ASN
1	B	179	ASN
1	B	338	ASN
1	B	435	GLN
1	B	505	GLN
1	B	506	ASN
1	B	508	GLN
1	B	572	ASN
1	B	592	HIS
1	B	710	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CJP	B	1000	-	20,25,25	1.93	4 (20%)	26,38,38	2.69	9 (34%)
2	CJP	A	1000	-	20,25,25	1.79	4 (20%)	26,38,38	2.69	8 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CJP	B	1000	-	-	1/2/12/12	0/3/3/3
2	CJP	A	1000	-	-	1/2/12/12	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1000	CJP	C10-C11	5.08	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1000	CJP	C8-C7	4.28	1.48	1.40
2	A	1000	CJP	C10-C11	4.16	1.47	1.39
2	A	1000	CJP	C8-C7	3.83	1.47	1.40
2	A	1000	CJP	C21-S20	-3.29	1.68	1.75
2	B	1000	CJP	C21-S20	-3.20	1.68	1.75
2	B	1000	CJP	C11-CL2	3.08	1.80	1.73
2	A	1000	CJP	C11-CL2	2.47	1.79	1.73

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1000	CJP	O22-S20-O23	-8.49	106.48	118.59
2	B	1000	CJP	O22-S20-O23	-8.07	107.08	118.59
2	A	1000	CJP	C10-C8-C7	-6.17	119.54	129.40
2	B	1000	CJP	C10-C8-C7	-6.04	119.75	129.40
2	B	1000	CJP	C12-C11-C10	-4.45	118.74	121.91
2	A	1000	CJP	C21-S20-N9	4.43	112.03	104.68
2	B	1000	CJP	C21-S20-N9	3.98	111.28	104.68
2	A	1000	CJP	C12-C11-C10	-3.04	119.74	121.91
2	A	1000	CJP	C5-C4-C3	-2.81	117.12	120.94
2	B	1000	CJP	C5-C4-C3	-2.77	117.17	120.94
2	A	1000	CJP	C5-C4-N9	2.73	136.73	131.28
2	B	1000	CJP	C5-C4-N9	2.71	136.68	131.28
2	B	1000	CJP	C8-C10-C11	-2.64	118.14	121.62
2	B	1000	CJP	C15-C10-C11	2.51	120.41	117.63
2	A	1000	CJP	C15-C10-C11	2.04	119.89	117.63
2	B	1000	CJP	C1-C2-C3	-2.04	118.06	120.89
2	A	1000	CJP	C8-C10-C11	-2.03	118.95	121.62

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1000	CJP	C15-C10-C8-C7
2	B	1000	CJP	C15-C10-C8-C7


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1000	CJP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	727/752 (96%)	0.29	41 (5%) 24 15	92, 140, 193, 226	0
1	B	727/752 (96%)	0.42	48 (6%) 18 12	96, 150, 199, 235	0
All	All	1454/1504 (96%)	0.35	89 (6%) 21 14	92, 145, 198, 235	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	469	GLN	6.0
1	A	468	TYR	5.9
1	B	223	LEU	5.3
1	B	88	VAL	5.0
1	B	267	LYS	4.9
1	A	95	PHE	4.8
1	A	90	LEU	4.7
1	B	102	ILE	4.6
1	B	53	TYR	4.5
1	B	266	VAL	4.4
1	A	482	LEU	4.0
1	A	84	GLY	3.9
1	B	98	PHE	3.8
1	A	89	PHE	3.8
1	B	95	PHE	3.8
1	B	176	ILE	3.7
1	A	81	ALA	3.7
1	B	54	ARG	3.6
1	A	481	THR	3.6
1	B	165	ALA	3.6
1	B	188	THR	3.5
1	A	164	LEU	3.5
1	B	650	GLY	3.5
1	A	188	THR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	488	ASP	3.4
1	A	73	GLU	3.3
1	B	134	ILE	3.3
1	A	491	LEU	3.3
1	B	695	PHE	3.3
1	B	226	ALA	3.2
1	B	43	TYR	3.2
1	B	493	VAL	3.1
1	B	216	TRP	3.0
1	B	89	PHE	3.0
1	B	492	ARG	3.0
1	B	100	HIS	3.0
1	A	53	TYR	2.9
1	B	84	GLY	2.9
1	B	132	TYR	2.9
1	B	225	TYR	2.9
1	B	273	THR	2.8
1	A	417	TYR	2.8
1	A	415	LEU	2.8
1	B	55	LEU	2.8
1	A	86	SER	2.8
1	A	223	LEU	2.8
1	A	76	ILE	2.8
1	B	69	LEU	2.7
1	B	90	LEU	2.7
1	A	458	SER	2.7
1	A	488	ASP	2.7
1	B	97	GLU	2.7
1	A	541	PRO	2.7
1	B	105	TYR	2.7
1	B	416	TYR	2.6
1	A	98	PHE	2.6
1	A	455	GLN	2.6
1	A	300	LEU	2.6
1	A	58	TYR	2.6
1	A	459	VAL	2.6
1	A	102	ILE	2.5
1	B	461	PHE	2.5
1	A	471	ARG	2.5
1	A	683	TYR	2.5
1	B	61	ARG	2.5
1	A	407	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	222	PHE	2.4
1	A	54	ARG	2.4
1	B	227	GLN	2.4
1	B	312	SER	2.4
1	A	88	VAL	2.4
1	A	483	HIS	2.4
1	A	79	PHE	2.4
1	B	86	SER	2.4
1	B	283	THR	2.4
1	A	137	LEU	2.3
1	B	79	PHE	2.2
1	A	134	ILE	2.2
1	B	73	GLU	2.2
1	B	467	TYR	2.2
1	B	279	VAL	2.2
1	A	77	LEU	2.1
1	B	214	LEU	2.1
1	B	494	LEU	2.1
1	B	268	PHE	2.1
1	B	415	LEU	2.1
1	A	96	ASP	2.1
1	A	174	VAL	2.0
1	B	76	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CJP	B	1000	23/23	0.83	0.31	139,139,142,142	0
2	CJP	A	1000	23/23	0.84	0.34	139,139,142,142	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.